

**FUGITIVE VOC EMISSION SURVEY  
SCREENING REPORT**

**Fourth Quarter 2014**

**Norlite, LLC  
628 South Saratoga Street  
Cohoes, NY 12047**

## Table of Contents

<u>Section</u>	<u>Page No.</u>
1.0 Introduction	1
2.0 Screening Methodology	1
3.0 Sampling Procedures	2
3.1 Procedure	2
3.2 Data Collection	2
3.3 Quality Control	2
 <u>Appendices</u>	
A. Calibration Data Sheets	A-1
B. Screening Data Sheets	B-1
C. VOC Master Component Log	C-1

## 1.0 Introduction

Between October 8<sup>th</sup> and October 10<sup>th</sup>, 2014 Norlite, LLC's Environmental Department performed a volatile organic compound (VOC) fugitive emissions survey for the fourth quarter (October - December) of 2014. Results from this survey revealed that Norlite, LLC maintained compliance with the Organic Air Emissions Rule, 40 CFR Part 264, Subpart BB and the NESHAP Fugitive Emission Sources Rule, 40 CFR Part 61, Subpart V during this period. All components surveyed are considered to be operating under "light liquid service" as defined by 40 CFR Part 60.481.

## 2.0 Screening Results Summary

Few components were found to be releasing any detectable VOC emissions. Of those that did show emissions, all were found to be considerably lower than the limits specified in the regulations. On October 10, 2014 the highest reading during the survey (421.1 ppm) was detected. This was recorded at agitator (tag # 10661), associated with Tank 5. Through the remaining course of the survey no other readings exceeded 421.1 ppm.

Note: Norlite, LLC monitors the tank/agitator interfaces on all 10 LGF storage tanks in the LGF building and on a once per week basis for fugitive VOCs. Based on the results of these screenings, routine maintenance and follow-up monitoring are performed on the agitators to decrease the emissions from these sources on a regular basis.

Also, it should be noted that the readings reported are corrected for the background levels detected unless a zero background is recorded.

Additionally, all components are surveyed once per year, with valves and pumps being surveyed each quarter.

The following is a list of locations and components of the monitored components shown in Appendix B:

### Locations:

Burner Floor-Kiln 1 & Kiln 2  
Tank/Pump 100 A  
Tank/Pump 100 B  
Tank/Pump 100 C  
Tank/Pump 200 A  
Tank/Pump 200 B  
Tank/Pump 200 C  
Tank/Pump 300  
Tank/Pump 400  
Tank/Pump 500  
Tank/Pump 600  
Tunnel/Drum Room  
Equalization Room  
Unloading Bays – Bay 1 & Bay 2

### Source Type:

Valves: 457  
Pumps: 14  
Agitators: 14

### 3.0 Screening Methodology

#### 3.1 Procedures

Norlite, LLC conducted the screenings in accordance with 40 CFR Part 264, Subpart BB, Air Emissions Standards for Hazardous Waste Treatment Facilities and NESHAP Fugitive Emission Sources Rule, 40 CFR Part 61, Subpart V.

VOC emission screening was performed as described in the EPA Reference Method 21, 40 CFR Part 60, using a PHOTOVAC 2020 PRO *Plus*, MicroPID Analyzer. This instrument provides continuous digital readings of VOC concentrations from 0.0 ppm to 10,000 ppm.

#### 3.2 Data Collection

Screening was conducted between October 8<sup>th</sup> and October 10<sup>th</sup>, 2014 starting with the components in the Kiln areas and continuing to the Fuel Farm. Components found to be new were entered into existing drawings. Components that were missing labels were relabeled and remapped if necessary.

As each item was screened the results were recorded on the enclosed Fugitive Emissions Survey Data Sheets. For each source measurement, the instrument response was recorded as well as the background reading and date of the survey. No source was found to exceed Norlite's "action" level of 500 ppm.

All monitoring of components that are considered to be unsafe to monitor or require monitoring personnel to be elevated above 2 meters will be monitored annually, as stated in 6 NYCRR 373-2.28(h)8(iii).

All results are provided in Appendix B.

#### 3.3 Quality Control

In order to ensure data quality, the MicroPID Analyzer was calibrated for zero air and high range. The calibration gas used was n-Hexanes. The analysis of these standards is traceable to National Institute of Standards and Technology (NIST) standards.

A copy of the MicroPID Calibration Data Sheet is provided in Appendix A.



## **APPENDIX A**

### **Microtip Calibration Data Sheets**

**40 CFR 60, APPENDIX A, METHOD 21**  
**CALIBRATION PRECISION TEST DATA SHEET**  
 (QUARTERLY)

Microtip Serial #: PPWM0051

#1 Gas Standard (type): N-Hexane

SN: BAJ-289-990-1

Certified Conc. (ppm): 1001

#2 Gas Standard (type): \_\_\_\_\_

SN: \_\_\_\_\_

Certified Conc. (ppm): \_\_\_\_\_

#3 Gas Standard (type): \_\_\_\_\_

SN: \_\_\_\_\_

Certified Conc. (ppm): \_\_\_\_\_

DATE	INITIALS	METER READINGS	AVERAGE DIFFERENCE <sup>1</sup>	CALIBRATION PRECISION % <sup>2</sup>	COMMENTS
10/8/2014	TVV	#1 Gas-			
		a 1000	1.00	0.10	
		b 1001			
		c 1003			
		#2 Gas-			
		a a			
		b b			
		c c			
		#3 Gas-			
10/9/2014	TVV	#1 Gas-			
		a 999	1.33	0.13	
		b 1000			
		c 1000			
		#2 Gas-			
		a a			
		b b			
		c c			
		#3 Gas-			
		#1 Gas-			
		a a	1001.00	100.00	
		b b			
		c c			
		#2 Gas-			
		a a			
		b b			
		c c			
		#3 Gas-			
		#1 Gas-			
		a a	1001.00	100.00	
		b b			
		c c			
		#2 Gas-			
		a a			
		b b			
		c c			
		#3 Gas-			

<sup>1</sup> Average difference is done by calculating difference between each meter reading and certified concentration, divided by the number of meter readings.

<sup>2</sup> Calibration precision percentage is obtained by dividing value in step (1) by the certified concentration and multiplying by 100.

## MICROTIP CALIBRATION DATA SHEET

Microtip Serial #: PPWM0051

#1 Gas Standard (type): Air, zero

SN: 0129005-001 Certified Conc.: zero air

#2 Gas Standard (type): N-Hexane

SN: BAJ-289-990-1 Certified Conc.: 1001 ppm

#3 Gas Standard (type): \_\_\_\_\_

SN: \_\_\_\_\_ Certified Conc.: \_\_\_\_\_

CALIBRATION DATE <sup>1</sup> :	CALIBRATOR	RESPONSE	RECALIBRATED?	COMMENTS
10/8/2014	TVV	Gas #1 0 Gas #2 1002 Gas #3	N  N	Calibrated
10/9/2014	TVV	Gas #1 0 Gas #2 1001 Gas #3	N  N	Calibrated
		Gas #1 Gas #2 Gas #3		
		Gas #1 Gas #2 Gas #3		
		Gas #1 Gas #2 Gas #3		
		Gas #1 Gas #2 Gas #3		

### RESPONSE TIME CHECK<sup>2</sup>

Gas Standard SN: BAJ-289-990-1 Date: 10/8/2014  
Conc: 1001

Time Response (sec.)	Instrument Response (ppm)	Comments
<u>3</u>	<u>1000</u>	
<u>3</u>	<u>1001</u>	
<u>3</u>	<u>999</u>	
Average Response Time (sec)	<u>3.00</u>	

<sup>1</sup> Calibration is required at the beginning of each sampling day.

<sup>2</sup> Response time check is required once per month.

## **APPENDIX B**

### Screening Data Sheets

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10005	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10010	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10016	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10019	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10023	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10028	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10036	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10042	South Bay South Pump	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10044	South Bay South Pump	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10046	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10053	South Bay South Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10058	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10069	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10077	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10080	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10091	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10095	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10099	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10104	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10108	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10117	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10126	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10131	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10135	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10146	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10153	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10160	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10173	South Off-loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10178	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10180	South Bay North Pump	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10182	South Bay North Pump	Pump	Screening	10/10/2014	39.2	0.0	Quarterly		Liquid
10185	South Bay North Pump	Valve	Screening	10/10/2014	23.9	0.0	Quarterly		Liquid
10194	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10199	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10205	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10208	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10216	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10219	South Bay North Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10233	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10236	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10241	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10245	North Bay Pump	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10247	North Bay Pump	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10251	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10254	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10262	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10269	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10272	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10277	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10280	North Bay Pump	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10284	North Off-Loading Bay	Valve	Screening	10/10/2014	13.1	0.0	Quarterly		Liquid
10303	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10307	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10312	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10316	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10321	North Off-Loading Bay	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10328	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10332	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10341	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10345	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10350	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10354	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10358	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10362	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10365	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10370	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10373	Pump 5	Valve	Screening	10/10/2014	81.2	0.0	Quarterly		Liquid
10384	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10386	Pump 5	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10389	Pump 5	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10393	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10396	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10398	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10401	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10407	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10415	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10419	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10422	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10427	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10431	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10435	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10439	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10444	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid



10451	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10453	Pump 6	Valve	Screening	10/10/2014	18.7	0.0	Quarterly		Liquid
10455	Pump 6	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10458	Pump 6	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10463	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10468	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10472	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10479	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10482	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10485	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10493	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10497	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10499	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10503	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10511	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10514	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10517	Pump 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10532	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10534	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10541	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10557	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10562	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10574	Tank 3	Agitator	Screening	10/10/2014	115.3	0.0	Quarterly		Liquid
10575	Tank 3	Agitator	Screening	10/10/2014	89.6	0.0	Quarterly		Liquid
10592	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10593	Tank 4	Agitator	Screening	10/10/2014	201.3	0.0	Quarterly		Liquid
10596	Tank 4	Agitator	Screening	10/10/2014	151.7	0.0	Quarterly		Liquid
10599	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10601	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10615	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10620	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10624	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10640	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10645	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10649	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10653	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10661	Tank 5	Agitator	Screening	10/10/2014	421.1	0.0	Quarterly		Liquid
10662	Tank 5	Agitator	Screening	10/10/2014	362.0	0.0	Quarterly		Liquid
10673	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10675	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10681	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10686	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10688	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10692	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10695	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10698	Pump 4	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10701	Pump 4	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10703	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10706	Pump 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10713	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10718	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10722	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10727	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10730	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10735	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10739	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10743	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10746	PUMP 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10757	Pump 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10762	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10766	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10770	Pump 3	Valve	Screening	10/10/2014	14.7	0.0	Quarterly		Liquid
10773	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

10776	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10778	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10781	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10786	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10788	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10790	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10798	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10801	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10812	Pump 3	Pump	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10815	Pump 3	Check Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10817	Pump 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10826	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
10830	Tank 6	Agitator	Screening	10/10/2014	25.4	0.0	Quarterly		Liquid
10832	Tank 6	Agitator	Screening	10/10/2014	63.8	0.0	Quarterly		Liquid
10860	Drum Room	Valve	Screening	10/10/2014	0.0	2.1	Quarterly		Liquid
10870	Drum Room	Valve	Screening	10/10/2014	0.0	2.1	Quarterly		Liquid
10877	Drum Room	Valve	Screening	10/10/2014	0.0	2.1	Quarterly		Liquid
10881	Drum Room	Valve	Screening	10/10/2014	0.0	2.1	Quarterly		Liquid
20002	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20010	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20014	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20018	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20025	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20027	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20030	Tank 200B	Pump	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20033	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20036	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20040	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20043	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20048	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20051	Tank 200A	Pump	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20053	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20056	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20060	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20067	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20073	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20077	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20080	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20083	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20088	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20093	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20096	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20099	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20104	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20109	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20112	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20115	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20118	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20122	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20125	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20127	Tank 100C	Check Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20130	Tank 100C	Pump	Screening	10/10/2014	23.6	3.5	Quarterly		Liquid
20132	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20138	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20143	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20147	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20151	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20154	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20156	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20163	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20170	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20172	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20179	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20183	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20187	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20190	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20194	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20197	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20201	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20204	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20208	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20211	Tank 100B	Pump	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20214	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20217	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20221	Tank 100A	Pump	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20223	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20227	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20230	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20233	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20236	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20239	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20243	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20248	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20252	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20255	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20259	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20281	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20294	Tank 100C	Valve	Screening	10/10/2014	10.5	3.5	Quarterly		Liquid
20301	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20313	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20319	Tank 200C	Pump	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20321	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20327	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20331	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20335	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20339	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20343	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20346	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20349	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20355	Tank 200C	Valve	Screening	10/10/2014	9.8	3.5	Quarterly		Liquid
20366	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20369	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20372	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20375	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20379	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid



20443	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20447	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20451	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20455	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20458	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20465	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20478	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20482	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20485	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20489	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20492	Tank 100C	Agitator	Screening	10/10/2014	42.4	3.5	Quarterly		Liquid
20495	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20498	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20502	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20506	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20512	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20517	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20520	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20526	Tank 200C	Agitator	Screening	10/10/2014	183.9	3.5	Quarterly		Liquid
20532	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20535	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20539	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20546	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20549	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20553	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20556	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20561	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20565	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20572	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20580	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20587	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20591	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20603	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20610	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20616	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20619	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20626	Tank 200B	Agitator	Screening	10/10/2014	92.8	3.5	Quarterly		Liquid
20633	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20640	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20643	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20649	Tank 100B	Agitator	Screening	10/10/2014	113.8	3.5	Quarterly		Liquid
20655	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20658	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20674	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20677	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20682	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20703	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20717	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20721	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20725	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20732	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20739	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20742	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20746	Tank 100A	Valve	Screening	10/10/2014	12.4	3.5	Quarterly		Liquid
20750	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20751	Tank 100A	Agitator	Screening	10/10/2014	52.8	3.5	Quarterly		Liquid
20754	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20755	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20756	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20761	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20766	Tank 200A	Agitator	Screening	10/10/2014	2.3	3.5	Quarterly		Liquid
20771	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20778	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

20785	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20790	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20793	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20811	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20839	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20846	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20847	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
21149	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
21182	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
21209	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
20760B	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
21146B	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1005	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1009	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1016	Tank 200C	Valve	Screening	10/10/2014	3.6	3.5	Quarterly		Liquid
V1019	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1025	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1029	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1036	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1039	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1049	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

V1059	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1062	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1070	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1074	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1080	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1083	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1092	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1097	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1101	Tank 100B	Valve	Screening	10/10/2014	4.1	3.5	Quarterly		Liquid
V1106	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1117	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1121	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1125	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1128	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1136	Fuel Farm Scrubber	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1138	Fuel Farm Scrubber	Valve	Screening	10/10/2014	3.2	0.0	Quarterly		Liquid
V1149	Fuel Farm Scrubber	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1159	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1164	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1167	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1177	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

V1179	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1182	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1184	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1193	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1200	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1203	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1209	Tank 3	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1221	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1227	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1232	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1250	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1252	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1260	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1263	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1268	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1273	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1281	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1284	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1299	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1308	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1313	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid

V1316	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1340	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1344	Tank 6	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1350	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1359	Tank 5	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1394	Tank 4	Valve	Screening	10/10/2014	6.3	0.0	Quarterly		Liquid
V1398	Tank 4	Valve	Screening	10/10/2014	0.0	0.0	Quarterly		Liquid
V1447	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1450	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1453	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1462	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1467	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1470	Back Wall Fuel Farm	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1503	Tank 200C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1520	Tank 200B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1534	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1537	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1541	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1544	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1550	Tank 200A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1569	Tank 100C	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

V1584	Tank 100B	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid
V1599	Tank 100A	Valve	Screening	10/10/2014	0.0	3.5	Quarterly		Liquid

<b>Max Reading</b>	<b>421.1</b>	<b>3.5</b>
--------------------	--------------	------------



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30006	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30011	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30014	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30017	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30021	Top Level Eq Room	AWFCO Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30024	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30027	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30030	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30033	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30036	Kiln 1 Gas Room	Mono Pump	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30039	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30042	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30045	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30049	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30050	Kiln 1 Gas Room	Check Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30052	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30060	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30065	Kiln 1 Gas Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30070	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30075	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid

30077	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30080	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30085	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30089	Kiln 1 Burner Floor	Check Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30092	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30099	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30102	Kiln 1 Burner Floor	Check Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30105	Kiln 1 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30108	Kiln 1 Burner Floor	Emergency Shutoff Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30117	Top Level Eq Room	Valve	Screening	10/8/2014	111.0	0.0	Quarterly		Liquid
30123	Top Level Eq Room	Valve	Screening	10/8/2014	13.2	0.0	Quarterly		Liquid
30126	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30130	Top Level Eq Room	Valve	Screening	10/8/2014	17.4	0.0	Quarterly		Liquid
30136	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30140	Top Level Eq Room	Valve	Screening	10/8/2014	22.6	0.0	Quarterly		Liquid
30143	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30146	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30150	Mid Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30154	Top Level Eq Room	Valve	Screening	10/8/2014	18.3	0.0	Quarterly		Liquid
30160	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30164	Top Level Eq Room	Valve	Screening	10/8/2014	3.3	0.0	Quarterly		Liquid

30167	Top Level Eq Room	Valve	Screening	10/8/2014	14.4	0.0	Quarterly		Liquid
30173	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30177	Top Level Eq Room	Valve	Screening	10/8/2014	9.9	0.0	Quarterly		Liquid
30180	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30184	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30187	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30189	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30192	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30195	Top Level Eq Room	Valve	Screening	10/8/2014	32.7	0.0	Quarterly		Liquid
30199	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30202	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30205	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30208	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30211	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30214	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30223	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30226	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30228	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30231	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30235	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30238	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid

30241	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30244	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30254	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30257	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30260	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30263	Top Level Eq Room	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30266	Mid Level Eq Room	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30272	Mid Level Eq Room	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30280	Mid Level Eq Room	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30285	Mid Level Eq Room	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30294	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30303	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30312	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30313	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30317	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30321	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30327	Tank 102A	Valve	Screening	N/A	N/A	N/A	Quarterly		Out of Service
30356	Tank 102B	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30374	Tank 102B	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30382	Tank 102B	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30394	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid

30400	Kiln 2 Burner Floor	AWFCO Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30405	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30409	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30414	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30423	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30428	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30431	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30434	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30437	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30439	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30443	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30445	Kiln 2 Burner Floor	Check Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30447	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30450	Kiln 2 Burner Floor	Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30452	Kiln 2 Burner Floor	Check Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid
30454	Kiln 2 Burner Floor	Emergency Shutoff Valve	Screening	10/8/2014	0.0	0.0	Quarterly		Liquid

<b>Max Reading</b>	<b>111.0</b>	<b>0.0</b>
--------------------	--------------	------------

## **APPENDIX C**

### Master VOC Component Log

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30001	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30002	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30003	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30004	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30005	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30006	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30007	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30008	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30009	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30010	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30011	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30012	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30013	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30014	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30015	Kiln 1 Gas Room	Cap	Screening				Annual		Liquid
30016	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30017	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30018	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30019	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30020	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30021	Kiln 1 Gas Room	AWFCO Valve	Screening				Annual		Liquid
30022	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30023	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30024	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30025	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30026	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30027	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30028	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30029	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30030	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30031	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30032	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30033	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30034	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30035	Kiln 1 Gas Room	Cap	Screening				Annual		Liquid
30036	Kiln 1 Gas Room	Mono Pump	Screening				Annual		Liquid
30037	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30038	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30039	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30040	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30041	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30042	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30043	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30044	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30045	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30046	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30047	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30048A	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30048B	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30049	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30050	Kiln 1 Gas Room	Check Valve	Screening				Annual		Liquid
30051	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30052	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30053	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30054	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30055	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30056	Kiln 1 Gas Room	Coupler	Screening				Annual		Liquid
30057	Kiln 1 Gas Room	Cap	Screening				Annual		Liquid
30058	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30059	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30060	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30061	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30062	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30063	Kiln 1 Gas Room	MicroMotion	Screening				Annual		Liquid
30064	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30065	Kiln 1 Gas Room	Valve	Screening				Annual		Liquid
30066	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30067	Kiln 1 Gas Room	Flange	Screening				Annual		Liquid
30068	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30069	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30070	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30071	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30072	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30073	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30074	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30075	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30076	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30077	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30078	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30079	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30080	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30081	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30082	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30083	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30084	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30085	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30086	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30087	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30088	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30089	Kiln 1 Burner Floor	Check Valve	Screening				Annual		Liquid
30090	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30091	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30092	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30093	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30094	Kiln 1 Burner Floor	Coupler	Screening				Annual		Liquid
30095	Kiln 1 Burner Floor	Cap	Screening				Annual		Liquid
30096	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30097	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30098	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30099	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30100	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30101	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30102	Kiln 1 Burner Floor	Check Valve	Screening				Annual		Liquid
30103	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30104	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30105	Kiln 1 Burner Floor	Valve	Screening				Annual		Liquid
30106	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30107	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30108	Kiln 1 Burner Floor	Emergency Shutoff Valve	Screening				Annual		Liquid
30109	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30110	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30111	Kiln 1 Burner Floor	Coupler	Screening				Annual		Liquid
30112	Kiln 1 Burner Floor	Coupler	Screening				Annual		Liquid
30113	Kiln 1 Burner Floor	Coupler	Screening				Annual		Liquid
30114	Kiln 1 Burner Floor	Flange	Screening				Annual		Liquid
30115	Top Level Eq Room	Flange	Screening				Annual		Liquid
30116	Top Level Eq Room	Flange	Screening				Annual		Liquid
30117	Top Level Eq Room	Valve	Screening				Annual		Liquid
30118	Top Level Eq Room	Flange	Screening				Annual		Liquid
30119	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30120	Top Level Eq Room	LGF Filter Basket	Screening				Annual		Liquid
30121	Top Level Eq Room	Flange	Screening				Annual		Liquid
30122	Top Level Eq Room	Flange	Screening				Annual		Liquid
30123	Top Level Eq Room	Valve	Screening				Annual		Liquid
30124	Top Level Eq Room	Flange	Screening				Annual		Liquid
30125	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30126	Top Level Eq Room	Valve	Screening				Annual		Liquid
30127	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30128	Top Level Eq Room	Cap	Screening				Annual		Liquid
30129	Top Level Eq Room	Flange	Screening				Annual		Liquid
30130	Top Level Eq Room	Valve	Screening				Annual		Liquid
30131	Top Level Eq Room	Flange	Screening				Annual		Liquid
30132	Top Level Eq Room	Flange	Screening				Annual		Liquid
30133	Top Level Eq Room	LGF Filter Basket	Screening				Annual		Liquid
30134	Top Level Eq Room	Flange	Screening				Annual		Liquid
30135	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30136	Top Level Eq Room	Valve	Screening				Annual		Liquid
30137	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30138	Top Level Eq Room	Cap	Screening				Annual		Liquid
30139	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30140	Top Level Eq Room	Valve	Screening				Annual		Liquid
30141	Top Level Eq Room	Flange	Screening				Annual		Liquid
30142	Top Level Eq Room	Flange	Screening				Annual		Liquid
30143	Top Level Eq Room	Valve	Screening				Annual		Liquid
30144	Top Level Eq Room	Flange	Screening				Annual		Liquid
30145	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30146	Top Level Eq Room	Valve	Screening				Annual		Liquid
30147	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30148	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30148B	Top Level Eq Room	Flange	Screening				Annual		Liquid
30149	Mid Level Eq Room	Flange	Screening				Annual		Liquid
30150	Mid Level Eq Room	Valve	Screening				Annual		Liquid
30151	Mid Level Eq Room	Flange	Screening				Annual		Liquid
30152	Mid Level Eq Room	Cap	Screening				Annual		Liquid
30153	Top Level Eq Room	Flange	Screening				Annual		Liquid
30154	Top Level Eq Room	Valve	Screening				Annual		Liquid
30155	Top Level Eq Room	Flange	Screening				Annual		Liquid
30156	Top Level Eq Room	Flange	Screening				Annual		Liquid
30157	Top Level Eq Room	LGF Filter Basket	Screening				Annual		Liquid
30158	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30159	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30160	Top Level Eq Room	Valve	Screening				Annual		Liquid
30161	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30162	Top Level Eq Room	Cap	Screening				Annual		Liquid
30163	Top Level Eq Room	Flange	Screening				Annual		Liquid
30164	Top Level Eq Room	Valve	Screening				Annual		Liquid
30165	Top Level Eq Room	Flange	Screening				Annual		Liquid
30166	Top Level Eq Room	Flange	Screening				Annual		Liquid
30167	Top Level Eq Room	Valve	Screening				Annual		Liquid
30168	Top Level Eq Room	Flange	Screening				Annual		Liquid
30169	Top Level Eq Room	Flange	Screening				Annual		Liquid
30170	Top Level Eq Room	LGF Filter Basket	Screening				Annual		Liquid
30171	Top Level Eq Room	Flange	Screening				Annual		Liquid
30172	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30173	Top Level Eq Room	Valve	Screening				Annual		Liquid
30174	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30175	Top Level Eq Room	Cap	Screening				Annual		Liquid
30176	Top Level Eq Room	Flange	Screening				Annual		Liquid
30177	Top Level Eq Room	Valve	Screening				Annual		Liquid
30178	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30179	Top Level Eq Room	Flange	Screening				Annual		Liquid
30180	Top Level Eq Room	Valve	Screening				Annual		Liquid
30181	Top Level Eq Room	Flange	Screening				Annual		Liquid
30182	Top Level Eq Room	Flange	Screening				Annual		Liquid
30183	Top Level Eq Room	Flange	Screening				Annual		Liquid
30184	Top Level Eq Room	Valve	Screening				Annual		Liquid
30185	Top Level Eq Room	Flange	Screening				Annual		Liquid
30186	Top Level Eq Room	Flange	Screening				Annual		Liquid
30187	Top Level Eq Room	Valve	Screening				Annual		Liquid
30188	Top Level Eq Room	Flange	Screening				Annual		Liquid
30188B	Top Level Eq Room	Flange	Screening				Annual		Liquid
30189	Top Level Eq Room	Valve	Screening				Annual		Liquid
30190	Top Level Eq Room	Flange	Screening				Annual		Liquid
30191	Top Level Eq Room	Flange	Screening				Annual		Liquid
30192	Top Level Eq Room	Valve	Screening				Annual		Liquid
30193	Top Level Eq Room	Flange	Screening				Annual		Liquid
30194	Top Level Eq Room	Flange	Screening				Annual		Liquid
30195	Top Level Eq Room	Valve	Screening				Annual		Liquid
30196	Top Level Eq Room	Flange	Screening				Annual		Liquid
30197	Top Level Eq Room	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30198	Top Level Eq Room	Flange	Screening				Annual		Liquid
30199	Top Level Eq Room	Valve	Screening				Annual		Liquid
30200	Top Level Eq Room	Flange	Screening				Annual		Liquid
30201	Top Level Eq Room	Flange	Screening				Annual		Liquid
30202	Top Level Eq Room	Valve	Screening				Annual		Liquid
30203	Top Level Eq Room	Flange	Screening				Annual		Liquid
30204	Top Level Eq Room	Flange	Screening				Annual		Liquid
30205	Top Level Eq Room	Valve	Screening				Annual		Liquid
30206	Top Level Eq Room	Flange	Screening				Annual		Liquid
30207	Top Level Eq Room	Flange	Screening				Annual		Liquid
30208	Top Level Eq Room	Valve	Screening				Annual		Liquid
30209	Top Level Eq Room	Flange	Screening				Annual		Liquid
30210	Top Level Eq Room	Flange	Screening				Annual		Liquid
30211	Top Level Eq Room	Valve	Screening				Annual		Liquid
30212	Top Level Eq Room	Flange	Screening				Annual		Liquid
30213	Top Level Eq Room	Flange	Screening				Annual		Liquid
30214	Top Level Eq Room	Valve	Screening				Annual		Liquid
30215	Top Level Eq Room	Flange	Screening				Annual		Liquid
30216	Top Level Eq Room	Flange	Screening				Annual		Liquid
30217	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30218	Top Level Eq Room	Flange	Screening				Annual		Liquid
30219	Top Level Eq Room	Flange	Screening				Annual		Liquid
30220	Top Level Eq Room	Flange	Screening				Annual		Liquid
30221	Top Level Eq Room	Flange	Screening				Annual		Liquid
30222	Top Level Eq Room	Flange	Screening				Annual		Liquid
30223	Top Level Eq Room	Valve	Screening				Annual		Liquid
30224	Top Level Eq Room	Flange	Screening				Annual		Liquid
30225	Top Level Eq Room	Flange	Screening				Annual		Liquid
30226	Top Level Eq Room	Valve	Screening				Annual		Liquid
30227A	Top Level Eq Room	Flange	Screening				Annual		Liquid
30227B	Top Level Eq Room	Flange	Screening				Annual		Liquid
30228	Top Level Eq Room	Valve	Screening				Annual		Liquid
30229	Top Level Eq Room	Flange	Screening				Annual		Liquid
30230	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30231	Top Level Eq Room	Valve	Screening				Annual		Liquid
30232	Top Level Eq Room	Coupler	Screening				Annual		Liquid
30233	Top Level Eq Room	Flange	Screening				Annual		Liquid
30234	Top Level Eq Room	Flange	Screening				Annual		Liquid
30235	Top Level Eq Room	Valve	Screening				Annual		Liquid
30236	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30237	Top Level Eq Room	Flange	Screening				Annual		Liquid
30238	Top Level Eq Room	Valve	Screening				Annual		Liquid
30239	Top Level Eq Room	Flange	Screening				Annual		Liquid
30240	Top Level Eq Room	Flange	Screening				Annual		Liquid
30241	Top Level Eq Room	Valve	Screening				Annual		Liquid
30242	Top Level Eq Room	Flange	Screening				Annual		Liquid
30243	Top Level Eq Room	Flange	Screening				Annual		Liquid
30244	Top Level Eq Room	Valve	Screening				Annual		Liquid
30245	Top Level Eq Room	Flange	Screening				Annual		Liquid
30246	Top Level Eq Room	Flange	Screening				Annual		Liquid
30247	Top Level Eq Room	Flange	Screening				Annual		Liquid
30248	Top Level Eq Room	Flange	Screening				Annual		Liquid
30249	Top Level Eq Room	Flange	Screening				Annual		Liquid
30250	Top Level Eq Room	Flange	Screening				Annual		Liquid
30251	Top Level Eq Room	Flange	Screening				Annual		Liquid
30252	Top Level Eq Room	Flange	Screening				Annual		Liquid
30253	Top Level Eq Room	Flange	Screening				Annual		Liquid
30254	Top Level Eq Room	Valve	Screening				Annual		Liquid
30255	Top Level Eq Room	Flange	Screening				Annual		Liquid
30256	Top Level Eq Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30257	Top Level Eq Room	Valve	Screening				Annual		Liquid
30258	Top Level Eq Room	Flange	Screening				Annual		Liquid
30259	Top Level Eq Room	Flange	Screening				Annual		Liquid
30260	Top Level Eq Room	Valve	Screening				Annual		Liquid
30261	Top Level Eq Room	Flange	Screening				Annual		Liquid
30262	Top Level Eq Room	Flange	Screening				Annual		Liquid
30263	Top Level Eq Room	Valve	Screening				Annual		Liquid
30264	Top Level Eq Room	Flange	Screening				Annual		Liquid
30265	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30266	Mid Level Eq Room	Valve	Screening				Annual		Out of Service
30267	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30268	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30269	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30270	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30271	Mid Level Eq Room	Man way	Screening				Annual		Out of Service
30272	Mid Level Eq Room	Valve	Screening				Annual		Out of Service
30273	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30274	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30275	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30276	Mid Level Eq Room	Flange	Screening				Annual		Out of Service

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30277	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30278	Mid Level Eq Room	Man way	Screening				Annual		Out of Service
30279	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30280	Mid Level Eq Room	Valve	Screening				Annual		Out of Service
30281	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30282	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30283	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30284	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30285	Mid Level Eq Room	Valve	Screening				Annual		Out of Service
30286	Mid Level Eq Room	Flange	Screening				Annual		Out of Service
30287	Tank 102A	Man way	Screening				Annual		Out of Service
30288	Tank 102A	Flange	Screening				Annual		Out of Service
30289	Tank 102A	Flange	Screening				Annual		Out of Service
30290	Tank 102A	Flange	Screening				Annual		Out of Service
30291	Tank 102A	Coupler	Screening				Annual		Out of Service
30292	Tank 102A	Flange	Screening				Annual		Out of Service
30293	Tank 102A	Flange	Screening				Annual		Out of Service
30294	Tank 102A	Valve	Screening				Annual		Out of Service
30295	Tank 102A	Cap	Screening				Annual		Out of Service
30296	Tank 102A	Flange	Screening				Annual		Out of Service

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30297	Tank 102A	Flange	Screening				Annual		Out of Service
30298	Tank 102A	Rupture Disk	Screening				Annual		Out of Service
30299	Tank 102A	Flange	Screening				Annual		Out of Service
30300	Tank 102A	Flange	Screening				Annual		Out of Service
30301	Tank 102A	Flange	Screening				Annual		Out of Service
30302	Tank 102A	Flange	Screening				Annual		Out of Service
30303	Tank 102A	Valve	Screening				Annual		Out of Service
30304	Tank 102A	Flange	Screening				Annual		Out of Service
30305	Tank 102A	Flange	Screening				Annual		Out of Service
30306	Tank 102A	Flange	Screening				Annual		Out of Service
30307	Tank 102A	Flange	Screening				Annual		Out of Service
30308	Tank 102A	Flange	Screening				Annual		Out of Service
30309	Tank 102A	Flange	Screening				Annual		Out of Service
30310	Tank 102A	Flange	Screening				Annual		Out of Service
30311	Tank 102A	Flange	Screening				Annual		Out of Service
30312	Tank 102A	Valve	Screening				Annual		Out of Service
30313	Tank 102A	Valve	Screening				Annual		Out of Service
30313A	Tank 102A	Flange	Screening				Annual		Out of Service
30314	Tank 102A	Flange	Screening				Annual		Out of Service
30315	Tank 102A	Cap	Screening				Annual		Out of Service

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30316	Tank 102A	Flange	Screening				Annual		Out of Service
30317	Tank 102A	Valve	Screening				Annual		Out of Service
30318	Tank 102A	Flange	Screening				Annual		Out of Service
30319	Tank 102A	Coupler	Screening				Annual		Out of Service
30320	Tank 102A	Coupler	Screening				Annual		Out of Service
30321	Tank 102A	Valve	Screening				Annual		Out of Service
30322	Tank 102A	Flange	Screening				Annual		Out of Service
30323	Tank 102A	Flange	Screening				Annual		Out of Service
30324	Tank 102A	Flange	Screening				Annual		Out of Service
30325	Tank 102A	Flange	Screening				Annual		Out of Service
30326	Tank 102A	Flange	Screening				Annual		Out of Service
30327	Tank 102A	Valve	Screening				Annual		Out of Service
30328	Tank 102A	Flange	Screening				Annual		Out of Service
30329	Tank 102A	Flange	Screening				Annual		Out of Service
30330	Tank 102A	Coupler	Screening				Annual		Out of Service
30331	Tank 102A	Coupler	Screening				Annual		Out of Service
30332	Tank 102A	Coupler	Screening				Annual		Out of Service
30333	Tank 102A	Coupler	Screening				Annual		Out of Service
30334	Tank 102A	Coupler	Screening				Annual		Out of Service
30335	Tank 102A	Coupler	Screening				Annual		Out of Service

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30336	Tank 102A	Flange	Screening				Annual		Out of Service
30337	Tank 102A	Flange	Screening				Annual		Out of Service
30338	Tank 102A	Flange	Screening				Annual		Out of Service
30339	Tank 102B	Man way	Screening				Annual		Liquid
30340	Tank 102B	Flange	Screening				Annual		Liquid
30341	Tank 102B	Flange	Screening				Annual		Liquid
30342	Tank 102B	Flange	Screening				Annual		Liquid
30343	Tank 102B	Coupler	Screening				Annual		Liquid
30344	Tank 102B	Flange	Screening				Annual		Liquid
30345	Tank 102B	Flange	Screening				Annual		Liquid
30346	Tank 102B	Valve	Screening				Annual		Liquid
30347	Tank 102B	Cap	Screening				Annual		Liquid
30348	Tank 102B	Flange	Screening				Annual		Liquid
30349	Tank 102B	Rupture Disk	Screening				Annual		Liquid
30350	Tank 102B	Flange	Screening				Annual		Liquid
30351	Tank 102B	Flange	Screening				Annual		Liquid
30352	Tank 102B	Flange	Screening				Annual		Liquid
30353	Tank 102B	Flange	Screening				Annual		Liquid
30354	Tank 102B	Flange	Screening				Annual		Liquid
30355	Tank 102B	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30356	Tank 102B	Valve	Screening				Annual		Liquid
30357	Tank 102B	Flange	Screening				Annual		Liquid
30358	Tank 102B	Flange	Screening				Annual		Liquid
30359	Tank 102B	Coupler	Screening				Annual		Liquid
30360	Tank 102B	Coupler	Screening				Annual		Liquid
30361	Tank 102B	Coupler	Screening				Annual		Liquid
30362	Tank 102B	Coupler	Screening				Annual		Liquid
30363	Tank 102B	<i>Coupler</i>	Screening				Annual		Liquid
30364	Tank 102B	Gauge	Screening				Annual		Liquid
30365	Tank 102B	Coupler	Screening				Annual		Liquid
30366	Tank 102B	Coupler	Screening				Annual		Liquid
30367	Tank 102B	Flange	Screening				Annual		Liquid
30368	Tank 102B	Flange	Screening				Annual		Liquid
30371	Tank 102B	Coupler	Screening				Annual		Liquid
30373	Tank 102B	Coupler	Screening				Annual		Liquid
30374	Tank 102B	Valve	Screening				Annual		Liquid
30375	Tank 102B	Coupler	Screening				Annual		Liquid
30376	Tank 102B	Cap	Screening				Annual		Liquid
30377	Tank 102B	Flange	Screening				Annual		Liquid
30378	Tank 102B	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30379	Tank 102B	Flange	Screening				Annual		Liquid
30380	Tank 102B	Coupler	Screening				Annual		Liquid
30381	Tank 102B	Coupler	Screening				Annual		Liquid
30382	Tank 102B	Valve	Screening				Annual		Liquid
30383	Tank 102B	Coupler	Screening				Annual		Liquid
30384	Tank 102B	Coupler	Screening				Annual		Liquid
30385	Tank 102B	Coupler	Screening				Annual		Liquid
30386	Tank 102B	Coupler	Screening				Annual		Liquid
30387	Tank 102B	Coupler	Screening				Annual		Liquid
30388	Tank 102B	Coupler	Screening				Annual		Liquid
30389	Tank 102B	Coupler	Screening				Annual		Liquid
30390	Tank 102B	Flange	Screening				Annual		Liquid
30391	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30392	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30393	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30394	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30395	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30396	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30397	Kiln 2 Burner Floor	Cap	Screening				Annual		Liquid
30398	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30399	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30400	Kiln 2 Burner Floor	AWFCO Valve	Screening				Annual		Liquid
30401	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30402	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30403	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30404	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30405	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30406	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30407	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30408	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30409	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30410	Kiln 2 Burner Floor	Cap	Screening				Annual		Liquid
30411	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30412	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30413	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30414	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30415	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30416	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30417	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30418	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30419	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30420	Kiln 2 Burner Floor	Cap	Screening				Annual		Liquid
30421	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30422	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30423	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30424	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30425	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30426	Kiln 2 Burner Floor	MicroMotion	Screening				Annual		Liquid
30427	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30428	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30429	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30430	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30431	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30432	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30433	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30434	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30435	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30436	Kiln 2 Burner Floor	Coupler	Screening				Annual		Liquid
30437	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30438	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30439	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30440	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30441	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30442	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30443	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30444	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30445	Kiln 2 Burner Floor	Check Valve	Screening				Annual		Liquid
30446	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30447	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30448	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30449	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30450	Kiln 2 Burner Floor	Valve	Screening				Annual		Liquid
30451	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30452	Kiln 2 Burner Floor	Check Valve	Screening				Annual		Liquid
30453	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30454	Kiln 2 Burner Floor	Emergency Shutoff Valve	Screening				Annual		Liquid
30455	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30456	Kiln 2 Burner Floor	Flange	Screening				Annual		Liquid
30457	Reserved	Reserved	Screening				Annual		Liquid
30458	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30459	Reserved	Reserved	Screening				Annual		Liquid
30460	Reserved	Reserved	Screening				Annual		Liquid
30461	Reserved	Reserved	Screening				Annual		Liquid
30462	Reserved	Reserved	Screening				Annual		Liquid
30463	Reserved	Reserved	Screening				Annual		Liquid
30464	Reserved	Reserved	Screening				Annual		Liquid
30465	Reserved	Reserved	Screening				Annual		Liquid
30466	Reserved	Reserved	Screening				Annual		Liquid
30467	Reserved	Reserved	Screening				Annual		Liquid
30468	Reserved	Reserved	Screening				Annual		Liquid
30469	Reserved	Reserved	Screening				Annual		Liquid
30470	Reserved	Reserved	Screening				Annual		Liquid
30471	Reserved	Reserved	Screening				Annual		Liquid
30472	Reserved	Reserved	Screening				Annual		Liquid
30473	Reserved	Reserved	Screening				Annual		Liquid
30474	Reserved	Reserved	Screening				Annual		Liquid
30475	Reserved	Reserved	Screening				Annual		Liquid
30476	Reserved	Reserved	Screening				Annual		Liquid
30477	Reserved	Reserved	Screening				Annual		Liquid
30478	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30479	Reserved	Reserved	Screening				Annual		Liquid
30480	Reserved	Reserved	Screening				Annual		Liquid
30481	Reserved	Reserved	Screening				Annual		Liquid
30482	Reserved	Reserved	Screening				Annual		Liquid
30483	Reserved	Reserved	Screening				Annual		Liquid
30484	Reserved	Reserved	Screening				Annual		Liquid
30485	Reserved	Reserved	Screening				Annual		Liquid
30486	Reserved	Reserved	Screening				Annual		Liquid
30487	Reserved	Reserved	Screening				Annual		Liquid
30488	Reserved	Reserved	Screening				Annual		Liquid
30489	Reserved	Reserved	Screening				Annual		Liquid
30490	Reserved	Reserved	Screening				Annual		Liquid
30491	Reserved	Reserved	Screening				Annual		Liquid
30492	Reserved	Reserved	Screening				Annual		Liquid
30493	Reserved	Reserved	Screening				Annual		Liquid
30494	Reserved	Reserved	Screening				Annual		Liquid
30495	Reserved	Reserved	Screening				Annual		Liquid
30496	Reserved	Reserved	Screening				Annual		Liquid
30497	Reserved	Reserved	Screening				Annual		Liquid
30498	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30499	Reserved	Reserved	Screening				Annual		Liquid
30500	Reserved	Reserved	Screening				Annual		Liquid
30501	Reserved	Reserved	Screening				Annual		Liquid
30502	Reserved	Reserved	Screening				Annual		Liquid
30503	Reserved	Reserved	Screening				Annual		Liquid
30504	Reserved	Reserved	Screening				Annual		Liquid
30505	Reserved	Reserved	Screening				Annual		Liquid
30506	Reserved	Reserved	Screening				Annual		Liquid
30507	Reserved	Reserved	Screening				Annual		Liquid
30508	Reserved	Reserved	Screening				Annual		Liquid
30509	Reserved	Reserved	Screening				Annual		Liquid
30510	Reserved	Reserved	Screening				Annual		Liquid
30511	Reserved	Reserved	Screening				Annual		Liquid
30512	Reserved	Reserved	Screening				Annual		Liquid
30513	Reserved	Reserved	Screening				Annual		Liquid
30514	Reserved	Reserved	Screening				Annual		Liquid
30515	Reserved	Reserved	Screening				Annual		Liquid
30516	Reserved	Reserved	Screening				Annual		Liquid
30517	Reserved	Reserved	Screening				Annual		Liquid
30518	Reserved	Reserved	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30519	Reserved	Reserved	Screening				Annual		Liquid
30520	Reserved	Reserved	Screening				Annual		Liquid
30521	Reserved	Reserved	Screening				Annual		Liquid
30522	Reserved	Reserved	Screening				Annual		Liquid
30523	Reserved	Reserved	Screening				Annual		Liquid
30524	Reserved	Reserved	Screening				Annual		Liquid
30525	Reserved	Reserved	Screening				Annual		Liquid
30526	Reserved	Reserved	Screening				Annual		Liquid
30527	Reserved	Reserved	Screening				Annual		Liquid
30528	Reserved	Reserved	Screening				Annual		Liquid
30529	Reserved	Reserved	Screening				Annual		Liquid
30530	Reserved	Reserved	Screening				Annual		Liquid
30531	Reserved	Reserved	Screening				Annual		Liquid
30532	Reserved	Reserved	Screening				Annual		Liquid
30533	Reserved	Reserved	Screening				Annual		Liquid
30534	Reserved	Reserved	Screening				Annual		Liquid
30535	Reserved	Reserved	Screening				Annual		Liquid
30536	Reserved	Reserved	Screening				Annual		Liquid
30537	Reserved	Reserved	Screening				Annual		Liquid
30538	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30539	Reserved	Reserved	Screening				Annual		Liquid
30540	Reserved	Reserved	Screening				Annual		Liquid
30541	Reserved	Reserved	Screening				Annual		Liquid
30542	Reserved	Reserved	Screening				Annual		Liquid
30543	Reserved	Reserved	Screening				Annual		Liquid
30544	Reserved	Reserved	Screening				Annual		Liquid
30545	Reserved	Reserved	Screening				Annual		Liquid
30546	Reserved	Reserved	Screening				Annual		Liquid
30547	Reserved	Reserved	Screening				Annual		Liquid
30548	Reserved	Reserved	Screening				Annual		Liquid
30549	Reserved	Reserved	Screening				Annual		Liquid
30550	Reserved	Reserved	Screening				Annual		Liquid
30551	Reserved	Reserved	Screening				Annual		Liquid
30552	Reserved	Reserved	Screening				Annual		Liquid
30553	Reserved	Reserved	Screening				Annual		Liquid
30554	Reserved	Reserved	Screening				Annual		Liquid
30555	Reserved	Reserved	Screening				Annual		Liquid
30556	Reserved	Reserved	Screening				Annual		Liquid
30557	Reserved	Reserved	Screening				Annual		Liquid
30558	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30559	Reserved	Reserved	Screening				Annual		Liquid
30560	Reserved	Reserved	Screening				Annual		Liquid
30561	Reserved	Reserved	Screening				Annual		Liquid
30562	Reserved	Reserved	Screening				Annual		Liquid
30563	Reserved	Reserved	Screening				Annual		Liquid
30564	Reserved	Reserved	Screening				Annual		Liquid
30565	Reserved	Reserved	Screening				Annual		Liquid
30566	Reserved	Reserved	Screening				Annual		Liquid
30567	Reserved	Reserved	Screening				Annual		Liquid
30568	Reserved	Reserved	Screening				Annual		Liquid
30569	Reserved	Reserved	Screening				Annual		Liquid
30570	Reserved	Reserved	Screening				Annual		Liquid
30571	Reserved	Reserved	Screening				Annual		Liquid
30572	Reserved	Reserved	Screening				Annual		Liquid
30573	Reserved	Reserved	Screening				Annual		Liquid
30574	Reserved	Reserved	Screening				Annual		Liquid
30575	Reserved	Reserved	Screening				Annual		Liquid
30576	Reserved	Reserved	Screening				Annual		Liquid
30577	Reserved	Reserved	Screening				Annual		Liquid
30578	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30579	Reserved	Reserved	Screening				Annual		Liquid
30580	Reserved	Reserved	Screening				Annual		Liquid
30581	Reserved	Reserved	Screening				Annual		Liquid
30582	Reserved	Reserved	Screening				Annual		Liquid
30583	Reserved	Reserved	Screening				Annual		Liquid
30584	Reserved	Reserved	Screening				Annual		Liquid
30585	Reserved	Reserved	Screening				Annual		Liquid
30586	Reserved	Reserved	Screening				Annual		Liquid
30587	Reserved	Reserved	Screening				Annual		Liquid
30588	Reserved	Reserved	Screening				Annual		Liquid
30589	Reserved	Reserved	Screening				Annual		Liquid
30590	Reserved	Reserved	Screening				Annual		Liquid
30591	Reserved	Reserved	Screening				Annual		Liquid
30592	Reserved	Reserved	Screening				Annual		Liquid
30593	Reserved	Reserved	Screening				Annual		Liquid
30594	Reserved	Reserved	Screening				Annual		Liquid
30595	Reserved	Reserved	Screening				Annual		Liquid
30596	Reserved	Reserved	Screening				Annual		Liquid
30597	Reserved	Reserved	Screening				Annual		Liquid
30598	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30599	Reserved	Reserved	Screening				Annual		Liquid
30600	Reserved	Reserved	Screening				Annual		Liquid
30601	Reserved	Reserved	Screening				Annual		Liquid
30602	Reserved	Reserved	Screening				Annual		Liquid
30603	Reserved	Reserved	Screening				Annual		Liquid
30604	Reserved	Reserved	Screening				Annual		Liquid
30605	Reserved	Reserved	Screening				Annual		Liquid
30606	Reserved	Reserved	Screening				Annual		Liquid
30607	Reserved	Reserved	Screening				Annual		Liquid
30608	Reserved	Reserved	Screening				Annual		Liquid
30609	Reserved	Reserved	Screening				Annual		Liquid
30610	Reserved	Reserved	Screening				Annual		Liquid
30611	Reserved	Reserved	Screening				Annual		Liquid
30612	Reserved	Reserved	Screening				Annual		Liquid
30613	Reserved	Reserved	Screening				Annual		Liquid
30614	Reserved	Reserved	Screening				Annual		Liquid
30615	Reserved	Reserved	Screening				Annual		Liquid
30616	Reserved	Reserved	Screening				Annual		Liquid
30617	Reserved	Reserved	Screening				Annual		Liquid
30618	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30619	Reserved	Reserved	Screening				Annual		Liquid
30620	Reserved	Reserved	Screening				Annual		Liquid
30621	Reserved	Reserved	Screening				Annual		Liquid
30622	Reserved	Reserved	Screening				Annual		Liquid
30623	Reserved	Reserved	Screening				Annual		Liquid
30624	Reserved	Reserved	Screening				Annual		Liquid
30625	Reserved	Reserved	Screening				Annual		Liquid
30626	Reserved	Reserved	Screening				Annual		Liquid
30627	Reserved	Reserved	Screening				Annual		Liquid
30628	Reserved	Reserved	Screening				Annual		Liquid
30629	Reserved	Reserved	Screening				Annual		Liquid
30630	Reserved	Reserved	Screening				Annual		Liquid
30631	Reserved	Reserved	Screening				Annual		Liquid
30632	Reserved	Reserved	Screening				Annual		Liquid
30633	Reserved	Reserved	Screening				Annual		Liquid
30634	Reserved	Reserved	Screening				Annual		Liquid
30635	Reserved	Reserved	Screening				Annual		Liquid
30636	Reserved	Reserved	Screening				Annual		Liquid
30637	Reserved	Reserved	Screening				Annual		Liquid
30638	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30639	Reserved	Reserved	Screening				Annual		Liquid
30640	Reserved	Reserved	Screening				Annual		Liquid
30641	Reserved	Reserved	Screening				Annual		Liquid
30642	Reserved	Reserved	Screening				Annual		Liquid
30643	Reserved	Reserved	Screening				Annual		Liquid
30644	Reserved	Reserved	Screening				Annual		Liquid
30645	Reserved	Reserved	Screening				Annual		Liquid
30646	Reserved	Reserved	Screening				Annual		Liquid
30647	Reserved	Reserved	Screening				Annual		Liquid
30648	Reserved	Reserved	Screening				Annual		Liquid
30649	Reserved	Reserved	Screening				Annual		Liquid
30650	Reserved	Reserved	Screening				Annual		Liquid
30651	Reserved	Reserved	Screening				Annual		Liquid
30652	Reserved	Reserved	Screening				Annual		Liquid
30653	Reserved	Reserved	Screening				Annual		Liquid
30654	Reserved	Reserved	Screening				Annual		Liquid
30655	Reserved	Reserved	Screening				Annual		Liquid
30656	Reserved	Reserved	Screening				Annual		Liquid
30657	Reserved	Reserved	Screening				Annual		Liquid
30658	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30659	Reserved	Reserved	Screening				Annual		Liquid
30660	Reserved	Reserved	Screening				Annual		Liquid
30661	Reserved	Reserved	Screening				Annual		Liquid
30662	Reserved	Reserved	Screening				Annual		Liquid
30663	Reserved	Reserved	Screening				Annual		Liquid
30664	Reserved	Reserved	Screening				Annual		Liquid
30665	Reserved	Reserved	Screening				Annual		Liquid
30666	Reserved	Reserved	Screening				Annual		Liquid
30667	Reserved	Reserved	Screening				Annual		Liquid
30668	Reserved	Reserved	Screening				Annual		Liquid
30669	Reserved	Reserved	Screening				Annual		Liquid
30670	Reserved	Reserved	Screening				Annual		Liquid
30671	Reserved	Reserved	Screening				Annual		Liquid
30672	Reserved	Reserved	Screening				Annual		Liquid
30673	Reserved	Reserved	Screening				Annual		Liquid
30674	Reserved	Reserved	Screening				Annual		Liquid
30675	Reserved	Reserved	Screening				Annual		Liquid
30676	Reserved	Reserved	Screening				Annual		Liquid
30677	Reserved	Reserved	Screening				Annual		Liquid
30678	Reserved	Reserved	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30679	Reserved	Reserved	Screening				Annual		Liquid
30680	Reserved	Reserved	Screening				Annual		Liquid
30681	Reserved	Reserved	Screening				Annual		Liquid
30682	Reserved	Reserved	Screening				Annual		Liquid
30683	Reserved	Reserved	Screening				Annual		Liquid
30684	Reserved	Reserved	Screening				Annual		Liquid
30685	Reserved	Reserved	Screening				Annual		Liquid
30686	Reserved	Reserved	Screening				Annual		Liquid
30687	Reserved	Reserved	Screening				Annual		Liquid
30688	Reserved	Reserved	Screening				Annual		Liquid
30689	Reserved	Reserved	Screening				Annual		Liquid
30690	Reserved	Reserved	Screening				Annual		Liquid
30691	Reserved	Reserved	Screening				Annual		Liquid
30692	Reserved	Reserved	Screening				Annual		Liquid
30693	Reserved	Reserved	Screening				Annual		Liquid
30694	Reserved	Reserved	Screening				Annual		Liquid
30695	Reserved	Reserved	Screening				Annual		Liquid
30696	Reserved	Reserved	Screening				Annual		Liquid
30697	Reserved	Reserved	Screening				Annual		Liquid
30698	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
30699	Reserved	Reserved	Screening				Annual		Liquid
30700	Reserved	Reserved	Screening				Annual		Liquid

Max Reading	0.0	0.0
-------------	-----	-----

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10001	South Bay South Pump	Coupler	Screening				Annual		Liquid
10002	South Bay South Pump	Coupler	Screening				Annual		Liquid
10003	Reserved	Reserved	Screening				Annual		Liquid
10004	South Bay South Pump	Coupler	Screening				Annual		Liquid
10005	South Bay South Pump	Valve	Screening				Annual		Liquid
10006	South Bay South Pump	Coupler	Screening				Annual		Liquid
10007	South Bay South Pump	Flange	Screening				Annual		Liquid
10008	Reserved	Reserved	Screening				Annual		Liquid
10009	South Bay South Pump	Coupler	Screening				Annual		Liquid
10010	South Bay South Pump	Valve	Screening				Annual		Liquid
10011	South Bay South Pump	Flange	Screening				Annual		Liquid
10012	South Bay South Pump	Muffin Monster	Screening				Annual		Liquid
10013	South Bay South Pump	Flange	Screening				Annual		Liquid
10014	South Bay South Pump	Filter Basket	Screening				Annual		Liquid
10015	South Bay South Pump	Coupler	Screening				Annual		Liquid
10016	South Bay South Pump	Valve	Screening				Annual		Liquid
10017	South Bay South Pump	Coupler	Screening				Annual		Liquid
10018	South Bay South Pump	Coupler	Screening				Annual		Liquid
10019	South Bay South Pump	Valve	Screening				Annual		Liquid
10020	South Bay South Pump	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10021	Reserved	Reserved	Screening				Annual		Liquid
10022	South Bay South Pump	Flange	Screening				Annual		Liquid
10023	South Bay South Pump	Valve	Screening				Annual		Liquid
10024	South Bay South Pump	Flange	Screening				Annual		Liquid
10025	South Bay South Pump	Flange	Screening				Annual		Liquid
10026	South Bay South Pump	Flange	Screening				Annual		Liquid
10027	South Bay South Pump	Flange	Screening				Annual		Liquid
10028	South Bay South Pump	Valve	Screening				Annual		Liquid
10029	South Bay South Pump	Flange	Screening				Annual		Liquid
10030	South Bay South Pump	Flange	Screening				Annual		Liquid
10031	Reserved	Reserved	Screening				Annual		Liquid
10032	South Bay South Pump	Flange	Screening				Annual		Liquid
10033	Reserved	Reserved	Screening				Annual		Liquid
10034	South Bay South Pump	Cap	Screening				Annual		Liquid
10035	South Bay South Pump	Coupler	Screening				Annual		Liquid
10036	South Bay South Pump	Valve	Screening				Annual		Liquid
10037	South Bay South Pump	Coupler	Screening				Annual		Liquid
10038	South Bay South Pump	Coupler	Screening				Annual		Liquid
10039	South Bay South Pump	Coupler	Screening				Annual		Liquid
10040	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10041	South Bay South Pump	Coupler	Screening				Annual		Liquid
10042	South Bay South Pump	Pump	Screening				Annual		Liquid
10043	South Bay South Pump	Flange	Screening				Annual		Liquid
10044	South Bay South Pump	Check Valve	Screening				Annual		Liquid
10045	South Bay South Pump	Flange	Screening				Annual		Liquid
10046	South Bay South Pump	Valve	Screening				Annual		Liquid
10047	South Bay South Pump	Flange	Screening				Annual		Liquid
10048	South Bay South Pump	Flange	Screening				Annual		Liquid
10049	Reserved	Reserved	Screening				Annual		Liquid
10050	Reserved	Reserved	Screening				Annual		Liquid
10051	South Bay South Pump	Coupler	Screening				Annual		Liquid
10052	South Bay South Pump	Coupler	Screening				Annual		Liquid
10053	South Bay South Pump	Valve	Screening				Annual		Liquid
10054	South Bay South Pump	Coupler	Screening				Annual		Liquid
10055	South Bay South Pump	Flange	Screening				Annual		Liquid
10056	South Off-loading Bay	Flange	Screening				Annual		Liquid
10057	South Off-loading Bay	Flange	Screening				Annual		Liquid
10058	South Off-loading Bay	Valve	Screening				Annual		Liquid
10059	South Off-loading Bay	Flange	Screening				Annual		Liquid
10060	South Off-loading Bay	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10061	South Off-loading Bay	Flange	Screening				Annual		Liquid
10062	South Off-loading Bay	Cap	Screening				Annual		Liquid
10063	South Off-loading Bay	Flange	Screening				Annual		Liquid
10064	South Off-loading Bay	Flange	Screening				Annual		Liquid
10065	South Off-loading Bay	Cap	Screening				Annual		Liquid
10066	South Off-loading Bay	Flange	Screening				Annual		Liquid
10067	South Off-loading Bay	Flange	Screening				Annual		Liquid
10068	South Off-loading Bay	Flange	Screening				Annual		Liquid
10069	South Off-loading Bay	Valve	Screening				Annual		Liquid
10070	South Off-loading Bay	Flange	Screening				Annual		Liquid
10071	South Off-loading Bay	Flange	Screening				Annual		Liquid
10072	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10073	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10074	Reserved	Reserved	Screening				Annual		Liquid
10075	Reserved	Reserved	Screening				Annual		Liquid
10076	South Off-loading Bay	Cap	Screening				Annual		Liquid
10077	South Off-loading Bay	Valve	Screening				Annual		Liquid
10078	South Off-loading Bay	Flange	Screening				Annual		Liquid
10079	South Off-loading Bay	Flange	Screening				Annual		Liquid
10080	South Off-loading Bay	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10081	South Off-loading Bay	Flange	Screening				Annual		Liquid
10082	South Off-loading Bay	Flange	Screening				Annual		Liquid
10083	South Off-loading Bay	Flange	Screening				Annual		Liquid
10084	South Off-loading Bay	Cap	Screening				Annual		Liquid
10085	South Off-loading Bay	Flange	Screening				Annual		Liquid
10086	South Off-loading Bay	Flange	Screening				Annual		Liquid
10087	South Off-loading Bay	Cap	Screening				Annual		Liquid
10088	South Off-loading Bay	Flange	Screening				Annual		Liquid
10089	South Off-loading Bay	Flange	Screening				Annual		Liquid
10090	South Off-loading Bay	Flange	Screening				Annual		Liquid
10091	South Off-loading Bay	Valve	Screening				Annual		Liquid
10092	South Off-loading Bay	Flange	Screening				Annual		Liquid
10093	South Off-loading Bay	Flange	Screening				Annual		Liquid
10094	South Off-loading Bay	Flange	Screening				Annual		Liquid
10095	South Off-loading Bay	Valve	Screening				Annual		Liquid
10096	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10097	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10098	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10099	South Off-loading Bay	Valve	Screening				Annual		Out Of Service
10100	South Off-loading Bay	Flange	Screening				Annual		Out Of Service

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10101	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10102	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10103	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10104	South Off-loading Bay	Valve	Screening				Annual		Out Of Service
10105	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10106	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10107	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10108	South Off-loading Bay	Valve	Screening				Annual		Liquid
10109	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10110	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10111	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10112	South Off-loading Bay	Cap	Screening				Annual		Liquid
10113	Reserved	Reserved	Screening				Annual		Liquid
10114	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10115	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10116	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10117	South Off-loading Bay	Valve	Screening				Annual		Out Of Service
10118	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10119	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10120	South Off-loading Bay	Flange	Screening				Annual		Out Of Service



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10121	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10122	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10123	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10124	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10125	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10126	South Off-loading Bay	Valve	Screening				Annual		Out Of Service
10127	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10128	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10129	Reserved	Reserved	Screening				Annual		Liquid
10130	South Off-loading Bay	Flange	Screening				Annual		Out Of Service
10131	South Off-loading Bay	Valve	Screening				Annual		Liquid
10132	South Off-loading Bay	Flange	Screening				Annual		Liquid
10133	South Off-loading Bay	Flange	Screening				Annual		Liquid
10134	South Off-loading Bay	Flange	Screening				Annual		Liquid
10135	South Off-loading Bay	Valve	Screening				Annual		Liquid
10136	South Off-loading Bay	Flange	Screening				Annual		Liquid
10137	South Off-loading Bay	Flange	Screening				Annual		Liquid
10138	South Off-loading Bay	Flange	Screening				Annual		Liquid
10139	South Off-loading Bay	Flange	Screening				Annual		Liquid
10140	South Off-loading Bay	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10141	South Off-loading Bay	Flange	Screening				Annual		Liquid
10142	South Off-loading Bay	Flange	Screening				Annual		Liquid
10143	South Off-loading Bay	Flange	Screening				Annual		Liquid
10144	South Off-loading Bay	Flange	Screening				Annual		Liquid
10145	South Off-loading Bay	Flange	Screening				Annual		Liquid
10146	South Off-loading Bay	Valve	Screening				Annual		Liquid
10147	South Off-loading Bay	Flange	Screening				Annual		Liquid
10148	South Off-loading Bay	Flange	Screening				Annual		Liquid
10149	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10150	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10151	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10152	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10153	South Off-loading Bay	Valve	Screening				Annual		Liquid
10154	South Off-loading Bay	Coupler	Screening				Annual		Liquid
10155	South Off-loading Bay	Cap	Screening				Annual		Liquid
10156	Reserved	Reserved	Screening				Annual		Liquid
10157	Reserved	Reserved	Screening				Annual		Liquid
10158	South Off-loading Bay	Flange	Screening				Annual		Liquid
10159	South Off-loading Bay	Flange	Screening				Annual		Liquid
10160	South Off-loading Bay	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10161	South Off-loading Bay	Flange	Screening				Annual		Liquid
10162	South Off-loading Bay	Flange	Screening				Annual		Liquid
10163	South Off-loading Bay	Flange	Screening				Annual		Liquid
10164	South Off-loading Bay	Flange	Screening				Annual		Liquid
10165	South Off-loading Bay	Flange	Screening				Annual		Liquid
10166	South Off-loading Bay	Flange	Screening				Annual		Liquid
10167	South Off-loading Bay	Flange	Screening				Annual		Liquid
10168	South Off-loading Bay	Flange	Screening				Annual		Liquid
10169	South Off-loading Bay	Flange	Screening				Annual		Liquid
10170	South Off-loading Bay	Flange	Screening				Annual		Liquid
10171	South Off-loading Bay	Flange	Screening				Annual		Liquid
10172	South Off-loading Bay	Flange	Screening				Annual		Liquid
10173	South Off-loading Bay	Valve	Screening				Annual		Liquid
10174	South Off-loading Bay	Flange	Screening				Annual		Liquid
10175	South Off-loading Bay	Flange	Screening				Annual		Liquid
10176	South Bay North Pump	Flange	Screening				Annual		Liquid
10177	South Bay North Pump	Flange	Screening				Annual		Liquid
10178	South Bay North Pump	Valve	Screening				Annual		Liquid
10179	South Bay North Pump	Flange	Screening				Annual		Liquid
10180	South Bay North Pump	Check Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10181	South Bay North Pump	Flange	Screening				Annual		Liquid
10182	South Bay North Pump	Pump	Screening				Annual		Liquid
10183	South Bay North Pump	Coupler	Screening				Annual		Liquid
10184	South Bay North Pump	Coupler	Screening				Annual		Liquid
10185	South Bay North Pump	Valve	Screening				Annual		Liquid
10186	South Bay North Pump	Coupler	Screening				Annual		Liquid
10187	South Bay North Pump	Coupler	Screening				Annual		Liquid
10188	South Bay North Pump	Coupler	Screening				Annual		Liquid
10189	Reserved	Reserved	Screening				Annual		Liquid
10190	Reserved	Reserved	Screening				Annual		Liquid
10191	South Bay North Pump	Flange	Screening				Annual		Liquid
10192	South Bay North Pump	Flange	Screening				Annual		Liquid
10193	South Bay North Pump	Flange	Screening				Annual		Liquid
10194	South Bay North Pump	Valve	Screening				Annual		Liquid
10195	South Bay North Pump	Flange	Screening				Annual		Liquid
10196	South Bay North Pump	Flange	Screening				Annual		Liquid
10197	South Bay North Pump	Flange	Screening				Annual		Liquid
10198	South Bay North Pump	Flange	Screening				Annual		Liquid
10199	South Bay North Pump	Valve	Screening				Annual		Liquid
10200	South Bay North Pump	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10201	South Bay North Pump	Filter Basket	Screening				Annual		Liquid
10202	South Bay North Pump	Flange	Screening				Annual		Liquid
10203	South Bay North Pump	Muffin Monster	Screening				Annual		Liquid
10204	South Bay North Pump	Flange	Screening				Annual		Liquid
10205	South Bay North Pump	Valve	Screening				Annual		Liquid
10206	South Bay North Pump	Coupler	Screening				Annual		Liquid
10207	South Bay North Pump	Coupler	Screening				Annual		Liquid
10208	South Bay North Pump	Valve	Screening				Annual		Liquid
10209	South Bay North Pump	Coupler	Screening				Annual		Liquid
10210	Reserved	Reserved	Screening				Annual		Liquid
10211	South Bay North Pump	Coupler	Screening				Annual		Liquid
10212	South Bay North Pump	Coupler	Screening				Annual		Liquid
10213	Reserved	Reserved	Screening				Annual		Liquid
10214	South Bay North Pump	Coupler	Screening				Annual		Liquid
10215	South Bay North Pump	Coupler	Screening				Annual		Liquid
10216	South Bay North Pump	Valve	Screening				Annual		Liquid
10217	South Bay North Pump	Coupler	Screening				Annual		Liquid
10218	South Bay North Pump	Coupler	Screening				Annual		Liquid
10219	South Bay North Pump	Valve	Screening				Annual		Liquid
10220	South Bay North Pump	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10221	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10222	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10223	Reserved	Reserved	Screening				Annual		Liquid
10224	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10225	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10226	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10227	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10228	North Off-Loading Bay	Cap	Screening				Annual		Liquid
10229	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10230	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10231	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10232	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10233	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10234	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10235	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10236	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10237	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10238	North Bay Pump	Flange	Screening				Annual		Liquid
10239	North Bay Pump	Coupler	Screening				Annual		Liquid
10240	North Bay Pump	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10241	North Bay Pump	Valve	Screening				Annual		Liquid
10242	North Bay Pump	Coupler	Screening				Annual		Liquid
10243	Reserved	Reserved	Screening				Annual		Liquid
10244	Reserved	Reserved	Screening				Annual		Liquid
10245	North Bay Pump	Check Valve	Screening				Annual		Liquid
10246	North Bay Pump	Flange	Screening				Annual		Liquid
10247	North Bay Pump	Pump	Screening				Annual		Liquid
10248	North Bay Pump	Coupler	Screening				Annual		Liquid
10249	North Bay Pump	Coupler	Screening				Annual		Liquid
10250	North Bay Pump	Coupler	Screening				Annual		Liquid
10251	North Bay Pump	Valve	Screening				Annual		Liquid
10252	North Bay Pump	Coupler	Screening				Annual		Liquid
10253	North Bay Pump	Coupler	Screening				Annual		Liquid
10254	North Bay Pump	Valve	Screening				Annual		Liquid
10255	North Bay Pump	Cap	Screening				Annual		Liquid
10256	North Bay Pump	Coupler	Screening				Annual		Liquid
10257	North Bay Pump	Flange	Screening				Annual		Liquid
10258	North Bay Pump	Flange	Screening				Annual		Liquid
10259	North Bay Pump	Flange	Screening				Annual		Liquid
10260	North Bay Pump	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10261	North Bay Pump	Flange	Screening				Annual		Liquid
10262	North Bay Pump	Valve	Screening				Annual		Liquid
10263	North Bay Pump	Flange	Screening				Annual		Liquid
10264	North Bay Pump	Filter Basket	Screening				Annual		Liquid
10265	North Bay Pump	Flange	Screening				Annual		Liquid
10266	North Bay Pump	Flange	Screening				Annual		Liquid
10267	North Bay Pump	Muffin Monster	Screening				Annual		Liquid
10268	North Bay Pump	Flange	Screening				Annual		Liquid
10269	North Bay Pump	Valve	Screening				Annual		Liquid
10270	North Bay Pump	Coupler	Screening				Annual		Liquid
10271	North Bay Pump	Coupler	Screening				Annual		Liquid
10272	North Bay Pump	Valve	Screening				Annual		Liquid
10273	North Bay Pump	Coupler	Screening				Annual		Liquid
10274	North Bay Pump	Coupler	Screening				Annual		Liquid
10275	North Bay Pump	Coupler	Screening				Annual		Liquid
10276	North Bay Pump	Coupler	Screening				Annual		Liquid
10277	North Bay Pump	Valve	Screening				Annual		Liquid
10278	Reserved	Reserved	Screening				Annual		Liquid
10279	North Bay Pump	Flange	Screening				Annual		Liquid
10280	North Bay Pump	Valve	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10281	North Bay Pump	Flange	Screening				Annual		Liquid
10282	North Bay Pump	Flange	Screening				Annual		Liquid
10283	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10284	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10285	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10286	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10287	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10288	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10289	Reserved	Reserved	Screening				Annual		Liquid
10290	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10291	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10292	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10293	North Off-Loading Bay	Cap	Screening				Annual		Liquid
10294	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10295	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10296	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10297	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10298	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10299	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10300	North Off-Loading Bay	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10301	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10302	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10303	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10304	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10305	North Off-Loading Bay	Cap	Screening				Annual		Liquid
10306	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10307	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10308	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10309	Reserved	Reserved	Screening				Annual		Liquid
10310	Reserved	Reserved	Screening				Annual		Liquid
10311	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10312	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10313	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10314	North Off-Loading Bay	Coupler	Screening				Annual		Liquid
10315	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10316	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10317	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10318	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10319	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10320	North Off-Loading Bay	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10321	North Off-Loading Bay	Valve	Screening				Annual		Liquid
10322	Reserved	Reserved	Screening				Annual		Liquid
10323	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10324	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10325	North Off-Loading Bay	Flange	Screening				Annual		Liquid
10326	Pump 4	Flange	Screening				Annual		Liquid
10327	Pump 4	Flange	Screening				Annual		Liquid
10328	Pump 4	Valve	Screening				Annual		Liquid
10329	Pump 4	Flange	Screening				Annual		Liquid
10330	Pump 4	Flange	Screening				Annual		Liquid
10331	Pump 4	Coupler	Screening				Annual		Liquid
10331B	Pump 4	Coupler	Screening				Annual		Liquid
10332	Pump 4	Valve	Screening				Annual		Liquid
10333	Pump 4	Coupler	Screening				Annual		Liquid
10333B	Pump 4	Coupler	Screening				Annual		Liquid
10334	Pump 4	Gauge	Screening				Annual		Liquid
10334B	Pump 4	Coupler	Screening				Annual		Liquid
10334C	Pump 4	Coupler	Screening				Annual		Liquid
10335	Pump 4	Coupler	Screening				Annual		Liquid
10335B	Pump 4	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10335C	Pump 4	Coupler	Screening				Annual		Liquid
10336	Pump 4	Electronics	Screening				Annual		Liquid
10337	Pump 4	Flange	Screening				Annual		Liquid
10338	Pump 4	Flange	Screening				Annual		Liquid
10339	Pump 4	Coupler	Screening				Annual		Liquid
10340	Pump 4	Coupler	Screening				Annual		Liquid
10341	Pump 4	Valve	Screening				Annual		Liquid
10342	Pump 4	Coupler	Screening				Annual		Liquid
10343	Pump 4	Coupler	Screening				Annual		Liquid
10344	Pump 4	Coupler	Screening				Annual		Liquid
10345	Pump 4	Valve	Screening				Annual		Liquid
10346	Pump 4	Gauge	Screening				Annual		Liquid
10346B	Pump 4	Coupler	Screening				Annual		Liquid
10347	Pump 4	Sight Window	Screening				Annual		Liquid
10348	Pump 4	Cap	Screening				Annual		Liquid
10349	Pump 4	Coupler	Screening				Annual		Liquid
10350	Pump 4	Valve	Screening				Annual		Liquid
10351	Pump 4	Coupler	Screening				Annual		Liquid
10352	Pump 4	Cap	Screening				Annual		Liquid
10353	Pump 4	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10354	Pump 4	Valve	Screening				Annual		Liquid
10355	Pump 4	Cap	Screening				Annual		Liquid
10356	Pump 3	Cap	Screening				Annual		Liquid
10357	Pump 3	Coupler	Screening				Annual		Liquid
10358	Pump 3	Valve	Screening				Annual		Liquid
10359	Pump 3	Coupler	Screening				Annual		Liquid
10360	Pump 3	Cap	Screening				Annual		Liquid
10361	Pump 4	Coupler	Screening				Annual		Liquid
10362	Pump 4	Valve	Screening				Annual		Liquid
10363	Pump 4	Cap	Screening				Annual		Liquid
10364	Pump 4	Coupler	Screening				Annual		Liquid
10365	Pump 4	Valve	Screening				Annual		Liquid
10366	Pump 4	Coupler	Screening				Annual		Liquid
10367	Pump 4	Coupler	Screening				Annual		Liquid
10368	Pump 5	Flange	Screening				Annual		Liquid
10369	Pump 5	Flange	Screening				Annual		Liquid
10370	Pump 5	Valve	Screening				Annual		Liquid
10371	Pump 5	Flange	Screening				Annual		Liquid
10372	Pump 5	Coupler	Screening				Annual		Liquid
10373	Pump 5	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10373B	Pump 5	Coupler	Screening				Annual		Liquid
10374	Pump 5	Coupler	Screening				Annual		Liquid
10374B	Pump 5	Coupler	Screening				Annual		Liquid
10375	Pump 5	Gauge	Screening				Annual		Liquid
10375B	Pump 5	Coupler	Screening				Annual		Liquid
10375C	Pump 5	Coupler	Screening				Annual		Liquid
10376	Pump 5	Coupler	Screening				Annual		Liquid
10377	Pump 5	Electronics	Screening				Annual		Liquid
10378	Pump 5	Coupler	Screening				Annual		Liquid
10379	Pump 5	Coupler	Screening				Annual		Liquid
10380	Pump 5	Flange	Screening				Annual		Liquid
10381	Reserved	Reserved	Screening				Annual		Liquid
10382	Pump 5	Flange	Screening				Annual		Liquid
10383	Pump 5	Flange	Screening				Annual		Liquid
10384	Pump 5	Valve	Screening				Annual		Liquid
10385	Pump 5	Flange	Screening				Annual		Liquid
10386	Pump 5	Check Valve	Screening				Annual		Liquid
10387	Pump 5	Flange	Screening				Annual		Liquid
10388	Pump 5	Flange	Screening				Annual		Liquid
10389	Pump 5	Pump	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10390	Pump 5	Flange	Screening				Annual		Liquid
10391	Pump 5	Coupler	Screening				Annual		Liquid
10392	Pump 5	Coupler	Screening				Annual		Liquid
10393	Pump 5	Valve	Screening				Annual		Liquid
10394	Pump 5	Cap	Screening				Annual		Liquid
10395	Pump 5	Flange	Screening				Annual		Liquid
10396	Pump 5	Valve	Screening				Annual		Liquid
10397	Pump 5	Flange	Screening				Annual		Liquid
10398	Pump 5	Valve	Screening				Annual		Liquid
10399	Pump 5	Flange	Screening				Annual		Liquid
10400	Pump 5	Flange	Screening				Annual		Liquid
10401	Pump 5	Valve	Screening				Annual		Liquid
10402	Pump 5	Flange	Screening				Annual		Liquid
10403	Pump 5	Flange	Screening				Annual		Liquid
10404	Pump 5	Flange	Screening				Annual		Liquid
10405	Pump 5	Flange	Screening				Annual		Liquid
10406	Pump 5	Flange	Screening				Annual		Liquid
10406B	Pump 5	Flange	Screening				Annual		Liquid
10407	Pump 5	Valve	Screening				Annual		Liquid
10408	Pump 5	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10409	Pump 5	Flange	Screening				Annual		Liquid
10410	Pump 5	Flange	Screening				Annual		Liquid
10411	Pump 5	Coupler	Screening				Annual		Liquid
10412	Pump 5	Flange	Screening				Annual		Liquid
10413	Pump 5	Coupler	Screening				Annual		Liquid
10414	Pump 5	Coupler	Screening				Annual		Liquid
10415	Pump 5	Valve	Screening				Annual		Liquid
10416	Pump 5	Coupler	Screening				Annual		Liquid
10417	Pump 5	Coupler	Screening				Annual		Liquid
10418	Pump 5	Coupler	Screening				Annual		Liquid
10419	Pump 5	Valve	Screening				Annual		Liquid
10420	Pump 5	Gauge	Screening				Annual		Liquid
10420B	Pump 5	Coupler	Screening				Annual		Liquid
10421	Pump 5	Coupler	Screening				Annual		Liquid
10422	Pump 5	Valve	Screening				Annual		Liquid
10422B	Pump 5	Coupler	Screening				Annual		Liquid
10422C	Pump 5	Coupler	Screening				Annual		Liquid
10423	Pump 5	Coupler	Screening				Annual		Liquid
10424	Pump 5	Coupler	Screening				Annual		Liquid
10425	Pump 5	Sight Window	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10426	Pump 5	Coupler	Screening				Annual		Liquid
10427	Pump 5	Valve	Screening				Annual		Liquid
10428	Pump 5	Coupler	Screening				Annual		Liquid
10429	Pump 5	Cap	Screening				Annual		Liquid
10430	Pump 5	Coupler	Screening				Annual		Liquid
10431	Pump 5	Valve	Screening				Annual		Liquid
10432	Pump 5	Cap	Screening				Annual		Liquid
10433	Pump 5	Coupler	Screening				Annual		Liquid
10434	Pump 5	Coupler	Screening				Annual		Liquid
10435	Pump 5	Valve	Screening				Annual		Liquid
10436	Pump 5	Flange	Screening				Annual		Liquid
10437	Pump 5	Flange	Screening				Annual		Liquid
10438	Pump 6	Flange	Screening				Annual		Liquid
10439	Pump 6	Valve	Screening				Annual		Liquid
10440	Pump 6	Flange	Screening				Annual		Liquid
10441	Pump 6	Flange	Screening				Annual		Liquid
10442	Pump 6	Gauge	Screening				Annual		Liquid
10442B	Pump 6	Coupler	Screening				Annual		Liquid
10442C	Pump 6	Coupler	Screening				Annual		Liquid
10443	Pump 6	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10443B	Pump 6	Coupler	Screening				Annual		Liquid
10444	Pump 6	Valve	Screening				Annual		Liquid
10445	Pump 6	Coupler	Screening				Annual		Liquid
10445B	Pump 6	Coupler	Screening				Annual		Liquid
10446	Pump 6	Flange	Screening				Annual		Liquid
10447	Pump 6	Coupler	Screening				Annual		Liquid
10447B	Pump 6	Coupler	Screening				Annual		Liquid
10447C	Pump 6	Coupler	Screening				Annual		Liquid
10447D	Pump 6	Coupler	Screening				Annual		Liquid
10448	Pump 6	Electronics	Screening				Annual		Liquid
10449	Pump 6	Flange	Screening				Annual		Liquid
10450	Pump 6	Flange	Screening				Annual		Liquid
10451	Pump 6	Valve	Screening				Annual		Liquid
10452	Pump 6	Flange	Screening				Annual		Liquid
10453	Pump 6	Valve	Screening				Annual		Liquid
10454	Pump 6	Flange	Screening				Annual		Liquid
10455	Pump 6	Check Valve	Screening				Annual		Liquid
10456	Pump 6	Flange	Screening				Annual		Liquid
10457	Pump 6	Flange	Screening				Annual		Liquid
10458	Pump 6	Pump	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10459	Pump 6	Flange	Screening				Annual		Liquid
10460	Pump 6	Flange	Screening				Annual		Liquid
10461	Pump 6	Coupler	Screening				Annual		Liquid
10462	Pump 6	Coupler	Screening				Annual		Liquid
10463	Pump 6	Valve	Screening				Annual		Liquid
10464	Pump 6	Coupler	Screening				Annual		Liquid
10465	Pump 6	Cap	Screening				Annual		Liquid
10466	Pump 6	Coupler	Screening				Annual		Liquid
10467	Pump 6	Coupler	Screening				Annual		Liquid
10468	Pump 6	Valve	Screening				Annual		Liquid
10469	Pump 6	Cap	Screening				Annual		Liquid
10470	Pump 6	Flange	Screening				Annual		Liquid
10471	Pump 6	Coupler	Screening				Annual		Liquid
10472	Pump 6	Valve	Screening				Annual		Liquid
10473	Pump 6	Flange	Screening				Annual		Liquid
10474	Pump 6	Flange	Screening				Annual		Liquid
10475	Pump 6	Flange	Screening				Annual		Liquid
10476	Pump 6	Flange	Screening				Annual		Liquid
10477	Pump 6	Cap	Screening				Annual		Liquid
10478	Pump 6	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10479	Pump 6	Valve	Screening				Annual		Liquid
10480	Pump 6	Flange	Screening				Annual		Liquid
10481	Pump 6	Flange	Screening				Annual		Liquid
10482	Pump 6	Valve	Screening				Annual		Liquid
10483	Pump 6	Flange	Screening				Annual		Liquid
10484	Pump 6	Flange	Screening				Annual		Liquid
10485	Pump 6	Valve	Screening				Annual		Liquid
10486	Pump 6	Flange	Screening				Annual		Liquid
10487	Pump 6	Flange	Screening				Annual		Liquid
10488	Pump 6	Flange	Screening				Annual		Liquid
10489	Pump 6	Flange	Screening				Annual		Liquid
10490	Pump 6	Flange	Screening				Annual		Liquid
10491	Pump 6	Coupler	Screening				Annual		Liquid
10492	Pump 6	Coupler	Screening				Annual		Liquid
10493	Pump 6	Valve	Screening				Annual		Liquid
10494	Pump 6	Coupler	Screening				Annual		Liquid
10495	Pump 6	Coupler	Screening				Annual		Liquid
10496	Pump 6	Coupler	Screening				Annual		Liquid
10497	Pump 6	Valve	Screening				Annual		Liquid
10498	Pump 6	Gauge	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10499	Pump 6	Valve	Screening				Annual		Liquid
10499B	Pump 6	Cap	Screening				Annual		Liquid
10500	Pump 6	Coupler	Screening				Annual		Liquid
10501	Pump 6	Sight Window	Screening				Annual		Liquid
10502	Pump 6	Coupler	Screening				Annual		Liquid
10503	Pump 6	Valve	Screening				Annual		Liquid
10504	Pump 6	Coupler	Screening				Annual		Liquid
10505	Pump 6	Cap	Screening				Annual		Liquid
10506	Pump 6	Coupler	Screening				Annual		Liquid
10507	Pump 6	Cap	Screening				Annual		Liquid
10508	Pump 6	Coupler	Screening				Annual		Liquid
10509	Pump 6	Coupler	Screening				Annual		Liquid
10510	Pump 6	Coupler	Screening				Annual		Liquid
10511	Pump 6	Valve	Screening				Annual		Liquid
10512	Pump 6	Coupler	Screening				Annual		Liquid
10513	Pump 6	Coupler	Screening				Annual		Liquid
10514	Pump 6	Valve	Screening				Annual		Liquid
10515	Pump 6	Cap	Screening				Annual		Liquid
10516	Pump 6	Coupler	Screening				Annual		Liquid
10517	Pump 6	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10518	Pump 5	Coupler	Screening				Annual		Liquid
10519	Pump 5	Cap	Screening				Annual		Liquid
10520	Tank 3	Flange	Screening				Annual		Liquid
10521	Tank 3	Flange	Screening				Annual		Liquid
10522	Tank 3	Flange	Screening				Annual		Liquid
10523	Tank 3	Flange	Screening				Annual		Liquid
10524	Tank 3	Flange	Screening				Annual		Liquid
10525	Tank 3	Flange	Screening				Annual		Liquid
10526	Tank 3	Manway	Screening				Annual		Liquid
10527	Tank 3	Coupler	Screening				Annual		Liquid
10528	Tank 3	Flange	Screening				Annual		Liquid
10529	Tank 3	Flange	Screening				Annual		Liquid
10530	Tank 3	Flange	Screening				Annual		Liquid
10531	Tank 3	Flange	Screening				Annual		Liquid
10532	Tank 3	Valve	Screening				Annual		Liquid
10533	Tank 3	Flange	Screening				Annual		Liquid
10534	Tank 3	Valve	Screening				Annual		Liquid
10535	Tank 3	Flange	Screening				Annual		Liquid
10536	Tank 3	Flange	Screening				Annual		Liquid
10537	Tank 3	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10538	Tank 3	Flange	Screening				Annual		Liquid
10539	Tank 3	Flange	Screening				Annual		Liquid
10540	Tank 3	Flange	Screening				Annual		Liquid
10541	Tank 3	Valve	Screening				Annual		Liquid
10542	Tank 3	Flange	Screening				Annual		Liquid
10543	Tank 3	Flange	Screening				Annual		Liquid
10544	Tank 3	Flange	Screening				Annual		Liquid
10545	Tank 3	Flange	Screening				Annual		Liquid
10546	Tank 5	Flange	Screening				Annual		Liquid
10547	Tank 5	Flange	Screening				Annual		Liquid
10548	Tank 5	Flange	Screening				Annual		Liquid
10549	Tank 5	Flange	Screening				Annual		Liquid
10550	Tank 5	Flange	Screening				Annual		Liquid
10551	Tank 5	Flange	Screening				Annual		Liquid
10552	Tank 5	Cap	Screening				Annual		Liquid
10553	Tank 5	Flange	Screening				Annual		Liquid
10554	Tank 5	Flange	Screening				Annual		Liquid
10555	Tank 5	Flange	Screening				Annual		Liquid
10556	Tank 5	Flange	Screening				Annual		Liquid
10557	Tank 5	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10558	Tank 5	Flange	Screening				Annual		Liquid
10559	Tank 5	Flange	Screening				Annual		Liquid
10560	Tank 6	Flange	Screening				Annual		Liquid
10561	Tank 6	Flange	Screening				Annual		Liquid
10562	Tank 6	Valve	Screening				Annual		Liquid
10563	Tank 6	Flange	Screening				Annual		Liquid
10564	Tank 6	Manway	Screening				Annual		Liquid
10565	Tank 6	Flange	Screening				Annual		Liquid
10566	Tank 6	Flange	Screening				Annual		Liquid
10567	Tank 6	Flange	Screening				Annual		Liquid
10568	Tank 6	Flange	Screening				Annual		Liquid
10569	Reserved	Reserved	Screening				Annual		Liquid
10570	Tank 4	Flange	Screening				Annual		Liquid
10571	Tank 6	Flange	Screening				Annual		Liquid
10572	Tank 6	Flange	Screening				Annual		Liquid
10573	Tank 6	Flange	Screening				Annual		Liquid
10574	Tank 3	Agitator	Screening				Annual		Liquid
10575	Tank 3	Agitator	Screening				Annual		Liquid
10576	Tank 3	Flange	Screening				Annual		Liquid
10577	Tank 3	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10578	Tank 3	Flange	Screening				Annual		Liquid
10579	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10580	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10581	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10582	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10583	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10584	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10585	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10586	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10587	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10588	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10589	Tank 4	Flange	Screening				Annual		Liquid
10590	Tank 4	Flange	Screening				Annual		Liquid
10591	Tank 3	Flange	Screening				Annual		Liquid
10592	Tank 3	Valve	Screening				Annual		Liquid
10593	Tank 4	Agitator	Screening				Annual		Liquid
10594	Tank 4	Flange	Screening				Annual		Liquid
10595	Tank 4	Flange	Screening				Annual		Liquid
10596	Tank 4	Agitator	Screening				Annual		Liquid
10597	Pump Pad Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10598	Pump Pad Tunnel	Flange	Screening				Annual		Liquid
10599	Pump 4	Valve	Screening				Annual		Liquid
10600	Pump 4	Cap	Screening				Annual		Liquid
10601	Pump 4	Valve	Screening				Annual		Liquid
10601B	Pump 4	Coupler	Screening				Annual		Liquid
10601C	Pump 4	Coupler	Screening				Annual		Liquid
10601D	Pump 4	Coupler	Screening				Annual		Liquid
10602	Pump 4	Flange	Screening				Annual		Liquid
10603	Reserved	Reserved	Screening				Annual		Liquid
10604	Pump 4	Coupler	Screening				Annual		Liquid
10605	Pump 4	Coupler	Screening				Annual		Liquid
10606	Pump 4	Coupler	Screening				Annual		Liquid
10607	Reserved	Reserved	Screening				Annual		Liquid
10608	Reserved	Reserved	Screening				Annual		Liquid
10609	Reserved	Reserved	Screening				Annual		Liquid
10610	Reserved	Reserved	Screening				Annual		Liquid
10611	Tank 5	Flange	Screening				Annual		Liquid
10612	Pump 4	Flange	Screening				Annual		Liquid
10613	Pump 4	Flange	Screening				Annual		Liquid
10614	Pump 4	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10615	Pump 4	Valve	Screening				Annual		Liquid
10616	Pump 4	Flange	Screening				Annual		Liquid
10617	Pump 4	Flange	Screening				Annual		Liquid
10618	Pump 4	Flange	Screening				Annual		Liquid
10619	Pump 4	Flange	Screening				Annual		Liquid
10620	Pump 4	Valve	Screening				Annual		Liquid
10621	Pump 4	Cap	Screening				Annual		Liquid
10622	Pump 4	Coupler	Screening				Annual		Liquid
10623	Pump 4	Flange	Screening				Annual		Liquid
10624	Pump 4	Valve	Screening				Annual		Liquid
10625	Pump 4	Flange	Screening				Annual		Liquid
10626	Pump 4	Flange	Screening				Annual		Liquid
10627	PUMP 6	Flange	Screening				Annual		Liquid
10628	PUMP 6	Flange	Screening				Annual		Liquid
10629	PUMP 6	Cap	Screening				Annual		Liquid
10630	PUMP 4	Flange	Screening				Annual		Liquid
10631	PUMP 4	Flange	Screening				Annual		Liquid
10632	PUMP 3	Flange	Screening				Annual		Liquid
10633	PUMP 3	Flange	Screening				Annual		Liquid
10634	PUMP 3	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10635	PUMP 4	Coupler	Screening				Annual		Liquid
10636	PUMP 4	Flange	Screening				Annual		Liquid
10637	Tank 4	Flange	Screening				Annual		Liquid
10638	Tank 4	Flange	Screening				Annual		Liquid
10639	Tank 4	Flange	Screening				Annual		Liquid
10640	Tank 4	Valve	Screening				Annual		Liquid
10641	Tank 4	Flange	Screening				Annual		Liquid
10642	Tank 4	Flange	Screening				Annual		Liquid
10643	Tank 4	Flange	Screening				Annual		Liquid
10644	Tank 4	Flange	Screening				Annual		Liquid
10645	Tank 4	Valve	Screening				Annual		Liquid
10646	Tank 4	Flange	Screening				Annual		Liquid
10647	Tank 4	Manway	Screening				Annual		Liquid
10648	Tank 4	Flange	Screening				Annual		Liquid
10649	Tank 4	Valve	Screening				Annual		Liquid
10650	Tank 4	Flange	Screening				Annual		Liquid
10651	Tank 5	Flange	Screening				Annual		Liquid
10652	Tank 5	Flange	Screening				Annual		Liquid
10653	Tank 5	Valve	Screening				Annual		Liquid
10654	Tank 5	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10655	Tank 5	Flange	Screening				Annual		Liquid
10656	Tank 5	Flange	Screening				Annual		Liquid
10657	Tank 5	Flange	Screening				Annual		Liquid
10658	Tank 5	Flange	Screening				Annual		Liquid
10659	Tank 5	Flange	Screening				Annual		Liquid
10660	Tank 5	Manway	Screening				Annual		Liquid
10661	Tank 5	Agitator	Screening				Annual		Liquid
10662	Tank 5	Agitator	Screening				Annual		Liquid
10663	Tank 5	Flange	Screening				Annual		Liquid
10664	Tank 4	Flange	Screening				Annual		Liquid
10665	Tank 4	Flange	Screening				Annual		Liquid
10666	Tank 4	Flange	Screening				Annual		Liquid
10667	Tank 4	Flange	Screening				Annual		Liquid
10668	Tank 4	Flange	Screening				Annual		Liquid
10669	Tank 4	Cap	Screening				Annual		Liquid
10670	Tank 6	Cap	Screening				Annual		Liquid
10671	Tank 6	Flange	Screening				Annual		Liquid
10672	Tank 6	Flange	Screening				Annual		Liquid
10673	Tank 6	Valve	Screening				Annual		Liquid
10674	Tank 6	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10675	Tank 6	Valve	Screening				Annual		Liquid
10676	Tank 6	Flange	Screening				Annual		Liquid
10677	Tank 6	Flange	Screening				Annual		Liquid
10678	Tank 6	Flange	Screening				Annual		Liquid
10679	Tank 6	Flange	Screening				Annual		Liquid
10680	Tank 6	Flange	Screening				Annual		Liquid
10681	Tank 6	Valve	Screening				Annual		Liquid
10682	Tank 6	Flange	Screening				Annual		Liquid
10683	Tank 6	Coupler	Screening				Annual		Liquid
10684	Tank 6	Gauge	Screening				Annual		Liquid
10685	Tank 6	Coupler	Screening				Annual		Liquid
10686	Pump 4	Valve	Screening				Annual		Liquid
10687	Pump 4	Flange	Screening				Annual		Liquid
10688	Pump 4	Valve	Screening				Annual		Liquid
10689	Pump 4	Flange	Screening				Annual		Liquid
10690	Pump 4	Coupler	Screening				Annual		Liquid
10691	Pump 4	Coupler	Screening				Annual		Liquid
10692	Pump 4	Valve	Screening				Annual		Liquid
10693	Pump 4	Cap	Screening				Annual		Liquid
10693B	Pump 4	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10693C	Pump 4	Coupler	Screening				Annual		Liquid
10694	Pump 4	Flange	Screening				Annual		Liquid
10695	Pump 4	Valve	Screening				Annual		Liquid
10696	Pump 4	Flange	Screening				Annual		Liquid
10697	Pump 4	Flange	Screening				Annual		Liquid
10698	Pump 4	Pump	Screening				Annual		Liquid
10699	Pump 4	Flange	Screening				Annual		Liquid
10700	Pump 4	Flange	Screening				Annual		Liquid
10701	Pump 4	Check Valve	Screening				Annual		Liquid
10702	Pump 4	Flange	Screening				Annual		Liquid
10703	Pump 4	Valve	Screening				Annual		Liquid
10704	Pump 4	Flange	Screening				Annual		Liquid
10705	Pump 4	Flange	Screening				Annual		Liquid
10706	Pump 4	Valve	Screening				Annual		Liquid
10707	Pump 4	Flange	Screening				Annual		Liquid
10708	Pump 4	Flange	Screening				Annual		Liquid
10709	Pump 4	Flange	Screening				Annual		Liquid
10710	PUMP 3	Coupler	Screening				Annual		Liquid
10711	PUMP 3	Coupler	Screening				Annual		Liquid
10712	PUMP 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10713	PUMP 3	Valve	Screening				Annual		Liquid
10714	PUMP 3	Coupler	Screening				Annual		Liquid
10715	PUMP 3	Gauge	Screening				Annual		Liquid
10716	PUMP 3	Coupler	Screening				Annual		Liquid
10717	PUMP 3	Cap	Screening				Annual		Liquid
10718	PUMP 3	Valve	Screening				Annual		Liquid
10719	PUMP 3	Coupler	Screening				Annual		Liquid
10720	PUMP 3	Gauge	Screening				Annual		Liquid
10721	PUMP 3	Coupler	Screening				Annual		Liquid
10722	PUMP 3	Valve	Screening				Annual		Liquid
10723	PUMP 3	Coupler	Screening				Annual		Liquid
10724	PUMP 3	Coupler	Screening				Annual		Liquid
10725	PUMP 3	Coupler	Screening				Annual		Liquid
10726	PUMP 3	Coupler	Screening				Annual		Liquid
10727	PUMP 3	Valve	Screening				Annual		Liquid
10728	PUMP 3	Coupler	Screening				Annual		Liquid
10729	PUMP 3	Coupler	Screening				Annual		Liquid
10730	PUMP 3	Valve	Screening				Annual		Liquid
10731	PUMP 3	Coupler	Screening				Annual		Liquid
10732	PUMP 3	Sight Window	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10733	PUMP 3	Flange	Screening				Annual		Liquid
10734	PUMP 3	Flange	Screening				Annual		Liquid
10735	PUMP 3	Valve	Screening				Annual		Liquid
10736	PUMP 3	Flange	Screening				Annual		Liquid
10737	PUMP 3	Flange	Screening				Annual		Liquid
10738	PUMP 3	Flange	Screening				Annual		Liquid
10739	PUMP 3	Valve	Screening				Annual		Liquid
10740	PUMP 3	Flange	Screening				Annual		Liquid
10741	PUMP 3	Flange	Screening				Annual		Liquid
10742	PUMP 3	Flange	Screening				Annual		Liquid
10743	PUMP 3	Valve	Screening				Annual		Liquid
10744	PUMP 3	Flange	Screening				Annual		Liquid
10745	PUMP 3	Coupler	Screening				Annual		Liquid
10745B	PUMP 3	Coupler	Screening				Annual		Liquid
10746	PUMP 3	Valve	Screening				Annual		Liquid
10747	PUMP 3	Coupler	Screening				Annual		Liquid
10747B	PUMP 3	Coupler	Screening				Annual		Liquid
10748	PUMP 3	Coupler	Screening				Annual		Liquid
10748B	PUMP 3	Coupler	Screening				Annual		Liquid
10749	PUMP 3	Gauge	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10750	PUMP 3	Coupler	Screening				Annual		Liquid
10751	PUMP 3	Coupler	Screening				Annual		Liquid
10751B	PUMP 3	Coupler	Screening				Annual		Liquid
10751C	PUMP 3	Coupler	Screening				Annual		Liquid
10751D	PUMP 3	Coupler	Screening				Annual		Liquid
10752	PUMP 3	Flange	Screening				Annual		Liquid
10753	PUMP 3	Flange	Screening				Annual		Liquid
10754	Reserved	Reserved	Screening				Annual		Liquid
10755	Reserved	Reserved	Screening				Annual		Liquid
10756	Reserved	Reserved	Screening				Annual		Liquid
10757	Pump 5	Valve	Screening				Annual		Liquid
10758	Pump 5	Cap	Screening				Annual		Liquid
10758B	Pump 5	Coupler	Screening				Annual		Liquid
10758C	Pump 5	Coupler	Screening				Annual		Liquid
10759	Reserved	Reserved	Screening				Annual		Liquid
10760	Pump 3	Cap	Screening				Annual		Liquid
10761	Pump 3	Flange	Screening				Annual		Liquid
10762	Pump 3	Valve	Screening				Annual		Liquid
10763	Pump 3	Flange	Screening				Annual		Liquid
10764	Pump 3	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10765	Pump 3	Flange	Screening				Annual		Liquid
10766	Pump 3	Valve	Screening				Annual		Liquid
10767	Pump 3	Flange	Screening				Annual		Liquid
10768	Pump 3	Cap	Screening				Annual		Liquid
10769	Pump 3	Flange	Screening				Annual		Liquid
10770	Pump 3	Valve	Screening				Annual		Liquid
10771	Pump 3	Coupler	Screening				Annual		Liquid
10771B	Pump 3	Coupler	Screening				Annual		Liquid
10771C	Pump 3	Coupler	Screening				Annual		Liquid
10772	Pump 3	Coupler	Screening				Annual		Liquid
10773	Pump 3	Valve	Screening				Annual		Liquid
10774	Pump 3	Cap	Screening				Annual		Liquid
10775	Pump 3	Flange	Screening				Annual		Liquid
10776	Pump 3	Valve	Screening				Annual		Liquid
10777	Pump 3	Flange	Screening				Annual		Liquid
10778	Pump 3	Valve	Screening				Annual		Liquid
10779	Pump 3	Flange	Screening				Annual		Liquid
10780	Pump 3	Cap	Screening				Annual		Liquid
10781	Pump 3	Valve	Screening				Annual		Liquid
10781B	Pump 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10782	Pump 3	Coupler	Screening				Annual		Liquid
10783	Pump 3	Flange	Screening				Annual		Liquid
10784	Pump 3	Flange	Screening				Annual		Liquid
10785	Pump 3	Flange	Screening				Annual		Liquid
10786	Pump 3	Valve	Screening				Annual		Liquid
10787	Pump 3	Flange	Screening				Annual		Liquid
10788	Pump 3	Valve	Screening				Annual		Liquid
10788B	Pump 3	Coupler	Screening				Annual		Liquid
10788C	Pump 3	Coupler	Screening				Annual		Liquid
10789	Pump 3	Flange	Screening				Annual		Liquid
10790	Pump 3	Valve	Screening				Annual		Liquid
10791	Pump 3	Flange	Screening				Annual		Liquid
10792	Pump 3	Flange	Screening				Annual		Liquid
10793	Pump 3	Flange	Screening				Annual		Liquid
10794	Pump 3	Flange	Screening				Annual		Liquid
10795	Pump 3	Flange	Screening				Annual		Liquid
10796	Pump 3	Flange	Screening				Annual		Liquid
10797	Pump 3	Flange	Screening				Annual		Liquid
10798	Pump 3	Valve	Screening				Annual		Liquid
10799	Pump 3	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10800	Pump 3	Flange	Screening				Annual		Liquid
10801	Pump 3	Valve	Screening				Annual		Liquid
10802	Pump 3	Flange	Screening				Annual		Liquid
10803	Pump 3	Flange	Screening				Annual		Liquid
10804	Pump 3	Flange	Screening				Annual		Liquid
10805	Pump 3	Flange	Screening				Annual		Liquid
10806	Pump 3	Flange	Screening				Annual		Liquid
10807	Pump 3	Flange	Screening				Annual		Liquid
10808	Pump 3	Flange	Screening				Annual		Liquid
10809	Pump 3	Flange	Screening				Annual		Liquid
10810	Pump 3	Flange	Screening				Annual		Liquid
10811	Pump 3	Flange	Screening				Annual		Liquid
10812	Pump 3	Pump	Screening				Annual		Liquid
10813	Pump 3	Flange	Screening				Annual		Liquid
10814	Pump 3	Flange	Screening				Annual		Liquid
10815	Pump 3	Check Valve	Screening				Annual		Liquid
10816	Pump 3	Flange	Screening				Annual		Liquid
10817	Pump 3	Valve	Screening				Annual		Liquid
10818	Pump 3	Flange	Screening				Annual		Liquid
10819	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10820	Pump 3	Electronics	Screening				Annual		Liquid
10821	Pump 3	Flange	Screening				Annual		Liquid
10822	Reserved	Reserved	Screening				Annual		Liquid
10823	Tank 6	Coupler	Screening				Annual		Liquid
10824	Tank 6	Coupler	Screening				Annual		Liquid
10825	Tank 6	Coupler	Screening				Annual		Liquid
10826	Tank 6	Valve	Screening				Annual		Liquid
10827	Tank 6	Cap	Screening				Annual		Liquid
10828	Tank 6	Coupler	Screening				Annual		Liquid
10829	Tank 6	Coupler	Screening				Annual		Liquid
10830	Tank 6	Agitator	Screening				Annual		Liquid
10831	Tank 6	Flange	Screening				Annual		Liquid
10832	Tank 6	Agitator	Screening				Annual		Liquid
10833	Tank 4	Flange	Screening				Annual		Liquid
10834	Tank 6	Flange	Screening				Annual		Liquid
10835	Tank 6	Flange	Screening				Annual		Liquid
10836	Tank 6	Flange	Screening				Annual		Liquid
10837	Tank 6	Flange	Screening				Annual		Liquid
10838	Pump 3	Coupler	Screening				Annual		Liquid
10839	Pump 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10840	Pump 3	Coupler	Screening				Annual		Liquid
10841	Drum Room	Flange	Screening				Annual		Liquid
10842	Drum Room	Flange	Screening				Annual		Liquid
10843	Drum Room	Flange	Screening				Annual		Liquid
10844	Drum Room	Flange	Screening				Annual		Liquid
10845	Drum Room	Flange	Screening				Annual		Liquid
10846	Drum Room	Flange	Screening				Annual		Liquid
10847	Drum Room	Flange	Screening				Annual		Liquid
10848	Reserved	Reserved	Screening				Annual		Liquid
10849	Drum Room	Flange	Screening				Annual		Liquid
10850	Drum Room	Flange	Screening				Annual		Liquid
10851	Drum Room	Flange	Screening				Annual		Liquid
10852	Drum Room	Flange	Screening				Annual		Liquid
10853	Drum Room	Flange	Screening				Annual		Liquid
10854	Drum Room	Flange	Screening				Annual		Liquid
10855	Drum Room	Flange	Screening				Annual		Liquid
10856	Drum Room	Flange	Screening				Annual		Liquid
10857	Drum Room	Flange	Screening				Annual		Liquid
10858	Drum Room	Flange	Screening				Annual		Liquid
10859	Drum Room	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10860	Drum Room	Valve	Screening				Annual		Liquid
10861	Drum Room	Flange	Screening				Annual		Liquid
10862	Drum Room	Flange	Screening				Annual		Liquid
10863	Drum Room	Flange	Screening				Annual		Liquid
10864	Drum Room	Flange	Screening				Annual		Liquid
10865	Drum Room	Flange	Screening				Annual		Liquid
10866	Drum Room	Flange	Screening				Annual		Liquid
10867	Drum Room	Flange	Screening				Annual		Liquid
10868	Drum Room	Coupler	Screening				Annual		Liquid
10869	Drum Room	Coupler	Screening				Annual		Liquid
10870	Drum Room	Valve	Screening				Annual		Liquid
10871	Drum Room	Coupler	Screening				Annual		Liquid
10872	Drum Room	Hose Connection	Screening				Annual		Liquid
10873	Drum Room	Coupler	Screening				Annual		Liquid
10874	Drum Room	Coupler	Screening				Annual		Liquid
10875	Drum Room	Coupler	Screening				Annual		Liquid
10876	Drum Room	Flange	Screening				Annual		Liquid
10877	Drum Room	Valve	Screening				Annual		Liquid
10878	Drum Room	Flange	Screening				Annual		Liquid
10879	Drum Room	Cap	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10880	Drum Room	Flange	Screening				Annual		Liquid
10881	Drum Room	Valve	Screening				Annual		Liquid
10882	Drum Room	Flange	Screening				Annual		Liquid
10883	Drum Room	Gauge	Screening				Annual		Liquid
10884	Drum Room	Coupler	Screening				Annual		Liquid
10885	Drum Room	Coupler	Screening				Annual		Liquid
10886	Reserved	Reserved	Screening				Annual		Liquid
10887	Reserved	Reserved	Screening				Annual		Liquid
10888	Reserved	Reserved	Screening				Annual		Liquid
10889	Reserved	Reserved	Screening				Annual		Liquid
10890	Reserved	Reserved	Screening				Annual		Liquid
10891	Reserved	Reserved	Screening				Annual		Liquid
10892	Reserved	Reserved	Screening				Annual		Liquid
10893	Reserved	Reserved	Screening				Annual		Liquid
10894	Reserved	Reserved	Screening				Annual		Liquid
10895	Reserved	Reserved	Screening				Annual		Liquid
10896	Reserved	Reserved	Screening				Annual		Liquid
10897	Reserved	Reserved	Screening				Annual		Liquid
10898	Reserved	Reserved	Screening				Annual		Liquid
10899	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10900	Reserved	Reserved	Screening				Annual		Liquid
10901	Reserved	Reserved	Screening				Annual		Liquid
10902	Reserved	Reserved	Screening				Annual		Liquid
10903	Reserved	Reserved	Screening				Annual		Liquid
10904	Reserved	Reserved	Screening				Annual		Liquid
10905	Reserved	Reserved	Screening				Annual		Liquid
10906	Reserved	Reserved	Screening				Annual		Liquid
10907	Reserved	Reserved	Screening				Annual		Liquid
10908	Reserved	Reserved	Screening				Annual		Liquid
10909	Reserved	Reserved	Screening				Annual		Liquid
10910	Reserved	Reserved	Screening				Annual		Liquid
10911	Reserved	Reserved	Screening				Annual		Liquid
10912	Reserved	Reserved	Screening				Annual		Liquid
10913	Reserved	Reserved	Screening				Annual		Liquid
10914	Reserved	Reserved	Screening				Annual		Liquid
10915	Reserved	Reserved	Screening				Annual		Liquid
10916	Reserved	Reserved	Screening				Annual		Liquid
10917	Reserved	Reserved	Screening				Annual		Liquid
10918	Reserved	Reserved	Screening				Annual		Liquid
10919	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
10920	Reserved	Reserved	Screening				Annual		Liquid
10921	Reserved	Reserved	Screening				Annual		Liquid
10922	Reserved	Reserved	Screening				Annual		Liquid
10923	Reserved	Reserved	Screening				Annual		Liquid
10924	Reserved	Reserved	Screening				Annual		Liquid
10925	Reserved	Reserved	Screening				Annual		Liquid
10926	Reserved	Reserved	Screening				Annual		Liquid
10927	Reserved	Reserved	Screening				Annual		Liquid
10928	Reserved	Reserved	Screening				Annual		Liquid
10929	Reserved	Reserved	Screening				Annual		Liquid
10930	Reserved	Reserved	Screening				Annual		Liquid
20001	Tank 200C	Flange	Screening				Annual		Liquid
20002	Tank 200C	Valve	Screening				Annual		Liquid
20003	Tank 200C	Flange	Screening				Annual		Liquid
20004	Tank 200C	Flange	Screening				Annual		Liquid
20005	Tank 200C	Flange	Screening				Annual		Liquid
20006	Tank 200C	Flange	Screening				Annual		Liquid
20007	Tank 200C	Flange	Screening				Annual		Liquid
20008	Tank 200C	Flange	Screening				Annual		Liquid
20009	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20010	Tank 200C	Valve	Screening				Annual		Liquid
20011	Tank 200C	Flange	Screening				Annual		Liquid
20012	Tank 200C	Flange	Screening				Annual		Liquid
20013	Tank 200C	Flange	Screening				Annual		Liquid
20014	Tank 200C	Valve	Screening				Annual		Liquid
20015	Tank 200C	Flange	Screening				Annual		Liquid
20016	Tank 200C	Flange	Screening				Annual		Liquid
20017	Tank 200C	Flange	Screening				Annual		Liquid
20018	Tank 200C	Valve	Screening				Annual		Liquid
20019	Tank 200C	Cap	Screening				Annual		Liquid
20020	Tank 200B	Flange	Screening				Annual		Liquid
20021	Tank 200B	Flange	Screening				Annual		Liquid
20022	Tank 200B	Flange	Screening				Annual		Liquid
20023	Tank 200B	Flange	Screening				Annual		Liquid
20024	Tank 200B	Flange	Screening				Annual		Liquid
20025	Tank 200B	Valve	Screening				Annual		Liquid
20025B	Tank 200B	Flange	Screening				Annual		Liquid
20026	Tank 200B	Flange	Screening				Annual		Liquid
20027	Tank 200B	Valve	Screening				Annual		Liquid
20028	Tank 200B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20029	Tank 200B	Flange	Screening				Annual		Liquid
20030	Tank 200B	Pump	Screening				Annual		Liquid
20031	Tank 200B	Flange	Screening				Annual		Liquid
20032	Tank 200B	Flange	Screening				Annual		Liquid
20033	Tank 200B	Valve	Screening				Annual		Liquid
20034	Tank 200B	Cap	Screening				Annual		Liquid
20035	Tank 200A	Flange	Screening				Annual		Liquid
20036	Tank 200A	Valve	Screening				Annual		Liquid
20037	Tank 200A	Flange	Screening				Annual		Liquid
20038	Tank 200A	Flange	Screening				Annual		Liquid
20039	Tank 200A	Flange	Screening				Annual		Liquid
20040	Tank 200A	Valve	Screening				Annual		Liquid
20041	Tank 200A	Flange	Screening				Annual		Liquid
20042	Tank 200A	Coupler	Screening				Annual		Liquid
20043	Tank 200A	Valve	Screening				Annual		Liquid
20044	Tank 200A	Coupler	Screening				Annual		Liquid
20045	Tank 200A	Cap	Screening				Annual		Liquid
20046	Tank 200A	Flange	Screening				Annual		Liquid
20047	Tank 200A	Flange	Screening				Annual		Liquid
20048	Tank 200A	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20049	Tank 200A	Flange	Screening				Annual		Liquid
20050	Tank 200A	Flange	Screening				Annual		Liquid
20051	Tank 200A	Pump	Screening				Annual		Liquid
20052	Tank 200A	Flange	Screening				Annual		Liquid
20053	Tank 200A	Valve	Screening				Annual		Liquid
20054	Tank 200A	Flange	Screening				Annual		Liquid
20055	Tank 200A	Flange	Screening				Annual		Liquid
20056	Tank 200A	Valve	Screening				Annual		Liquid
20057	Tank 200A	Cap	Screening				Annual		Liquid
20058	Tank 200A	Flange	Screening				Annual		Liquid
20059	Tank 200A	Coupler	Screening				Annual		Liquid
20060	Tank 200A	Valve	Screening				Annual		Liquid
20061	Tank 200A	Coupler	Screening				Annual		Liquid
20062	Tank 200A	Coupler	Screening				Annual		Liquid
20063	Tank 200A	Coupler	Screening				Annual		Liquid
20064	Tank 200A	Coupler	Screening				Annual		Liquid
20065	Tank 200A	Gauge	Screening				Annual		Liquid
20066	Tank 200A	Coupler	Screening				Annual		Liquid
20067	Tank 200A	Valve	Screening				Annual		Liquid
20068	Tank 200A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20069	Tank 200A	Coupler	Screening				Annual		Liquid
20070	Tank 200A	Coupler	Screening				Annual		Liquid
20071	Tank 200A	Cap	Screening				Annual		Liquid
20072	Tank 200A	Flange	Screening				Annual		Liquid
20073	Tank 200A	Valve	Screening				Annual		Liquid
20074	Tank 200A	Flange	Screening				Annual		Liquid
20075	Tank 200A	Flange	Screening				Annual		Liquid
20076	Tank 200A	Flange	Screening				Annual		Liquid
20077	Tank 200A	Valve	Screening				Annual		Liquid
20078	Tank 200A	Flange	Screening				Annual		Liquid
20079	Tank 200A	Flange	Screening				Annual		Liquid
20080	Tank 200A	Valve	Screening				Annual		Liquid
20081	Tank 200A	Flange	Screening				Annual		Liquid
20082	Tank 200B	Coupler	Screening				Annual		Liquid
20083	Tank 200B	Valve	Screening				Annual		Liquid
20084	Tank 200B	Coupler	Screening				Annual		Liquid
20085	Tank 200B	Coupler	Screening				Annual		Liquid
20086	Tank 200B	Gauge	Screening				Annual		Liquid
20087	Tank 200B	Coupler	Screening				Annual		Liquid
20088	Tank 200B	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20089	Tank 200B	Coupler	Screening				Annual		Liquid
20090	Tank 200B	Coupler	Screening				Annual		Liquid
20091	Tank 200B	Cap	Screening				Annual		Liquid
20092	Tank 200B	Flange	Screening				Annual		Liquid
20093	Tank 200B	Valve	Screening				Annual		Liquid
20094	Tank 200B	Flange	Screening				Annual		Liquid
20095	Tank 200B	Flange	Screening				Annual		Liquid
20096	Tank 200B	Valve	Screening				Annual		Liquid
20097	Tank 200B	Flange	Screening				Annual		Liquid
20098	Tank 200B	Flange	Screening				Annual		Liquid
20099	Tank 200B	Valve	Screening				Annual		Liquid
20100	Tank 200B	Flange	Screening				Annual		Liquid
20101	Tank 200B	Flange	Screening				Annual		Liquid
20102	Tank 200A	Flange	Screening				Annual		Liquid
20103	Tank 200A	Coupler	Screening				Annual		Liquid
20104	Tank 200A	Valve	Screening				Annual		Liquid
20105	Tank 200C	Flange	Screening				Annual		Liquid
20106	Tank 100C	Cap	Screening				Annual		Liquid
20107	Tank 100C	Coupler	Screening				Annual		Liquid
20108	Tank 100C	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20109	Tank 100C	Valve	Screening				Annual		Liquid
20110	Tank 100C	Flange	Screening				Annual		Liquid
20111	Tank 100C	Flange	Screening				Annual		Liquid
20112	Tank 100C	Valve	Screening				Annual		Liquid
20113	Tank 100C	Flange	Screening				Annual		Liquid
20114	Tank 100C	Flange	Screening				Annual		Liquid
20115	Tank 100C	Valve	Screening				Annual		Liquid
20116	Tank 100C	Flange	Screening				Annual		Liquid
20117	Tank 100C	Flange	Screening				Annual		Liquid
20118	Tank 100C	Valve	Screening				Annual		Liquid
20119	Tank 100C	Flange	Screening				Annual		Liquid
20120	Tank 100C	Flange	Screening				Annual		Liquid
20121	Tank 100C	Flange	Screening				Annual		Liquid
20122	Tank 100C	Valve	Screening				Annual		Liquid
20123	Tank 100C	Flange	Screening				Annual		Liquid
20124	Tank 100C	Flange	Screening				Annual		Liquid
20124B	Tank 100C	Coupler	Screening				Annual		Liquid
20124C	Tank 100C	Gauge	Screening				Annual		Liquid
20125	Tank 100C	Valve	Screening				Annual		Liquid
20126	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20127	Tank 100C	Check Valve	Screening				Annual		Liquid
20128	Tank 100C	Flange	Screening				Annual		Liquid
20129	Tank 100C	Flange	Screening				Annual		Liquid
20130	Tank 100C	Pump	Screening				Annual		Liquid
20131	Tank 100C	Coupler	Screening				Annual		Liquid
20132	Tank 100C	Valve	Screening				Annual		Liquid
20132B	Tank 100C	Coupler	Screening				Annual		Liquid
20132C	Tank 100C	Coupler	Screening				Annual		Liquid
20133	Tank 100C	Coupler	Screening				Annual		Liquid
20134	Tank 100C	Coupler	Screening				Annual		Liquid
20135	Tank 100C	Coupler	Screening				Annual		Liquid
20136	Tank 100C	Gauge	Screening				Annual		Liquid
20137	Tank 100C	Coupler	Screening				Annual		Liquid
20137B	Tank 100C	Coupler	Screening				Annual		Liquid
20137C	Tank 100C	Coupler	Screening				Annual		Liquid
20138	Tank 100C	Valve	Screening				Annual		Liquid
20139	Tank 100C	Coupler	Screening				Annual		Liquid
20140	Tank 100C	Coupler	Screening				Annual		Liquid
20141	Tank 100C	Flange	Screening				Annual		Liquid
20142	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20143	Tank 100C	Valve	Screening				Annual		Liquid
20144	Tank 100C	Flange	Screening				Annual		Liquid
20145	Tank 100C	Flange	Screening				Annual		Liquid
20146	Tank 100C	Flange	Screening				Annual		Liquid
20147	Tank 100C	Valve	Screening				Annual		Liquid
20148	Tank 100C	Flange	Screening				Annual		Liquid
20149	Tank 100C	Flange	Screening				Annual		Liquid
20150	Tank 100C	Flange	Screening				Annual		Liquid
20150B	Tank 100C	Flange	Screening				Annual		Liquid
20151	Tank 100C	Valve	Screening				Annual		Liquid
20152	Tank 100C	Flange	Screening				Annual		Liquid
20153	Tank 100C	Flange	Screening				Annual		Liquid
20154	Tank 100C	Valve	Screening				Annual		Liquid
20155	Tank 100C	Flange	Screening				Annual		Liquid
20156	Tank 100C	Valve	Screening				Annual		Liquid
20156B	Tank 100C	Coupler	Screening				Annual		Liquid
20156C	Tank 100C	Coupler	Screening				Annual		Liquid
20157	Tank 100C	Coupler	Screening				Annual		Liquid
20158	Tank 100C	Coupler	Screening				Annual		Liquid
20159	Tank 100C	Gauge	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20160	Tank 100C	Flange	Screening				Annual		Liquid
20161	Tank 100C	Coupler	Screening				Annual		Liquid
20162	Tank 100C	Coupler	Screening				Annual		Liquid
20163	Tank 100C	Valve	Screening				Annual		Liquid
20164	Tank 100C	Coupler	Screening				Annual		Liquid
20165	Tank 100C	Coupler	Screening				Annual		Liquid
20166	Tank 100C	Cap	Screening				Annual		Liquid
20167	Tank 100C	Flange	Screening				Annual		Liquid
20168	Tank 100C	Cap	Screening				Annual		Liquid
20169	Tank 100B	Flange	Screening				Annual		Liquid
20170	Tank 100B	Valve	Screening				Annual		Liquid
20171	Tank 100B	Flange	Screening				Annual		Liquid
20172	Tank 100B	Valve	Screening				Annual		Liquid
20173	Tank 100B	Coupler	Screening				Annual		Liquid
20174	Tank 100B	Cap	Screening				Annual		Liquid
20175	Tank 100B	Coupler	Screening				Annual		Liquid
20176	Tank 100B	Coupler	Screening				Annual		Liquid
20177	Tank 100B	Coupler	Screening				Annual		Liquid
20178	Tank 100B	Coupler	Screening				Annual		Liquid
20179	Tank 100B	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20180	Tank 100B	Cap	Screening				Annual		Liquid
20181	Tank 100B	Flange	Screening				Annual		Liquid
20182	Tank 100B	Flange	Screening				Annual		Liquid
20183	Tank 100B	Valve	Screening				Annual		Liquid
20184	Tank 100B	Flange	Screening				Annual		Liquid
20185	Tank 100B	Flange	Screening				Annual		Liquid
20186	Tank 100B	Flange	Screening				Annual		Liquid
20187	Tank 100B	Valve	Screening				Annual		Liquid
20188	Tank 100B	Flange	Screening				Annual		Liquid
20189	Tank 100B	Flange	Screening				Annual		Liquid
20190	Tank 100B	Valve	Screening				Annual		Liquid
20191	Tank 100B	Flange	Screening				Annual		Liquid
20192	Tank 100B	Flange	Screening				Annual		Liquid
20193	Tank 100B	Flange	Screening				Annual		Liquid
20194	Tank 100B	Valve	Screening				Annual		Liquid
20195	Tank 100B	Flange	Screening				Annual		Liquid
20196	Tank 100B	Flange	Screening				Annual		Liquid
20197	Tank 100B	Valve	Screening				Annual		Liquid
20198	Tank 100B	Flange	Screening				Annual		Liquid
20199	Tank 100B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20200	Tank 100B	Coupler	Screening				Annual		Liquid
20201	Tank 100B	Valve	Screening				Annual		Liquid
20202	Tank 100B	Coupler	Screening				Annual		Liquid
20203	Tank 100B	Coupler	Screening				Annual		Liquid
20204	Tank 100B	Valve	Screening				Annual		Liquid
20205	Tank 100B	Coupler	Screening				Annual		Liquid
20206	Tank 100B	Coupler	Screening				Annual		Liquid
20206B	Tank 100B	Coupler	Screening				Annual		Liquid
20207	Tank 100B	Cap	Screening				Annual		Liquid
20207B	Tank 100B	Cap	Screening				Annual		Liquid
20208	Tank 100B	Valve	Screening				Annual		Liquid
20209	Tank 100B	Coupler	Screening				Annual		Liquid
20210	Tank 100B	Flange	Screening				Annual		Liquid
20211	Tank 100B	Pump	Screening				Annual		Liquid
20212	Tank 100A	Cap	Screening				Annual		Liquid
20213	Tank 100A	Flange	Screening				Annual		Liquid
20214	Tank 100A	Valve	Screening				Annual		Liquid
20215	Tank 100A	Flange	Screening				Annual		Liquid
20216	Tank 100A	Flange	Screening				Annual		Liquid
20217	Tank 100A	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20218	Tank 100A	Flange	Screening				Annual		Liquid
20219	Tank 100A	Flange	Screening				Annual		Liquid
20220	Tank 100A	Flange	Screening				Annual		Liquid
20221	Tank 100A	Pump	Screening				Annual		Liquid
20222	Tank 100A	Flange	Screening				Annual		Liquid
20223	Tank 100A	Valve	Screening				Annual		Liquid
20224	Tank 100A	Flange	Screening				Annual		Liquid
20225	Tank 100A	Flange	Screening				Annual		Liquid
20226	Tank 100A	Flange	Screening				Annual		Liquid
20227	Tank 100A	Valve	Screening				Annual		Liquid
20228	Tank 100A	Flange	Screening				Annual		Liquid
20229	Tank 100A	Flange	Screening				Annual		Liquid
20230	Tank 100A	Valve	Screening				Annual		Liquid
20231	Tank 100A	Flange	Screening				Annual		Liquid
20232	Tank 100A	Flange	Screening				Annual		Liquid
20233	Tank 100A	Valve	Screening				Annual		Liquid
20234	Tank 100A	Flange	Screening				Annual		Liquid
20235	Tank 100A	Coupler	Screening				Annual		Liquid
20236	Tank 100A	Valve	Screening				Annual		Liquid
20237	Tank 100A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20238	Tank 100A	Coupler	Screening				Annual		Liquid
20239	Tank 100A	Valve	Screening				Annual		Liquid
20240	Tank 100A	Coupler	Screening				Annual		Liquid
20241	Tank 100A	Gauge	Screening				Annual		Liquid
20242	Tank 100A	Coupler	Screening				Annual		Liquid
20243	Tank 100A	Valve	Screening				Annual		Liquid
20244	Tank 100A	Coupler	Screening				Annual		Liquid
20245	Tank 100A	Coupler	Screening				Annual		Liquid
20246	Tank 100A	Cap	Screening				Annual		Liquid
20247	Tank 100A	Coupler	Screening				Annual		Liquid
20248	Tank 100A	Valve	Screening				Annual		Liquid
20248B	Tank 100A	Coupler	Screening				Annual		Liquid
20249	Tank 100A	Gauge	Screening				Annual		Liquid
20250	Tank 100A	Flange	Screening				Annual		Liquid
20251	Tank 100A	Flange	Screening				Annual		Liquid
20252	Tank 100A	Valve	Screening				Annual		Liquid
20253	Tank 100A	Flange	Screening				Annual		Liquid
20254	Tank 100A	Flange	Screening				Annual		Liquid
20255	Tank 100A	Valve	Screening				Annual		Liquid
20255B	Tank 100A	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20256	Tank 100A	Coupler	Screening				Annual		Liquid
20257	Tank 100A	Cap	Screening				Annual		Liquid
20258	Tank 100A	Flange	Screening				Annual		Liquid
20259	Tank 100A	Valve	Screening				Annual		Liquid
20260	Tank 100A	Flange	Screening				Annual		Liquid
20261	Tank 100A	Coupler	Screening				Annual		Liquid
20262	Tank 100A	Coupler	Screening				Annual		Liquid
20263	Tank 100A	Coupler	Screening				Annual		Liquid
20264	Tank 100A	Cap	Screening				Annual		Liquid
20265	Tank 100A	Flange	Screening				Annual		Liquid
20266	Tank 100A	Coupler	Screening				Annual		Liquid
20267	Tank 100A	Flange	Screening				Annual		Liquid
20268	Tank 100A	Coupler	Screening				Annual		Liquid
20269	Tank 100A	Flange	Screening				Annual		Liquid
20270	Tank 100A	Coupler	Screening				Annual		Liquid
20271	Tank 100A	Manway	Screening				Annual		Liquid
20272	Tank 100B	Manway	Screening				Annual		Liquid
20273	Tank 100B	Flange	Screening				Annual		Liquid
20274	Tank 100B	Coupler	Screening				Annual		Liquid
20275	Tank 100B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20276	Tank 100B	Coupler	Screening				Annual		Liquid
20277	Tank 100B	Flange	Screening				Annual		Liquid
20278	Tank 100B	Coupler	Screening				Annual		Liquid
20279	Tank 100B	Flange	Screening				Annual		Liquid
20280	Tank 100B	Flange	Screening				Annual		Liquid
20281	Tank 100B	Valve	Screening				Annual		Liquid
20282	Tank 100B	Flange	Screening				Annual		Liquid
20283	Tank 100B	Coupler	Screening				Annual		Liquid
20284	Tank 100B	Coupler	Screening				Annual		Liquid
20285	Tank 100B	Cap	Screening				Annual		Liquid
20286	Tank 100C	Flange	Screening				Annual		Liquid
20287	Tank 100C	Coupler	Screening				Annual		Liquid
20288	Tank 100C	Flange	Screening				Annual		Liquid
20289	Tank 100C	Coupler	Screening				Annual		Liquid
20290	Tank 100C	Flange	Screening				Annual		Liquid
20291	Tank 100C	Coupler	Screening				Annual		Liquid
20292	Tank 100C	Manway	Screening				Annual		Liquid
20293	Tank 100C	Flange	Screening				Annual		Liquid
20294	Tank 100C	Valve	Screening				Annual		Liquid
20295	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20296	Tank 100C	Coupler	Screening				Annual		Liquid
20297	Tank 100C	Coupler	Screening				Annual		Liquid
20298	Tank 100C	Coupler	Screening				Annual		Liquid
20299	Tank 100C	Cap	Screening				Annual		Liquid
20300	Tank 100C	Flange	Screening				Annual		Liquid
20301	Tank 100C	Valve	Screening				Annual		Liquid
20302	Tank 100C	Flange	Screening				Annual		Liquid
20303	Tank 100C	Flange	Screening				Annual		Liquid
20304	Tank 100C	Flange	Screening				Annual		Liquid
20305	Reserved	Reserved	Screening				Annual		Liquid
20306	Reserved	Reserved	Screening				Annual		Liquid
20307	Tank 200C	Manway	Screening				Annual		Liquid
20308	Tank 200C	Coupler	Screening				Annual		Liquid
20309	Tank 200C	Flange	Screening				Annual		Liquid
20310	Tank 200C	Flange	Screening				Annual		Liquid
20311	Tank 200C	Cap	Screening				Annual		Liquid
20312	Tank 200C	Flange	Screening				Annual		Liquid
20313	Tank 200C	Valve	Screening				Annual		Liquid
20314	Tank 200C	Flange	Screening				Annual		Liquid
20315	Tank 200C	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20316	Tank 200C	Coupler	Screening				Annual		Liquid
20317	Tank 200C	Cap	Screening				Annual		Liquid
20318	Tank 200C	Gauge	Screening				Annual		Liquid
20319	Tank 200C	Pump	Screening				Annual		Liquid
20320	Tank 200C	Flange	Screening				Annual		Liquid
20321	Tank 200C	Valve	Screening				Annual		Liquid
20322	Tank 200C	Flange	Screening				Annual		Liquid
20323	Tank 200C	Flange	Screening				Annual		Liquid
20324	Tank 200C	Flange	Screening				Annual		Liquid
20325	Tank 200C	Flange	Screening				Annual		Liquid
20326	Tank 200C	Flange	Screening				Annual		Liquid
20327	Tank 200C	Valve	Screening				Annual		Liquid
20328	Tank 200C	Flange	Screening				Annual		Liquid
20329	Tank 200C	Coupler	Screening				Annual		Liquid
20330	Tank 200C	Flange	Screening				Annual		Liquid
20331	Tank 200C	Valve	Screening				Annual		Liquid
20332	Tank 200C	Flange	Screening				Annual		Liquid
20333	Tank 200C	Flange	Screening				Annual		Liquid
20334	Tank 200C	Flange	Screening				Annual		Liquid
20335	Tank 200C	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20336	Tank 200C	Flange	Screening				Annual		Liquid
20337	Tank 200C	Flange	Screening				Annual		Liquid
20338	Tank 200C	Flange	Screening				Annual		Liquid
20339	Tank 200C	Valve	Screening				Annual		Liquid
20340	Tank 200C	Flange	Screening				Annual		Liquid
20341	Tank 200C	Coupler	Screening				Annual		Liquid
20342	Tank 200C	Coupler	Screening				Annual		Liquid
20343	Tank 200C	Valve	Screening				Annual		Liquid
20344	Tank 200C	Cap	Screening				Annual		Liquid
20345	Tank 200C	Coupler	Screening				Annual		Liquid
20346	Tank 200C	Valve	Screening				Annual		Liquid
20346B	Tank 200C	Coupler	Screening				Annual		Liquid
20346C	Tank 200C	Coupler	Screening				Annual		Liquid
20347	Tank 200C	Coupler	Screening				Annual		Liquid
20348	Tank 200C	Coupler	Screening				Annual		Liquid
20349	Tank 200C	Valve	Screening				Annual		Liquid
20350	Tank 200C	Coupler	Screening				Annual		Liquid
20351	Tank 200C	Coupler	Screening				Annual		Liquid
20352	Tank 200C	Cap	Screening				Annual		Liquid
20353	Tank 200C	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20354	Tank 200C	Coupler	Screening				Annual		Liquid
20355	Tank 200C	Valve	Screening				Annual		Liquid
20356	Tank 200C	Coupler	Screening				Annual		Liquid
20357	Tank 200C	Coupler	Screening				Annual		Liquid
20358	Tank 200C	Coupler	Screening				Annual		Liquid
20359	Tank 200C	Cap	Screening				Annual		Liquid
20360	Tank 200C	Flange	Screening				Annual		Liquid
20361	Tank 200C	Coupler	Screening				Annual		Liquid
20362	Tank 200C	Coupler	Screening				Annual		Liquid
20363	Tank 200C	Coupler	Screening				Annual		Liquid
20364	Tank 200C	Gauge	Screening				Annual		Liquid
20365	Tank 200C	Flange	Screening				Annual		Liquid
20366	Tank 200C	Valve	Screening				Annual		Liquid
20367	Tank 200C	Flange	Screening				Annual		Liquid
20368	Tank 200C	Flange	Screening				Annual		Liquid
20369	Tank 200C	Valve	Screening				Annual		Liquid
20370	Tank 200C	Flange	Screening				Annual		Liquid
20371	Tank 200C	Flange	Screening				Annual		Liquid
20372	Tank 200C	Valve	Screening				Annual		Liquid
20373	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20374	Tank 200C	Flange	Screening				Annual		Liquid
20375	Tank 200C	Valve	Screening				Annual		Liquid
20376	Tank 200C	Flange	Screening				Annual		Liquid
20377	Tank 200C	Cap	Screening				Annual		Liquid
20378	Tank 200B	Flange	Screening				Annual		Liquid
20379	Tank 200B	Valve	Screening				Annual		Liquid
20380	Tank 200B	Flange	Screening				Annual		Liquid
20381	Tank 200B	Coupler	Screening				Annual		Liquid
20382	Tank 200B	Coupler	Screening				Annual		Liquid
20383	Tank 200B	Flange	Screening				Annual		Liquid
20384	Tank 200B	Cap	Screening				Annual		Liquid
20385	Tank 200B	Flange	Screening				Annual		Liquid
20386	Tank 200B	Coupler	Screening				Annual		Liquid
20387	Tank 200B	Flange	Screening				Annual		Liquid
20388	Tank 200B	Coupler	Screening				Annual		Liquid
20389	Tank 200B	Flange	Screening				Annual		Liquid
20390	Tank 200B	Coupler	Screening				Annual		Liquid
20391	Tank 200B	Manway	Screening				Annual		Liquid
20392	Tank 200A	Flange	Screening				Annual		Liquid
20393	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20394	Tank 200A	Coupler	Screening				Annual		Liquid
20395	Tank 200A	Flange	Screening				Annual		Liquid
20396	Tank 200A	Coupler	Screening				Annual		Liquid
20397	Tank 200A	Flange	Screening				Annual		Liquid
20398	Tank 200A	Coupler	Screening				Annual		Liquid
20399	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
20400	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20401	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20402	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20403	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20404	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20405	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20406	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20407	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20408	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20409	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20410	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20411	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20412	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20413	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20414	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20415	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20416	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20417	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20418	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20419	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20420	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20421	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20422	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20423	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20424	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20425	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20426	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
20427	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20428	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20429	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20430	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20431	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20432	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20433	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20434	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20435	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20436	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
20437	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20438	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20439	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20440	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20441	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
20442	Tank 100C	Flange	Screening				Annual		Liquid
20443	Tank 100C	Valve	Screening				Annual		Liquid
20444	Tank 100C	Flange	Screening				Annual		Liquid
20445	Tank 100C	Flange	Screening				Annual		Liquid
20446	Tank 100C	Flange	Screening				Annual		Liquid
20447	Tank 100C	Valve	Screening				Annual		Liquid
20448	Tank 100C	Flange	Screening				Annual		Liquid
20449	Tank 100C	Flange	Screening				Annual		Liquid
20450	Tank 100C	Flange	Screening				Annual		Liquid
20451	Tank 100C	Valve	Screening				Annual		Liquid
20452	Tank 100C	Flange	Screening				Annual		Liquid
20453	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20454	Tank 100C	Flange	Screening				Annual		Liquid
20455	Tank 100C	Valve	Screening				Annual		Liquid
20456	Tank 100C	Flange	Screening				Annual		Liquid
20457	Tank 100C	Coupler	Screening				Annual		Liquid
20458	Tank 100C	Valve	Screening				Annual		Liquid
20459	Tank 100C	Cap	Screening				Annual		Liquid
20460	Tank 100C	Flange	Screening				Annual		Liquid
20461	Tank 100C	Flange	Screening				Annual		Liquid
20462	Tank 100C	Flange	Screening				Annual		Liquid
20463	Tank 100C	Flange	Screening				Annual		Liquid
20464	Tank 100C	Coupler	Screening				Annual		Liquid
20465	Tank 100C	Valve	Screening				Annual		Liquid
20466	Tank 100C	Cap	Screening				Annual		Liquid
20467	Tank 100C	Flange	Screening				Annual		Liquid
20468	Tank 200A	Flange	Screening				Annual		Liquid
20469	Tank 100C	Flange	Screening				Annual		Liquid
20470	Tank 100C	Flange	Screening				Annual		Liquid
20471	Tank 100C	Flange	Screening				Annual		Liquid
20472	Tank 100C	Flange	Screening				Annual		Liquid
20473	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20474	Tank 100C	Flange	Screening				Annual		Liquid
20475	Tank 100C	Flange	Screening				Annual		Liquid
20476	Tank 200A	Flange	Screening				Annual		Liquid
20477	Tank 200A	Flange	Screening				Annual		Liquid
20478	Tank 100C	Valve	Screening				Annual		Liquid
20479	Tank 100C	Flange	Screening				Annual		Liquid
20480	Tank 100C	Coupler	Screening				Annual		Liquid
20481	Reserved	Reserved	Screening				Annual		Liquid
20482	Tank 100C	Valve	Screening				Annual		Liquid
20483	Tank 100C	Cap	Screening				Annual		Liquid
20484	Tank 100C	Flange	Screening				Annual		Liquid
20485	Tank 100C	Valve	Screening				Annual		Liquid
20486	Tank 100C	Flange	Screening				Annual		Liquid
20487	Tank 100C	Flange	Screening				Annual		Liquid
20488	Tank 200A	Flange	Screening				Annual		Liquid
20489	Tank 100C	Valve	Screening				Annual		Liquid
20490	Tank 100C	Flange	Screening				Annual		Liquid
20491	Tank 100C	Flange	Screening				Annual		Liquid
20492	Tank 100C	Agitator	Screening				Annual		Liquid
20493	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20494	Tank 100C	Flange	Screening				Annual		Liquid
20495	Tank 100C	Valve	Screening				Annual		Liquid
20496	Tank 100C	Flange	Screening				Annual		Liquid
20497	Tank 100C	Coupler	Screening				Annual		Liquid
20498	Tank 100C	Valve	Screening				Annual		Liquid
20499	Tank 100C	Cap	Screening				Annual		Liquid
20500	Tank 100C	Coupler	Screening				Annual		Liquid
20501	Tank 100C	Flange	Screening				Annual		Liquid
20502	Tank 100C	Valve	Screening				Annual		Liquid
20502B	Tank 100C	Flange	Screening				Annual		Liquid
20503	Tank 100C	Flange	Screening				Annual		Liquid
20504	Tank 100C	Gauge	Screening				Annual		Liquid
20505	Tank 100C	Coupler	Screening				Annual		Liquid
20506	Tank 100C	Valve	Screening				Annual		Liquid
20507	Tank 100C	Cap	Screening				Annual		Liquid
20508	Tank 100C	Flange	Screening				Annual		Liquid
20509	Tank 100C	Flange	Screening				Annual		Liquid
20510	Tank 100C	Flange	Screening				Annual		Liquid
20511	Tank 200C	Coupler	Screening				Annual		Liquid
20512	Tank 200C	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20513	Tank 200C	Cap	Screening				Annual		Liquid
20514	Tank 200C	Flange	Screening				Annual		Liquid
20515	Tank 200C	Flange	Screening				Annual		Liquid
20516	Tank 200C	Flange	Screening				Annual		Liquid
20517	Tank 200C	Valve	Screening				Annual		Liquid
20518	Tank 200C	Flange	Screening				Annual		Liquid
20519	Tank 200C	Coupler	Screening				Annual		Liquid
20520	Tank 200C	Valve	Screening				Annual		Liquid
20521	Tank 200C	Cap	Screening				Annual		Liquid
20522	Tank 200C	Flange	Screening				Annual		Liquid
20523	Tank 200C	Flange	Screening				Annual		Liquid
20524	Tank 200C	Flange	Screening				Annual		Liquid
20525	Tank 200C	Flange	Screening				Annual		Liquid
20526	Tank 200C	Agitator	Screening				Annual		Liquid
20527	Tank 200C	Flange	Screening				Annual		Liquid
20528	Tank 200C	Coupler	Screening				Annual		Liquid
20529	Tank 200C	Coupler	Screening				Annual		Liquid
20530	Tank 200C	Gauge	Screening				Annual		Liquid
20531	Tank 200C	Flange	Screening				Annual		Liquid
20532	Tank 200C	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20533	Tank 200C	Flange	Screening				Annual		Liquid
20534	Tank 200C	Flange	Screening				Annual		Liquid
20535	Tank 200C	Valve	Screening				Annual		Liquid
20536	Tank 200C	Flange	Screening				Annual		Liquid
20537	Tank 200C	Flange	Screening				Annual		Liquid
20538	Tank 200C	Coupler	Screening				Annual		Liquid
20539	Tank 200C	Valve	Screening				Annual		Liquid
20540	Tank 200C	Gauge	Screening				Annual		Liquid
20541	Tank 200C	Flange	Screening				Annual		Liquid
20542	Tank 200C	Cap	Screening				Annual		Liquid
20543	Tank 200C	Flange	Screening				Annual		Liquid
20544	Tank 200C	Flange	Screening				Annual		Liquid
20545	Tank 200C	Flange	Screening				Annual		Liquid
20546	Tank 200C	Valve	Screening				Annual		Liquid
20547	Tank 200C	Flange	Screening				Annual		Liquid
20548	Tank 200C	Flange	Screening				Annual		Liquid
20549	Tank 200C	Valve	Screening				Annual		Liquid
20550	Tank 200C	Flange	Screening				Annual		Liquid
20551	Tank 200C	Flange	Screening				Annual		Liquid
20552	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20553	Tank 200C	Valve	Screening				Annual		Liquid
20554	Tank 200C	Flange	Screening				Annual		Liquid
20555	Tank 200C	Flange	Screening				Annual		Liquid
20556	Tank 200C	Valve	Screening				Annual		Liquid
20557	Tank 200C	Flange	Screening				Annual		Liquid
20558	Tank 200C	Flange	Screening				Annual		Liquid
20559	Tank 200C	Flange	Screening				Annual		Liquid
20560	Tank 200C	Flange	Screening				Annual		Liquid
20561	Tank 200C	Valve	Screening				Annual		Liquid
20562	Tank 200C	Flange	Screening				Annual		Liquid
20563	Tank 200C	Coupler	Screening				Annual		Liquid
20564	Tank 200C	Coupler	Screening				Annual		Liquid
20565	Tank 200C	Valve	Screening				Annual		Liquid
20566	Tank 200C	Cap	Screening				Annual		Liquid
20567	Tank 200C	Flange	Screening				Annual		Liquid
20568	Tank 200C	Cap	Screening				Annual		Liquid
20569	Tank 200C	Flange	Screening				Annual		Liquid
20570	Tank 200C	Flange	Screening				Annual		Liquid
20571	Tank 200C	Coupler	Screening				Annual		Liquid
20572	Tank 200C	Valve	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20573	Tank 200C	Coupler	Screening				Annual		Liquid
20574	Tank 200C	Cap	Screening				Annual		Liquid
20575	Tank 200C	Flange	Screening				Annual		Liquid
20576	Tank 200C	Flange	Screening				Annual		Liquid
20577	Tank 200C	Flange	Screening				Annual		Liquid
20578	Tank 200C	Flange	Screening				Annual		Liquid
20579	Tank 200C	Coupler	Screening				Annual		Liquid
20580	Tank 200C	Valve	Screening				Annual		Liquid
20581	Tank 200C	Cap	Screening				Annual		Liquid
20582	Tank 200C	Flange	Screening				Annual		Liquid
20583	Tank 200C	Cap	Screening				Annual		Liquid
20584	Tank 200C	Flange	Screening				Annual		Liquid
20585	Tank 200C	Flange	Screening				Annual		Liquid
20586	Tank 200C	Cap	Screening				Annual		Liquid
20587	Tank 200C	Valve	Screening				Annual		Liquid
20588	Tank 200C	Coupler	Screening				Annual		Liquid
20589	Tank 200C	Flange	Screening				Annual		Liquid
20590	Tank 200C	Flange	Screening				Annual		Liquid
20591	Tank 200C	Valve	Screening				Annual		Liquid
20592	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20593	Tank 200C	Flange	Screening				Annual		Liquid
20594	Tank 200C	Flange	Screening				Annual		Liquid
20595	Tank 200C	Flange	Screening				Annual		Liquid
20596	Tank 200C	Flange	Screening				Annual		Liquid
20597	Tank 200C	Flange	Screening				Annual		Liquid
20598	Tank 200C	Flange	Screening				Annual		Liquid
20599	Tank 200C	Flange	Screening				Annual		Liquid
20600	Reserved	Reserved	Screening				Annual		Liquid
20601	Tank 200C	Coupler	Screening				Annual		Liquid
20602	Tank 200C	Coupler	Screening				Annual		Liquid
20603	Tank 200C	Valve	Screening				Annual		Liquid
20604	Tank 200C	Cap	Screening				Annual		Liquid
20605	Tank 200C	Flange	Screening				Annual		Liquid
20606	Tank 200C	Cap	Screening				Annual		Liquid
20606A	Tank 200C	Cap	Screening				Annual		Liquid
20607	Tank 200B	Flange	Screening				Annual		Liquid
20608	Tank 200B	Coupler	Screening				Annual		Liquid
20609	Tank 200B	Coupler	Screening				Annual		Liquid
20610	Tank 200B	Valve	Screening				Annual		Liquid
20611	Tank 200B	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20612	Tank 200B	Flange	Screening				Annual		Liquid
20613	Tank 200B	Flange	Screening				Annual		Liquid
20614	Tank 200B	Cap	Screening				Annual		Liquid
20615	Tank 200B	Flange	Screening				Annual		Liquid
20616	Tank 200B	Valve	Screening				Annual		Liquid
20617	Tank 200B	Flange	Screening				Annual		Liquid
20618	Tank 200B	Flange	Screening				Annual		Liquid
20619	Tank 200B	Valve	Screening				Annual		Liquid
20620	Tank 200B	Flange	Screening				Annual		Liquid
20621	Tank 200B	Flange	Screening				Annual		Liquid
20621B	Tank 200B	Flange	Screening				Annual		Liquid
20622	Tank 200B	Flange	Screening				Annual		Liquid
20623	Tank 200B	Flange	Screening				Annual		Liquid
20623B	Tank 200B	Flange	Screening				Annual		Liquid
20624	Tank 200B	Cap	Screening				Annual		Liquid
20625	Tank 200B	Flange	Screening				Annual		Liquid
20626	Tank 200B	Agitator	Screening				Annual		Liquid
20627	Tank 200B	Flange	Screening				Annual		Liquid
20628	Tank 200B	Flange	Screening				Annual		Liquid
20629	Tank 200B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20630	Tank 200B	Flange	Screening				Annual		Liquid
20631	Tank 200B	Flange	Screening				Annual		Liquid
20632	Tank 200B	Coupler	Screening				Annual		Liquid
20633	Tank 200B	Valve	Screening				Annual		Liquid
20634	Tank 200B	Cap	Screening				Annual		Liquid
20635	Tank 200B	Flange	Screening				Annual		Liquid
20636	Tank 200B	Flange	Screening				Annual		Liquid
20637	Tank 200B	Flange	Screening				Annual		Liquid
20638	Tank 200B	Flange	Screening				Annual		Liquid
20639	Tank 200B	Flange	Screening				Annual		Liquid
20640	Tank 200B	Valve	Screening				Annual		Liquid
20641	Tank 200B	Flange	Screening				Annual		Liquid
20642	Tank 200B	Coupler	Screening				Annual		Liquid
20643	Tank 200B	Valve	Screening				Annual		Liquid
20644	Tank 200B	Cap	Screening				Annual		Liquid
20645	Tank 200B	Flange	Screening				Annual		Liquid
20646	Tank 200B	Flange	Screening				Annual		Liquid
20647	Tank 200B	Flange	Screening				Annual		Liquid
20648	Tank 200B	Flange	Screening				Annual		Liquid
20649	Tank 100B	Agitator	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20650	Tank 100B	Flange	Screening				Annual		Liquid
20651	Tank 100B	Flange	Screening				Annual		Liquid
20651B	Tank 100B	Flange	Screening				Annual		Liquid
20652	Tank 100B	Flange	Screening				Annual		Liquid
20653	Tank 100B	Flange	Screening				Annual		Liquid
20654	Tank 100B	Flange	Screening				Annual		Liquid
20655	Tank 100B	Valve	Screening				Annual		Liquid
20656	Tank 100B	Flange	Screening				Annual		Liquid
20657	Tank 100B	Coupler	Screening				Annual		Liquid
20658	Tank 100B	Valve	Screening				Annual		Liquid
20658B	Tank 100B	Coupler	Screening				Annual		Liquid
20659	Tank 100B	Cap	Screening				Annual		Liquid
20660	Tank 100B	Flange	Screening				Annual		Liquid
20661	Tank 100B	Flange	Screening				Annual		Liquid
20662	Tank 100B	Flange	Screening				Annual		Liquid
20663	Tank 100B	Flange	Screening				Annual		Liquid
20664	Tank 100B	Gauge	Screening				Annual		Liquid
20665	Tank 100B	Coupler	Screening				Annual		Liquid
20666	Tank 100B	Flange	Screening				Annual		Liquid
20667	Tank 100B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20668	Tank 100B	Flange	Screening				Annual		Liquid
20669	Tank 100B	Flange	Screening				Annual		Liquid
20670	Tank 100B	Flange	Screening				Annual		Liquid
20671	Tank 100B	Flange	Screening				Annual		Liquid
20672	Tank 100B	Flange	Screening				Annual		Liquid
20673	Tank 100B	Flange	Screening				Annual		Liquid
20674	Tank 100B	Valve	Screening				Annual		Liquid
20675	Tank 100B	Flange	Screening				Annual		Liquid
20676	Tank 100B	Flange	Screening				Annual		Liquid
20677	Tank 100B	Valve	Screening				Annual		Liquid
20678	Tank 100B	Flange	Screening				Annual		Liquid
20679	Tank 100B	Flange	Screening				Annual		Liquid
20680	Tank 100B	Flange	Screening				Annual		Liquid
20681	Tank 100B	Coupler	Screening				Annual		Liquid
20682	Tank 100B	Valve	Screening				Annual		Liquid
20683	Tank 100B	Cap	Screening				Annual		Liquid
20684	Tank 100B	Flange	Screening				Annual		Liquid
20685	Tank 100B	Flange	Screening				Annual		Liquid
20686	Tank 100B	Flange	Screening				Annual		Liquid
20687	Tank 100B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20688	Tank 100B	Flange	Screening				Annual		Liquid
20689	Tank 100B	Flange	Screening				Annual		Liquid
20690	Tank 100B	Flange	Screening				Annual		Liquid
20691	Tank 100A	Flange	Screening				Annual		Liquid
20692	Tank 100A	Flange	Screening				Annual		Liquid
20693	Tank 100A	Flange	Screening				Annual		Liquid
20694	Tank 100A	Cap	Screening				Annual		Liquid
20695	Tank 100A	Cap	Screening				Annual		Liquid
20696	Tank 100A	Cap	Screening				Annual		Liquid
20697	Tank 100A	Flange	Screening				Annual		Liquid
20698	Tank 100A	Flange	Screening				Annual		Liquid
20699	Tank 100A	Flange	Screening				Annual		Liquid
20700	Tank 100A	Flange	Screening				Annual		Liquid
20701	Tank 100A	Flange	Screening				Annual		Liquid
20702	Tank 100A	Flange	Screening				Annual		Liquid
20703	Tank 100A	Valve	Screening				Annual		Liquid
20704	Tank 100A	Flange	Screening				Annual		Liquid
20705	Tank 100A	Flange	Screening				Annual		Liquid
20706	Tank 200A	Coupler	Screening				Annual		Liquid
20707	Tank 200A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20708	Tank 200A	Flange	Screening				Annual		Liquid
20709	Tank 200A	Coupler	Screening				Annual		Liquid
20710	Tank 200A	Flange	Screening				Annual		Liquid
20711	Tank 200A	Coupler	Screening				Annual		Liquid
20712	Tank 200A	Gauge	Screening				Annual		Liquid
20713	Tank 100A	Flange	Screening				Annual		Liquid
20714	Tank 100A	Cap	Screening				Annual		Liquid
20715	Tank 100A	Flange	Screening				Annual		Liquid
20716	Tank 100A	Flange	Screening				Annual		Liquid
20717	Tank 100A	Valve	Screening				Annual		Liquid
20718	Tank 100A	Cap	Screening				Annual		Liquid
20719	Tank 100A	Flange	Screening				Annual		Liquid
20720	Tank 100A	Flange	Screening				Annual		Liquid
20721	Tank 100A	Valve	Screening				Annual		Liquid
20722	Tank 100A	Flange	Screening				Annual		Liquid
20723	Tank 100A	Cap	Screening				Annual		Liquid
20724	Tank 100A	Flange	Screening				Annual		Liquid
20725	Tank 100A	Valve	Screening				Annual		Liquid
20726	Tank 100A	Flange	Screening				Annual		Liquid
20727	Tank 100A	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20728	Tank 100A	Flange	Screening				Annual		Liquid
20729	Tank 100A	Flange	Screening				Annual		Liquid
20730	Tank 100A	Flange	Screening				Annual		Liquid
20731	Tank 100A	Coupler	Screening				Annual		Liquid
20732	Tank 100A	Valve	Screening				Annual		Liquid
20733	Tank 100A	Cap	Screening				Annual		Liquid
20733B	Tank 100A	Coupler	Screening				Annual		Liquid
20734	Tank 100A	Flange	Screening				Annual		Liquid
20735	Tank 100A	Flange	Screening				Annual		Liquid
20736	Tank 100A	Flange	Screening				Annual		Liquid
20737	Tank 100A	Flange	Screening				Annual		Liquid
20738	Tank 100A	Flange	Screening				Annual		Liquid
20739	Tank 100A	Valve	Screening				Annual		Liquid
20740	Tank 100A	Flange	Screening				Annual		Liquid
20741	Tank 100A	Coupler	Screening				Annual		Liquid
20742	Tank 100A	Valve	Screening				Annual		Liquid
20743	Tank 100A	Cap	Screening				Annual		Liquid
20743B	Tank 100A	Coupler	Screening				Annual		Liquid
20744	Tank 100A	Flange	Screening				Annual		Liquid
20745	Tank 100A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20746	Tank 100A	Valve	Screening				Annual		Liquid
20747	Tank 100A	Coupler	Screening				Annual		Liquid
20748	Tank 100A	Cap	Screening				Annual		Liquid
20749	Tank 100A	Flange	Screening				Annual		Liquid
20750	Tank 100A	Valve	Screening				Annual		Liquid
20751	Tank 100A	Agitator	Screening				Annual		Liquid
20752	Tank 100A	Flange	Screening				Annual		Liquid
20753	Tank 200B	Flange	Screening				Annual		Liquid
20754	Tank 200B	Valve	Screening				Annual		Liquid
20755	Tank 200C	Valve	Screening				Annual		Liquid
20756	Tank 100C	Valve	Screening				Annual		Liquid
20757	Tank 200A	Flange	Screening				Annual		Liquid
20758	Tank 200A	Flange	Screening				Annual		Liquid
20759	Tank 200A	Flange	Screening				Annual		Liquid
20760	Tank 200A	Flange	Screening				Annual		Liquid
20760B	Tank 200A	Valve	Screening				Annual		Liquid
20761	Tank 200A	Valve	Screening				Annual		Liquid
20762	Tank 200A	Flange	Screening				Annual		Liquid
20763	Tank 200A	Cap	Screening				Annual		Liquid
20764	Tank 200A	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20765	Tank 200A	Flange	Screening				Annual		Liquid
20766	Tank 200A	Agitator	Screening				Annual		Liquid
20767	Tank 200A	Flange	Screening				Annual		Liquid
20768	Reserved	Reserved	Screening				Annual		Liquid
20769	Tank 200A	Coupler	Screening				Annual		Liquid
20770	Tank 200A	Cap	Screening				Annual		Liquid
20771	Tank 200A	Valve	Screening				Annual		Liquid
20772	Tank 200A	Manway	Screening				Annual		Liquid
20773	Tank 200A	Flange	Screening				Annual		Liquid
20774	Tank 200A	Flange	Screening				Annual		Liquid
20775	Tank 200A	Flange	Screening				Annual		Liquid
20776	Tank 200A	Flange	Screening				Annual		Liquid
20777	Tank 200A	Flange	Screening				Annual		Liquid
20778	Tank 200A	Valve	Screening				Annual		Liquid
20779	Tank 200A	Flange	Screening				Annual		Liquid
20780	Reserved	Reserved	Screening				Annual		Liquid
20781	Tank 200A	Flange	Screening				Annual		Liquid
20782	Tank 200A	Flange	Screening				Annual		Liquid
20783	Tank 200A	Cap	Screening				Annual		Liquid
20784	Tank 200A	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20785	Tank 200A	Valve	Screening				Annual		Liquid
20786	Tank 200A	Flange	Screening				Annual		Liquid
20787	Tank 200A	Cap	Screening				Annual		Liquid
20788	Reserved	Reserved	Screening				Annual		Liquid
20789	Tank 200A	Flange	Screening				Annual		Liquid
20790	Tank 200A	Valve	Screening				Annual		Liquid
20791	Tank 200A	Flange	Screening				Annual		Liquid
20792	Tank 200A	Flange	Screening				Annual		Liquid
20793	Tank 200A	Valve	Screening				Annual		Liquid
20794	Tank 200A	Flange	Screening				Annual		Liquid
20795	Tank 200A	Flange	Screening				Annual		Liquid
20796	Tank 200A	Flange	Screening				Annual		Liquid
20797	Tank 200A	Flange	Screening				Annual		Liquid
20798	Tank 200A	Flange	Screening				Annual		Liquid
20799	Tank 200A	Flange	Screening				Annual		Liquid
20800	Reserved	Reserved	Screening				Annual		Liquid
20801	Reserved	Reserved	Screening				Annual		Liquid
20802	Reserved	Reserved	Screening				Annual		Liquid
20803	Reserved	Reserved	Screening				Annual		Liquid
20804	Tank 200A	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20805	Reserved	Reserved	Screening				Annual		Liquid
20806	Reserved	Reserved	Screening				Annual		Liquid
20807	Reserved	Reserved	Screening				Annual		Liquid
20808	Tank 100A	Flange	Screening				Annual		Liquid
20809	Tank 100A	Flange	Screening				Annual		Liquid
20810	Tank 100A	Flange	Screening				Annual		Liquid
20811	Tank 100A	Valve	Screening				Annual		Liquid
20812	Tank 100A	Coupler	Screening				Annual		Liquid
20813	Tank 100A	Coupler	Screening				Annual		Liquid
20814	Tank 100A	Coupler	Screening				Annual		Liquid
20815	Tank 200C	Flange	Screening				Annual		Liquid
20816	Reserved	Reserved	Screening				Annual		Liquid
20817	Reserved	Reserved	Screening				Annual		Liquid
20818	Reserved	Reserved	Screening				Annual		Liquid
20819	Reserved	Reserved	Screening				Annual		Liquid
20820	Tank 200C	Flange	Screening				Annual		Liquid
20821	Tank 100C	Flange	Screening				Annual		Liquid
20822	Tank 100C	Flange	Screening				Annual		Liquid
20823	Tank 100C	Flange	Screening				Annual		Liquid
20824	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20825	Tank 100C	Flange	Screening				Annual		Liquid
20826	Reserved	Reserved	Screening				Annual		Liquid
20827	Reserved	Reserved	Screening				Annual		Liquid
20828	Reserved	Reserved	Screening				Annual		Liquid
20829	Reserved	Reserved	Screening				Annual		Liquid
20830	Reserved	Reserved	Screening				Annual		Liquid
20831	Tank 200C	Flange	Screening				Annual		Liquid
20832	Tank 200C	Flange	Screening				Annual		Liquid
20833	Tank 200C	Flange	Screening				Annual		Liquid
20834	Tank 200C	Flange	Screening				Annual		Liquid
20835	Tank 200C	Flange	Screening				Annual		Liquid
20836	Tank 200C	Flange	Screening				Annual		Liquid
20837	Tank 200C	Cap	Screening				Annual		Liquid
20838	Reserved	Reserved	Screening				Annual		Liquid
20839	Tank 200C	Valve	Screening				Annual		Liquid
20840	Tank 200C	Flange	Screening				Annual		Liquid
20841	Reserved	Reserved	Screening				Annual		Liquid
20842	Tank 200C	Flange	Screening				Annual		Liquid
20843	Tank 200C	Flange	Screening				Annual		Liquid
20844	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20845	Tank 200C	Flange	Screening				Annual		Liquid
20846	Tank 200C	Valve	Screening				Annual		Liquid
20846B	Tank 200C	Flange	Screening				Annual		Liquid
20846C	Tank 200C	Flange	Screening				Annual		Liquid
20847	Tank 200C	Valve	Screening				Annual		Liquid
20847B	Tank 200C	Flange	Screening				Annual		Liquid
20847C	Tank 200C	Cap	Screening				Annual		Liquid
20848	Tank 200C	Flange	Screening				Annual		Liquid
20849	Tank 200C	Flange	Screening				Annual		Liquid
20850	Tank 200C	Flange	Screening				Annual		Liquid
20851	Tank 200C	Flange	Screening				Annual		Liquid
20852	Tank 200C	Flange	Screening				Annual		Liquid
20853	Tank 200C	Flange	Screening				Annual		Liquid
20854	Tank 200C	Flange	Screening				Annual		Liquid
20855	Tank 200C	Flange	Screening				Annual		Liquid
20856	Tank 200C	Flange	Screening				Annual		Liquid
20857	Tank 200C	Cap	Screening				Annual		Liquid
20858	Tank 200C	Cap	Screening				Annual		Liquid
20859	Tank 200C	Coupler	Screening				Annual		Liquid
20860	Tank 200C	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20861	Tank 200C	Cap	Screening				Annual		Liquid
20862	Tank 200C	Flange	Screening				Annual		Liquid
20863	Tank 200C	Cap	Screening				Annual		Liquid
20864	Tank 200C	Flange	Screening				Annual		Liquid
20865	Tank 200C	Flange	Screening				Annual		Liquid
20866	Tank 200C	Coupler	Screening				Annual		Liquid
20867	Tank 200C	Flange	Screening				Annual		Liquid
20868	Tank 200C	Flange	Screening				Annual		Liquid
20869	Tank 200C	Flange	Screening				Annual		Liquid
20870	Tank 200C	Flange	Screening				Annual		Liquid
20871	Tank 200C	Flange	Screening				Annual		Liquid
20872	Tank 200C	Flange	Screening				Annual		Liquid
20873	Tank 200B	Flange	Screening				Annual		Liquid
20874	Tank 200B	Cap	Screening				Annual		Liquid
20875	Tank 200B	Flange	Screening				Annual		Liquid
20876	Tank 200A	Flange	Screening				Annual		Liquid
20877	Tank 200C	Flange	Screening				Annual		Liquid
20878	Tank 200C	Flange	Screening				Annual		Liquid
20879	Tank 200C	Cap	Screening				Annual		Liquid
20880	Tank 200C	Cap	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20881	Tank 200C	Cap	Screening				Annual		Liquid
20882	Tank 200C	Flange	Screening				Annual		Liquid
20883	Tank 200C	Flange	Screening				Annual		Liquid
20884	Tank 200C	Flange	Screening				Annual		Liquid
20885	Tank 200C	Flange	Screening				Annual		Liquid
20886	Tank 200C	Cap	Screening				Annual		Liquid
20887	Tank 200C	Flange	Screening				Annual		Liquid
20888	Tank 200C	Coupler	Screening				Annual		Liquid
20889	Tank 200C	Flange	Screening				Annual		Liquid
20890	Tank 200C	Flange	Screening				Annual		Liquid
20891	Tank 200C	Flange	Screening				Annual		Liquid
20892	Tank 200C	Flange	Screening				Annual		Liquid
20893	Tank 200C	Flange	Screening				Annual		Liquid
20894	Tank 200C	Flange	Screening				Annual		Liquid
20895	Tank 200C	Flange	Screening				Annual		Liquid
20896	Tank 200C	Flange	Screening				Annual		Liquid
20897	Tank 200C	Flange	Screening				Annual		Liquid
20898	Tank 200C	Flange	Screening				Annual		Liquid
20899	Tank 100C	Flange	Screening				Annual		Liquid
20900	Tank 200C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20901	Tank 200B	Flange	Screening				Annual		Liquid
20902	Tank 200B	Flange	Screening				Annual		Liquid
20903	Tank 200B	Flange	Screening				Annual		Liquid
20904	Tank 200A	Flange	Screening				Annual		Liquid
20905	Tank 200B	Flange	Screening				Annual		Liquid
20906	Tank 200B	Flange	Screening				Annual		Liquid
20907	Tank 200A	Flange	Screening				Annual		Liquid
20908	Tank 100B	Flange	Screening				Annual		Liquid
20909	Tank 100B	Flange	Screening				Annual		Liquid
20910	Tank 100B	Flange	Screening				Annual		Liquid
20911	Tank 100B	Flange	Screening				Annual		Liquid
20912	Tank 100B	Flange	Screening				Annual		Liquid
20913	Tank 100B	Flange	Screening				Annual		Liquid
20914	Tank 100B	Flange	Screening				Annual		Liquid
20915	Tank 100B	Flange	Screening				Annual		Liquid
20916	Tank 100B	Cap	Screening				Annual		Liquid
20917	Tank 100B	Flange	Screening				Annual		Liquid
20918	Tank 100B	Cap	Screening				Annual		Liquid
20919	Tank 100A	Coupler	Screening				Annual		Liquid
20920	Tank 100B	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20921	Reserved	Reserved	Screening				Annual		Liquid
20922	Reserved	Reserved	Screening				Annual		Liquid
20923	Reserved	Reserved	Screening				Annual		Liquid
20924	Reserved	Reserved	Screening				Annual		Liquid
20925	Tank 100C	Flange	Screening				Annual		Liquid
20926	Tank 100C	Flange	Screening				Annual		Liquid
20927	Tank 100C	Flange	Screening				Annual		Liquid
20928	Tank 100C	Flange	Screening				Annual		Liquid
20929	Tank 100C	Flange	Screening				Annual		Liquid
20930	Tank 100C	Flange	Screening				Annual		Liquid
20931	Tank 200C	Flange	Screening				Annual		Liquid
20932	Tank 200C	Flange	Screening				Annual		Liquid
20933	Tank 200C	Flange	Screening				Annual		Liquid
20934	Tank 200B	Flange	Screening				Annual		Liquid
20935	Tank 200B	Flange	Screening				Annual		Liquid
20936	Tank 200B	Flange	Screening				Annual		Liquid
20937	Tank 100C	Flange	Screening				Annual		Liquid
20938	Tank 100C	Flange	Screening				Annual		Liquid
20939	Tank 100B	Cap	Screening				Annual		Liquid
20940	Tank 100B	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20941	Tank 100B	Flange	Screening				Annual		Liquid
20942	Tank 100A	Flange	Screening				Annual		Liquid
20943	Tank 100A	Flange	Screening				Annual		Liquid
20944	Tank 100A	Flange	Screening				Annual		Liquid
20945	Tank 100A	Flange	Screening				Annual		Liquid
20946	Tank 100C	Flange	Screening				Annual		Liquid
20947	Reserved	Reserved	Screening				Annual		Liquid
20948	Tank 100C	Flange	Screening				Annual		Liquid
20949	Tank 100C	Flange	Screening				Annual		Liquid
20950	Tunnel	Flange	Screening				Annual		Liquid
20951	Tunnel	Flange	Screening				Annual		Liquid
20952	Tunnel	Cap	Screening				Annual		Liquid
20953	Tunnel	Cap	Screening				Annual		Liquid
20954	Tunnel	Flange	Screening				Annual		Liquid
20955	Tunnel	Cap	Screening				Annual		Liquid
20956	Tunnel	Flange	Screening				Annual		Liquid
20957	Tunnel	Cap	Screening				Annual		Liquid
20958	Tunnel	Flange	Screening				Annual		Liquid
20959	Tunnel	Flange	Screening				Annual		Liquid
20960	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20961	Tunnel	Flange	Screening				Annual		Liquid
20962	Tunnel	Flange	Screening				Annual		Liquid
20963	Tunnel	Cap	Screening				Annual		Liquid
20964	Tunnel	Flange	Screening				Annual		Liquid
20965	Tunnel	Cap	Screening				Annual		Liquid
20966	Tunnel	Cap	Screening				Annual		Liquid
20967	Tunnel	Flange	Screening				Annual		Liquid
20968	Tunnel	Flange	Screening				Annual		Liquid
20969	Tunnel	Cap	Screening				Annual		Liquid
20970	Tunnel	Flange	Screening				Annual		Liquid
20971	Tunnel	Flange	Screening				Annual		Liquid
20972	Tunnel	Flange	Screening				Annual		Liquid
20973	Tunnel	Flange	Screening				Annual		Liquid
20974	Tunnel	Flange	Screening				Annual		Liquid
20975	Tunnel	Cap	Screening				Annual		Liquid
20976	Tunnel	Flange	Screening				Annual		Liquid
20977	Tunnel	Cap	Screening				Annual		Liquid
20978	Tunnel	Cap	Screening				Annual		Liquid
20979	Tunnel	Flange	Screening				Annual		Liquid
20980	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
20981	Tunnel	Cap	Screening				Annual		Liquid
20982	Tunnel	Flange	Screening				Annual		Liquid
20983	Tunnel	Flange	Screening				Annual		Liquid
20984	Tunnel	Flange	Screening				Annual		Liquid
20985	Tunnel	Flange	Screening				Annual		Liquid
20986	Tunnel	Flange	Screening				Annual		Liquid
20987	Tunnel	Flange	Screening				Annual		Liquid
20988	Tunnel	Flange	Screening				Annual		Liquid
20989	Tunnel	Cap	Screening				Annual		Liquid
20990	Tunnel	Flange	Screening				Annual		Liquid
20991	Tunnel	Cap	Screening				Annual		Liquid
20992	Tunnel	Flange	Screening				Annual		Liquid
20993	Tunnel	Flange	Screening				Annual		Liquid
20994	Tunnel	Cap	Screening				Annual		Liquid
20995	Tunnel	Cap	Screening				Annual		Liquid
20996	Tunnel	Flange	Screening				Annual		Liquid
20997	Tunnel	Flange	Screening				Annual		Liquid
20998	Tunnel	Flange	Screening				Annual		Liquid
20999	Tunnel	Flange	Screening				Annual		Liquid
21000	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21001	Tunnel	Cap	Screening				Annual		Liquid
21002	Tunnel	Flange	Screening				Annual		Liquid
21003	Tunnel	Cap	Screening				Annual		Liquid
21004	Tunnel	Flange	Screening				Annual		Liquid
21005	Tunnel	Flange	Screening				Annual		Liquid
21006	Tunnel	Cap	Screening				Annual		Liquid
21007	Tunnel	Cap	Screening				Annual		Liquid
21008	Tunnel	Flange	Screening				Annual		Liquid
21009	Tunnel	Flange	Screening				Annual		Liquid
21010	Tunnel	Flange	Screening				Annual		Liquid
21011	Tunnel	Flange	Screening				Annual		Liquid
21012	Tunnel	Flange	Screening				Annual		Liquid
21013	Tunnel	Flange	Screening				Annual		Liquid
21014	Tunnel	Cap	Screening				Annual		Liquid
21015	Tunnel	Flange	Screening				Annual		Liquid
21016	Tunnel	Flange	Screening				Annual		Liquid
21017	Tunnel	Flange	Screening				Annual		Liquid
21018	Tunnel	Cap	Screening				Annual		Liquid
21019	Tunnel	Cap	Screening				Annual		Liquid
21020	Tunnel	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21021	Tunnel	Flange	Screening				Annual		Liquid
21022	Tunnel	Flange	Screening				Annual		Liquid
21023	Tunnel	Flange	Screening				Annual		Liquid
21024	Tunnel	Flange	Screening				Annual		Liquid
21025	Tunnel	Flange	Screening				Annual		Liquid
21026	Tunnel	Cap	Screening				Annual		Liquid
21027	Tunnel	Flange	Screening				Annual		Liquid
21028	Tunnel	Flange	Screening				Annual		Liquid
21029	Tunnel	Coupler	Screening				Annual		Liquid
21030	Tunnel	Cap	Screening				Annual		Liquid
21031	Tunnel	Cap	Screening				Annual		Liquid
21032	Reserved	Reserved	Screening				Annual		Liquid
21033	Tunnel	Cap	Screening				Annual		Liquid
21034	Tunnel	Flange	Screening				Annual		Liquid
21035	Tunnel	Flange	Screening				Annual		Liquid
21036	Tunnel	Flange	Screening				Annual		Liquid
21037	Tunnel	Flange	Screening				Annual		Liquid
21038	Tunnel	Cap	Screening				Annual		Liquid
21039	Tunnel	Flange	Screening				Annual		Liquid
21040	Tunnel	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21041	Tunnel	Flange	Screening				Annual		Liquid
21042	Tunnel	Flange	Screening				Annual		Liquid
21043	Tunnel	Cap	Screening				Annual		Liquid
21044	Tunnel	Cap	Screening				Annual		Liquid
21045	Tunnel	Cap	Screening				Annual		Liquid
21046	Tunnel	Flange	Screening				Annual		Liquid
21047	Tunnel	Flange	Screening				Annual		Liquid
21048	Tunnel	Flange	Screening				Annual		Liquid
21049	Tunnel	Flange	Screening				Annual		Liquid
21050	Tunnel	Flange	Screening				Annual		Liquid
21051	Tunnel	Flange	Screening				Annual		Liquid
21052	Tunnel	Cap	Screening				Annual		Liquid
21053	Tunnel	Cap	Screening				Annual		Liquid
21054	Tunnel	Cap	Screening				Annual		Liquid
21055	Tunnel	Flange	Screening				Annual		Liquid
21056	Tunnel	Flange	Screening				Annual		Liquid
21057	Tunnel	Flange	Screening				Annual		Liquid
21058	Tunnel	Flange	Screening				Annual		Liquid
21059	Tunnel	Flange	Screening				Annual		Liquid
21060	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21061	Tunnel	Cap	Screening				Annual		Liquid
21062	Tunnel	Cap	Screening				Annual		Liquid
21063	Tunnel	Cap	Screening				Annual		Liquid
21064	Tunnel	Flange	Screening				Annual		Liquid
21065	Tunnel	Flange	Screening				Annual		Liquid
21066	Tunnel	Flange	Screening				Annual		Liquid
21067	Tunnel	Flange	Screening				Annual		Liquid
21068	Tunnel	Flange	Screening				Annual		Liquid
21069	Tunnel	Flange	Screening				Annual		Liquid
21070	Tunnel	Cap	Screening				Annual		Liquid
21071	Tunnel	Cap	Screening				Annual		Liquid
21072	Tunnel	Cap	Screening				Annual		Liquid
21073	Tunnel	Flange	Screening				Annual		Liquid
21074	Tunnel	Flange	Screening				Annual		Liquid
21075	Tunnel	Flange	Screening				Annual		Liquid
21076	Tunnel	Flange	Screening				Annual		Liquid
21077	Tunnel	Flange	Screening				Annual		Liquid
21078	Tunnel	Flange	Screening				Annual		Liquid
21079	Tunnel	Cap	Screening				Annual		Liquid
21080	Tunnel	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21081	Tunnel	Cap	Screening				Annual		Liquid
21082	Tunnel	Flange	Screening				Annual		Liquid
21083	Tunnel	Flange	Screening				Annual		Liquid
21084	Tunnel	Flange	Screening				Annual		Liquid
21085	Tunnel	Flange	Screening				Annual		Liquid
21086	Tunnel	Flange	Screening				Annual		Liquid
21087	Tunnel	Flange	Screening				Annual		Liquid
21088	Tunnel	Cap	Screening				Annual		Liquid
21089	Tunnel	Cap	Screening				Annual		Liquid
21090	Tunnel	Cap	Screening				Annual		Liquid
21091	Tunnel	Flange	Screening				Annual		Liquid
21092	Tunnel	Flange	Screening				Annual		Liquid
21093	Tunnel	Flange	Screening				Annual		Liquid
21094	Tunnel	Flange	Screening				Annual		Liquid
21095	Tunnel	Flange	Screening				Annual		Liquid
21096	Tunnel	Flange	Screening				Annual		Liquid
21097	Tunnel	Cap	Screening				Annual		Liquid
21098	Tunnel	Cap	Screening				Annual		Liquid
21099	Tunnel	Cap	Screening				Annual		Liquid
21100	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21101	Tunnel	Flange	Screening				Annual		Liquid
21102	Tunnel	Flange	Screening				Annual		Liquid
21103	Tunnel	Flange	Screening				Annual		Liquid
21104	Tunnel	Flange	Screening				Annual		Liquid
21105	Tunnel	Flange	Screening				Annual		Liquid
21106	Tunnel	Cap	Screening				Annual		Liquid
21107	Tunnel	Cap	Screening				Annual		Liquid
21108	Reserved	Reserved	Screening				Annual		Liquid
21109	Tunnel	Flange	Screening				Annual		Liquid
21110	Tunnel	Flange	Screening				Annual		Liquid
21111	Tunnel	Flange	Screening				Annual		Liquid
21112	Tunnel	Flange	Screening				Annual		Liquid
21113	Tunnel	Flange	Screening				Annual		Liquid
21114	Tunnel	Flange	Screening				Annual		Liquid
21115	Tunnel	Cap	Screening				Annual		Liquid
21116	Tunnel	Cap	Screening				Annual		Liquid
21117	Tunnel	Cap	Screening				Annual		Liquid
21118	Tunnel	Flange	Screening				Annual		Liquid
21119	Tunnel	Flange	Screening				Annual		Liquid
21120	Tunnel	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21121	Tunnel	Flange	Screening				Annual		Liquid
21122	Tunnel	Cap	Screening				Annual		Liquid
21123	Tunnel	Flange	Screening				Annual		Liquid
21124	Tunnel	Flange	Screening				Annual		Liquid
21125	Tunnel	Cap	Screening				Annual		Liquid
21126	Tunnel	Flange	Screening				Annual		Liquid
21127	Tunnel	Flange	Screening				Annual		Liquid
21128	Tunnel	Cap	Screening				Annual		Liquid
21129	Tunnel	Flange	Screening				Annual		Liquid
21130	Tunnel	Flange	Screening				Annual		Liquid
21131	Tunnel	Cap	Screening				Annual		Liquid
21132	Tunnel	Flange	Screening				Annual		Liquid
21133	Tunnel	Flange	Screening				Annual		Liquid
21134	Tunnel	Cap	Screening				Annual		Liquid
21135	Tunnel	Flange	Screening				Annual		Liquid
21136	Tunnel	Flange	Screening				Annual		Liquid
21137	Tunnel	Cap	Screening				Annual		Liquid
21138	Tunnel	Flange	Screening				Annual		Liquid
21139	Tunnel	Flange	Screening				Annual		Liquid
21140	Tunnel	Cap	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21141	Tunnel	Flange	Screening				Annual		Liquid
21142	Tunnel	Flange	Screening				Annual		Liquid
21143	Tunnel	Cap	Screening				Annual		Liquid
21144	Tunnel	Flange	Screening				Annual		Liquid
21145	Tunnel	Coupler	Screening				Annual		Liquid
21146	Tank 100B	Coupler	Screening				Annual		Liquid
21146B	Tank 100B	Valve	Screening				Annual		Liquid
21147	Tank 100B	Cap	Screening				Annual		Liquid
21147B	Tank 100B	Coupler	Screening				Annual		Liquid
21148	Tank 200A	Flange	Screening				Annual		Liquid
21149	Tank 200A	Valve	Screening				Annual		Liquid
21150	Tank 200A	Flange	Screening				Annual		Liquid
21151	Tank 200A	Flange	Screening				Annual		Liquid
21152	Tank 200A	Flange	Screening				Annual		Liquid
21153	Tank 200A	Flange	Screening				Annual		Liquid
21154	Tank 200A	Coupler	Screening				Annual		Liquid
21155	Tank 200A	Flange	Screening				Annual		Liquid
21156	Tank 200A	Flange	Screening				Annual		Liquid
21157	Tank 200A	Cap	Screening				Annual		Liquid
21158	Tank 200A	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21159	Tank 200A	Coupler	Screening				Annual		Liquid
21160	Tank 200B	Flange	Screening				Annual		Liquid
21161	Tank 200B	Flange	Screening				Annual		Liquid
21162	Tank 200B	Coupler	Screening				Annual		Liquid
21163	Tank 200B	Coupler	Screening				Annual		Liquid
21164	Tank 200C	Flange	Screening				Annual		Liquid
21165	Tank 200C	Flange	Screening				Annual		Liquid
21166	Tank 200C	Flange	Screening				Annual		Liquid
21167	Tank 100C	Flange	Screening				Annual		Liquid
21168	Tank 100C	Coupler	Screening				Annual		Liquid
21169	Tank 100B	Coupler	Screening				Annual		Liquid
21170	Tank 100A	Flange	Screening				Annual		Liquid
21171	Tank 100A	Flange	Screening				Annual		Liquid
21172	Tank 100A	Flange	Screening				Annual		Liquid
21173	Tank 100A	Flange	Screening				Annual		Liquid
21174	Tank 100A	Flange	Screening				Annual		Liquid
21175	Tank 100C	Flange	Screening				Annual		Liquid
21176	Tank 200B	Coupler	Screening				Annual		Liquid
21177	Tank 200B	Coupler	Screening				Annual		Liquid
21178	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21179	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
21180	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
21181	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
21182	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
21183	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
21184	Tank 200B	Flange	Screening				Annual		Liquid
21185	Tank 200B	Coupler	Screening				Annual		Liquid
21186	Tank 200B	Coupler	Screening				Annual		Liquid
21187	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
21188	Reserved	Reserved	Screening				Annual		Liquid
21189	Reserved	Reserved	Screening				Annual		Liquid
21190	Tank 200C	Coupler	Screening				Annual		Liquid
21191	Tank 200C	Coupler	Screening				Annual		Liquid
21192	Tank 200C	Coupler	Screening				Annual		Liquid
21193	Tank 200C	Coupler	Screening				Annual		Liquid
21194	Tank 200C	Coupler	Screening				Annual		Liquid
21195	Tank 200C	Coupler	Screening				Annual		Liquid
21196	Tank 200C	Coupler	Screening				Annual		Liquid
21197	Tank 200B	Flange	Screening				Annual		Liquid
21198	Tank 200B	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
21199	Tank 200B	Flange	Screening				Annual		Liquid
21200	Tank 200B	Coupler	Screening				Annual		Liquid
21201	Tank 200B	Flange	Screening				Annual		Liquid
21202	Reserved	Reserved	Screening				Annual		Liquid
21203	Reserved	Reserved	Screening				Annual		Liquid
21204	Reserved	Reserved	Screening				Annual		Liquid
21205	Reserved	Reserved	Screening				Annual		Liquid
21206	Tank 100B	Coupler	Screening				Annual		Liquid
21207	Tank 100B	Flange	Screening				Annual		Liquid
21208	Tank 100B	Flange	Screening				Annual		Liquid
21209	Tank 100B	Valve	Screening				Annual		Liquid
21210	Reserved	Reserved	Screening				Annual		Liquid
21211	Reserved	Reserved	Screening				Annual		Liquid
21212	Reserved	Reserved	Screening				Annual		Liquid
<b>Closed Vent System</b>		<b>Welded</b>	<b>Screening</b>				Annual		Liquid
V1001	Tank 200C	Flange	Screening				Annual		Liquid
V1002	Tank 200C	Coupler	Screening				Annual		Liquid
V1003	Tank 200C	Coupler	Screening				Annual		Liquid
V1004	Tank 200C	Coupler	Screening				Annual		Liquid
V1005	Tank 200C	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1006	Tank 200C	Coupler	Screening				Annual		Liquid
V1007	Tank 200C	Coupler	Screening				Annual		Liquid
V1008	Tank 200C	Coupler	Screening				Annual		Liquid
V1009	Tank 200C	Valve	Screening				Annual		Liquid
V1010	Tank 200C	Gauge	Screening				Annual		Liquid
V1011	Tank 200C	Electronics	Screening				Annual		Liquid
V1012	Tank 200C	Coupler	Screening				Annual		Liquid
V1013	Tank 200C	Coupler	Screening				Annual		Liquid
V1014	Tank 200C	Coupler	Screening				Annual		Liquid
V1015	Tank 200C	Flange	Screening				Annual		Liquid
V1016	Tank 200C	Valve	Screening				Annual		Liquid
V1017	Tank 200C	Coupler	Screening				Annual		Liquid
V1018	Tank 200C	Coupler	Screening				Annual		Liquid
V1019	Tank 200C	Valve	Screening				Annual		Liquid
V1020	Tank 200B	Flange	Screening				Annual		Liquid
V1021	Tank 200B	Coupler	Screening				Annual		Liquid
V1022	Tank 200B	Coupler	Screening				Annual		Liquid
V1023	Tank 200B	Coupler	Screening				Annual		Liquid
V1024	Tank 200B	Coupler	Screening				Annual		Liquid
V1025	Tank 200B	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1026	Tank 200B	Coupler	Screening				Annual		Liquid
V1027	Tank 200B	Coupler	Screening				Annual		Liquid
V1028	Tank 200B	Coupler	Screening				Annual		Liquid
V1029	Tank 200B	Valve	Screening				Annual		Liquid
V1030	Tank 200B	Gauge	Screening				Annual		Liquid
V1031	Tank 200B	Electronics	Screening				Annual		Liquid
V1032	Tank 200B	Coupler	Screening				Annual		Liquid
V1033	Tank 200B	Coupler	Screening				Annual		Liquid
V1034	Tank 200B	Coupler	Screening				Annual		Liquid
V1035	Tank 200B	Flange	Screening				Annual		Liquid
V1036	Tank 200B	Valve	Screening				Annual		Liquid
V1037	Tank 200B	Coupler	Screening				Annual		Liquid
V1038	Tank 200B	Coupler	Screening				Annual		Liquid
V1039	Tank 200B	Valve	Screening				Annual		Liquid
V1040	Tank 200C	Flange	Screening				Annual		Liquid
V1041	Tank 200C	Rupture Disk	Screening				Annual		Liquid
V1042	Tank 200B	Flange	Screening				Annual		Liquid
V1043	Tank 200B	Rupture Disk	Screening				Annual		Liquid
V1044	Tank 200A	Flange	Screening				Annual		Liquid
V1045	Tank 200A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1046	Tank 200A	Coupler	Screening				Annual		Liquid
V1047	Tank 200A	Coupler	Screening				Annual		Liquid
V1048	Tank 200A	Coupler	Screening				Annual		Liquid
V1049	Tank 200A	Valve	Screening				Annual		Liquid
V1050	Tank 200A	Coupler	Screening				Annual		Liquid
V1051	Tank 200A	Coupler	Screening				Annual		Liquid
V1052	Tank 200A	Coupler	Screening				Annual		Liquid
V1053	Tank 200A	Gauge	Screening				Annual		Liquid
V1054	Tank 200A	Electronics	Screening				Annual		Liquid
V1055	Tank 200A	Coupler	Screening				Annual		Liquid
V1056	Tank 200A	Coupler	Screening				Annual		Liquid
V1057	Tank 200A	Coupler	Screening				Annual		Liquid
V1058	Tank 200A	Flange	Screening				Annual		Liquid
V1059	Tank 200A	Valve	Screening				Annual		Liquid
V1060	Tank 200A	Coupler	Screening				Annual		Liquid
V1061	Tank 200A	Coupler	Screening				Annual		Liquid
V1062	Tank 200A	Valve	Screening				Annual		Liquid
V1063	Tank 200A	Flange	Screening				Annual		Liquid
V1064	Tank 200A	Rupture Disk	Screening				Annual		Liquid
V1065	Tank 100C	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1066	Tank 100C	Coupler	Screening				Annual		Liquid
V1067	Tank 100C	Coupler	Screening				Annual		Liquid
V1068	Tank 100C	Coupler	Screening				Annual		Liquid
V1069	Tank 100C	Coupler	Screening				Annual		Liquid
V1070	Tank 100C	Valve	Screening				Annual		Liquid
V1071	Tank 100C	Coupler	Screening				Annual		Liquid
V1072	Tank 100C	Coupler	Screening				Annual		Liquid
V1073	Tank 100C	Coupler	Screening				Annual		Liquid
V1074	Tank 100C	Valve	Screening				Annual		Liquid
V1075	Tank 100C	Gauge	Screening				Annual		Liquid
V1076	Tank 100C	Coupler	Screening				Annual		Liquid
V1077	Tank 100C	Coupler	Screening				Annual		Liquid
V1078	Tank 100C	Coupler	Screening				Annual		Liquid
V1079	Tank 100C	Flange	Screening				Annual		Liquid
V1080	Tank 100C	Valve	Screening				Annual		Liquid
V1081	Tank 100C	Coupler	Screening				Annual		Liquid
V1082	Tank 100C	Coupler	Screening				Annual		Liquid
V1083	Tank 100C	Valve	Screening				Annual		Liquid
V1084	Tank 100C	Flange	Screening				Annual		Liquid
V1085	Tank 100C	Rupture Disk	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1086	Tank 100C	Electronics	Screening				Annual		Liquid
V1087	Tank 100B	Flange	Screening				Annual		Liquid
V1088	Tank 100B	Coupler	Screening				Annual		Liquid
V1089	Tank 100B	Coupler	Screening				Annual		Liquid
V1090	Tank 100B	Coupler	Screening				Annual		Liquid
V1091	Tank 100B	Coupler	Screening				Annual		Liquid
V1092	Tank 100B	Valve	Screening				Annual		Liquid
V1093	Tank 100B	Coupler	Screening				Annual		Liquid
V1094	Tank 100B	Coupler	Screening				Annual		Liquid
V1095	Tank 100B	Coupler	Screening				Annual		Liquid
V1096	Tank 100B	Flange	Screening				Annual		Liquid
V1097	Tank 100B	Valve	Screening				Annual		Liquid
V1098	Tank 100B	Coupler	Screening				Annual		Liquid
V1099	Tank 100B	Coupler	Screening				Annual		Liquid
V1100	Tank 100B	Coupler	Screening				Annual		Liquid
V1101	Tank 100B	Valve	Screening				Annual		Liquid
V1102	Tank 100B	Gauge	Screening				Annual		Liquid
V1103	Tank 100B	Electronics	Screening				Annual		Liquid
V1104	Tank 100B	Coupler	Screening				Annual		Liquid
V1105	Tank 100B	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1106	Tank 100B	Valve	Screening				Annual		Liquid
V1107	Tank 100B	Flange	Screening				Annual		Liquid
V1108	Tank 100B	Rupture Disk	Screening				Annual		Liquid
V1109	Tank 100A	Flange	Screening				Annual		Liquid
V1110	Tank 100A	Coupler	Screening				Annual		Liquid
V1111	Tank 100A	Coupler	Screening				Annual		Liquid
V1112	Tank 100A	Coupler	Screening				Annual		Liquid
V1113	Tank 100A	Coupler	Screening				Annual		Liquid
V1114	Tank 100A	Coupler	Screening				Annual		Liquid
V1115	Tank 100A	Coupler	Screening				Annual		Liquid
V1116	Tank 100A	Coupler	Screening				Annual		Liquid
V1117	Tank 100A	Valve	Screening				Annual		Liquid
V1118	Tank 100A	Coupler	Screening				Annual		Liquid
V1119	Tank 100A	Coupler	Screening				Annual		Liquid
V1120	Tank 100A	Coupler	Screening				Annual		Liquid
V1121	Tank 100A	Valve	Screening				Annual		Liquid
V1122	Tank 100A	Gauge	Screening				Annual		Liquid
V1123	Tank 100A	Electronics	Screening				Annual		Liquid
V1124	Tank 100A	Flange	Screening				Annual		Liquid
V1125	Tank 100A	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1126	Tank 100A	Coupler	Screening				Annual		Liquid
V1127	Tank 100A	Coupler	Screening				Annual		Liquid
V1128	Tank 100A	Valve	Screening				Annual		Liquid
V1129	Tank 100A	Flange	Screening				Annual		Liquid
V1130	Tank 100A	Rupture Disk	Screening				Annual		Liquid
V1131	Reserved	Reserved	Screening				Annual		Liquid
V1132	Reserved	Reserved	Screening				Annual		Liquid
V1133	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1134	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1135	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1136	Fuel Farm Scrubber	Valve	Screening				Annual		Liquid
V1137	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1138	Fuel Farm Scrubber	Valve	Screening				Annual		Liquid
V1139	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1140	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1141	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1142	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1143	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1144	Fuel Farm Scrubber	Coupler	Screening				Annual		Liquid
V1145	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1146	Fuel Farm Scrubber	Coupler	Screening				Annual		Liquid
V1147	Fuel Farm Scrubber	Coupler	Screening				Annual		Liquid
V1148	Fuel Farm Scrubber	Motor	Screening				Annual		Liquid
V1149	Fuel Farm Scrubber	Valve	Screening				Annual		Liquid
V1150	Reserved	Reserved	Screening				Annual		Liquid
V1151	Fuel Farm Scrubber	Flange	Screening				Annual		Liquid
V1152	Tank 3	Flange	Screening				Annual		Liquid
V1153	Tank 3	Flange	Screening				Annual		Liquid
V1154	Tank 3	Flange	Screening				Annual		Liquid
V1155	Tank 3	Rupture Disk	Screening				Annual		Liquid
V1156	Tank 3	Flange	Screening				Annual		Liquid
V1157	Tank 3	Flange	Screening				Annual		Liquid
V1158	Tank 3	Flange	Screening				Annual		Liquid
V1159	Tank 3	Valve	Screening				Annual		Liquid
V1160	Tank 3	Gauge	Screening				Annual		Liquid
V1161	Tank 3	Flange	Screening				Annual		Liquid
V1162	Tank 3	Coupler	Screening				Annual		Liquid
V1163	Tank 3	Coupler	Screening				Annual		Liquid
V1164	Tank 3	Valve	Screening				Annual		Liquid
V1165	Tank 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1166	Tank 3	Coupler	Screening				Annual		Liquid
V1167	Tank 3	Valve	Screening				Annual		Liquid
V1168	Tank 3	Coupler	Screening				Annual		Liquid
V1169	Tank 3	Coupler	Screening				Annual		Liquid
V1170	Tank 3	Cap	Screening				Annual		Liquid
V1171	Tank 3	Coupler	Screening				Annual		Liquid
V1172	Tank 3	Coupler	Screening				Annual		Liquid
V1173	Tank 3	Coupler	Screening				Annual		Liquid
V1174	Tank 3	Coupler	Screening				Annual		Liquid
V1175	Tank 3	Coupler	Screening				Annual		Liquid
V1176	Tank 3	Coupler	Screening				Annual		Liquid
V1177	Tank 3	Valve	Screening				Annual		Liquid
V1178	Tank 3	Coupler	Screening				Annual		Liquid
V1179	Tank 3	Valve	Screening				Annual		Liquid
V1180	Tank 3	Cap	Screening				Annual		Liquid
V1181	Tank 3	Coupler	Screening				Annual		Liquid
V1182	Tank 3	Valve	Screening				Annual		Liquid
V1183	Tank 3	Coupler	Screening				Annual		Liquid
V1184	Tank 3	Valve	Screening				Annual		Liquid
V1185	Tank 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1186	Tank 3	Coupler	Screening				Annual		Liquid
V1187	Tank 3	Coupler	Screening				Annual		Liquid
V1188	Tank 3	Gauge	Screening				Annual		Liquid
V1189	Tank 3	Coupler	Screening				Annual		Liquid
V1190	Tank 3	Coupler	Screening				Annual		Liquid
V1191	Tank 3	Cap	Screening				Annual		Liquid
V1192	Tank 3	Coupler	Screening				Annual		Liquid
V1193	Tank 3	Valve	Screening				Annual		Liquid
V1194	Tank 3	Coupler	Screening				Annual		Liquid
V1195	Reserved	Reserved	Screening				Annual		Liquid
V1196	Tank 3	Coupler	Screening				Annual		Liquid
V1197	Tank 3	Coupler	Screening				Annual		Liquid
V1198	Tank 3	Coupler	Screening				Annual		Liquid
V1199	Tank 3	Coupler	Screening				Annual		Liquid
V1200	Tank 3	Valve	Screening				Annual		Liquid
V1201	Tank 3	Coupler	Screening				Annual		Liquid
V1202	Tank 3	Coupler	Screening				Annual		Liquid
V1203	Tank 3	Valve	Screening				Annual		Liquid
V1204	Tank 3	Coupler	Screening				Annual		Liquid
V1205	Tank 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1206	Tank 3	Coupler	Screening				Annual		Liquid
V1207	Tank 3	Coupler	Screening				Annual		Liquid
V1208	Tank 3	Coupler	Screening				Annual		Liquid
V1209	Tank 3	Valve	Screening				Annual		Liquid
V1210	Tank 3	Coupler	Screening				Annual		Liquid
V1211	Tank 3	Coupler	Screening				Annual		Liquid
V1212	Tank 3	Coupler	Screening				Annual		Liquid
V1213	Tank 3	Coupler	Screening				Annual		Liquid
V1214	Tank 3	Flange	Screening				Annual		Liquid
V1215	Tank 3	Coupler	Screening				Annual		Liquid
V1216	Tank 4	Flange	Screening				Annual		Liquid
V1217	Tank 3	Coupler	Screening				Annual		Liquid
V1218	Tank 4	Flange	Screening				Annual		Liquid
V1219	Tank 4	Rupture Disk	Screening				Annual		Liquid
V1220	Tank 4	Flange	Screening				Annual		Liquid
V1221	Tank 4	Valve	Screening				Annual		Liquid
V1222	Tank 4	Coupler	Screening				Annual		Liquid
V1223	Tank 4	Coupler	Screening				Annual		Liquid
V1224	Tank 4	Cap	Screening				Annual		Liquid
V1225	Tank 4	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1226	Tank 4	Flange	Screening				Annual		Liquid
V1227	Tank 4	Valve	Screening				Annual		Liquid
V1228	Tank 4	Gauge	Screening				Annual		Liquid
V1229	Tank 4	Flange	Screening				Annual		Liquid
V1230	Tank 4	Coupler	Screening				Annual		Liquid
V1231	Tank 4	Coupler	Screening				Annual		Liquid
V1232	Tank 4	Valve	Screening				Annual		Liquid
V1233	Tank 4	Coupler	Screening				Annual		Liquid
V1234	Tank 4	Coupler	Screening				Annual		Liquid
V1235	Tank 4	Coupler	Screening				Annual		Liquid
V1236	Tank 5	Flange	Screening				Annual		Liquid
V1237	Tank 5	Flange	Screening				Annual		Liquid
V1238	Tank 5	Rupture Disk	Screening				Annual		Liquid
V1239	Tank 5	Coupler	Screening				Annual		Liquid
V1240	Tank 5	Flange	Screening				Annual		Liquid
V1241	Tank 5	Flange	Screening				Annual		Liquid
V1242	Tank 5	Flange	Screening				Annual		Liquid
V1243	Tank 5	Coupler	Screening				Annual		Liquid
V1244	Tank 5	Gauge	Screening				Annual		Liquid
V1245	Tank 5	Flange	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1246	Tank 4	Coupler	Screening				Annual		Liquid
V1247	Tank 5	Coupler	Screening				Annual		Liquid
V1248	Tank 5	Coupler	Screening				Annual		Liquid
V1249	Tank 5	Coupler	Screening				Annual		Liquid
V1250	Tank 5	Valve	Screening				Annual		Liquid
V1251	Tank 5	Coupler	Screening				Annual		Liquid
V1252	Tank 5	Valve	Screening				Annual		Liquid
V1253	Tank 5	Cap	Screening				Annual		Liquid
V1254	Tank 5	Coupler	Screening				Annual		Liquid
V1255	Tank 5	Cap	Screening				Annual		Liquid
V1256	Tank 5	Coupler	Screening				Annual		Liquid
V1257	Tank 5	Coupler	Screening				Annual		Liquid
V1258	Tank 5	Coupler	Screening				Annual		Liquid
V1259	Tank 5	Coupler	Screening				Annual		Liquid
V1260	Tank 5	Valve	Screening				Annual		Liquid
V1261	Tank 5	Coupler	Screening				Annual		Liquid
V1262	Tank 5	Coupler	Screening				Annual		Liquid
V1263	Tank 5	Valve	Screening				Annual		Liquid
V1264	Tank 5	Coupler	Screening				Annual		Liquid
V1265	Tank 5	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1266	Tank 5	Coupler	Screening				Annual		Liquid
V1267	Tank 5	Coupler	Screening				Annual		Liquid
V1268	Tank 5	Valve	Screening				Annual		Liquid
V1269	Tank 5	Coupler	Screening				Annual		Liquid
V1270	Tank 5	Coupler	Screening				Annual		Liquid
V1271	Tank 5	Cap	Screening				Annual		Liquid
V1272	Tank 5	Coupler	Screening				Annual		Liquid
V1273	Tank 5	Valve	Screening				Annual		Liquid
V1274	Tank 5	Coupler	Screening				Annual		Liquid
V1275	Tank 5	Coupler	Screening				Annual		Liquid
V1276	Tank 5	Coupler	Screening				Annual		Liquid
V1277	Tank 5	Coupler	Screening				Annual		Liquid
V1278	Tank 5	Coupler	Screening				Annual		Liquid
V1279	Tank 5	Coupler	Screening				Annual		Liquid
V1280	Tank 5	Coupler	Screening				Annual		Liquid
V1281	Tank 5	Valve	Screening				Annual		Liquid
V1282	Tank 5	Coupler	Screening				Annual		Liquid
V1283	Tank 5	Coupler	Screening				Annual		Liquid
V1284	Tank 5	Valve	Screening				Annual		Liquid
V1285	Tank 5	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1286	Tank 5	Coupler	Screening				Annual		Liquid
V1287	Tank 6	Coupler	Screening				Annual		Liquid
V1288	Tank 6	Coupler	Screening				Annual		Liquid
V1289	Tank 6	Coupler	Screening				Annual		Liquid
V1290	Tank 6	Coupler	Screening				Annual		Liquid
V1291	Tank 6	Coupler	Screening				Annual		Liquid
V1292	Tank 6	Coupler	Screening				Annual		Liquid
V1293	Tank 6	Coupler	Screening				Annual		Liquid
V1294	Tank 6	Coupler	Screening				Annual		Liquid
V1295	Tank 6	Coupler	Screening				Annual		Liquid
V1296	Tank 6	Coupler	Screening				Annual		Liquid
V1297	Tank 6	Coupler	Screening				Annual		Liquid
V1298	Tank 6	Electronics	Screening				Annual		Liquid
V1299	Tank 6	Valve	Screening				Annual		Liquid
V1300	Tank 6	Coupler	Screening				Annual		Liquid
V1301	Tank 6	Flange	Screening				Annual		Liquid
V1302	Tank 6	Flange	Screening				Annual		Liquid
V1303	Tank 6	Flange	Screening				Annual		Liquid
V1304	Tank 6	Rupture Disk	Screening				Annual		Liquid
V1305	Tank 6	Flange	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1306	Tank 6	Flange	Screening				Annual		Liquid
V1307	Tank 6	Flange	Screening				Annual		Liquid
V1308	Tank 6	Valve	Screening				Annual		Liquid
V1309	Tank 6	Gauge	Screening				Annual		Liquid
V1310	Tank 6	Flange	Screening				Annual		Liquid
V1311	Tank 6	Coupler	Screening				Annual		Liquid
V1312	Tank 6	Coupler	Screening				Annual		Liquid
V1313	Tank 6	Valve	Screening				Annual		Liquid
V1314	Tank 6	Coupler	Screening				Annual		Liquid
V1315	Tank 6	Coupler	Screening				Annual		Liquid
V1316	Tank 6	Valve	Screening				Annual		Liquid
V1317	Tank 6	Coupler	Screening				Annual		Liquid
V1318	Tank 6	Flange	Screening				Annual		Liquid
V1319	Tank 6	Flange	Screening				Annual		Liquid
V1320	Tank 6	Cap	Screening				Annual		Liquid
V1321	Tank 6	Coupler	Screening				Annual		Liquid
V1322	Tank 6	Coupler	Screening				Annual		Liquid
V1323	Tank 6	Coupler	Screening				Annual		Liquid
V1324	Tank 6	Coupler	Screening				Annual		Liquid
V1325	Tank 6	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1326	Tank 6	Coupler	Screening				Annual		Liquid
V1327	Tank 6	Coupler	Screening				Annual		Liquid
V1328	Tank 6	Coupler	Screening				Annual		Liquid
V1329	Tank 6	Coupler	Screening				Annual		Liquid
V1330	Tank 6	Coupler	Screening				Annual		Liquid
V1331	Tank 6	Coupler	Screening				Annual		Liquid
V1332	Tank 6	Coupler	Screening				Annual		Liquid
V1333	Tank 6	Coupler	Screening				Annual		Liquid
V1334	Tank 6	Coupler	Screening				Annual		Liquid
V1335	Tank 6	Coupler	Screening				Annual		Liquid
V1336	Tank 6	Coupler	Screening				Annual		Liquid
V1337	Tank 6	Field Connection	Screening				Annual		Liquid
V1338	Tank 6	Coupler	Screening				Annual		Liquid
V1339	Tank 6	Coupler	Screening				Annual		Liquid
V1340	Tank 6	Valve	Screening				Annual		Liquid
V1341	Tank 6	Coupler	Screening				Annual		Liquid
V1342	Tank 6	Coupler	Screening				Annual		Liquid
V1343	Tank 6	Coupler	Screening				Annual		Liquid
V1344	Tank 6	Valve	Screening				Annual		Liquid
V1345	Tank 5	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1346	Tank 5	Coupler	Screening				Annual		Liquid
V1347	Tank 5	Coupler	Screening				Annual		Liquid
V1348	Tank 5	Coupler	Screening				Annual		Liquid
V1349	Tank 5	Coupler	Screening				Annual		Liquid
V1350	Tank 5	Valve	Screening				Annual		Liquid
V1351	Tank 5	Coupler	Screening				Annual		Liquid
V1352	Tank 5	Coupler	Screening				Annual		Liquid
V1353	Tank 5	Coupler	Screening				Annual		Liquid
V1354	Tank 5	Coupler	Screening				Annual		Liquid
V1355	Tank 5	Coupler	Screening				Annual		Liquid
V1356	Tank 5	Coupler	Screening				Annual		Liquid
V1357	Tank 5	Coupler	Screening				Annual		Liquid
V1358	Tank 5	Coupler	Screening				Annual		Liquid
V1359	Tank 5	Valve	Screening				Annual		Liquid
V1360	Tank 5	Coupler	Screening				Annual		Liquid
V1361	Tank 5	Coupler	Screening				Annual		Liquid
V1362	Tank 5	Coupler	Screening				Annual		Liquid
V1363	Tank 5	Coupler	Screening				Annual		Liquid
V1364	Tank 5	Coupler	Screening				Annual		Liquid
V1365	Tank 5	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1366	Tank 5	Coupler	Screening				Annual		Liquid
V1367	Tank 5	Gauge	Screening				Annual		Liquid
V1368	Tank 5	Coupler	Screening				Annual		Liquid
V1369	Tank 5	Gauge	Screening				Annual		Liquid
V1370	Tank 5	Coupler	Screening				Annual		Liquid
V1371	Tank 5	Coupler	Screening				Annual		Liquid
V1372	Tank 5	Coupler	Screening				Annual		Liquid
V1373	Tank 5	Coupler	Screening				Annual		Liquid
V1374	Tank 5	Coupler	Screening				Annual		Liquid
V1375	Tank 5	Coupler	Screening				Annual		Liquid
V1376	Tank 5	Coupler	Screening				Annual		Liquid
V1377	Tank 5	Coupler	Screening				Annual		Liquid
V1378	Tank 5	Coupler	Screening				Annual		Liquid
V1379	Tank 5	Coupler	Screening				Annual		Liquid
V1380	Tank 5	Coupler	Screening				Annual		Liquid
V1381	Tank 5	Coupler	Screening				Annual		Liquid
V1382	Tank 5	Coupler	Screening				Annual		Liquid
V1383	Tank 5	Coupler	Screening				Annual		Liquid
V1384	Tank 4	Coupler	Screening				Annual		Liquid
V1385	Tank 4	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1386	Tank 4	Coupler	Screening				Annual		Liquid
V1387	Tank 4	Coupler	Screening				Annual		Liquid
V1388	Tank 4	Coupler	Screening				Annual		Liquid
V1389	Tank 4	Coupler	Screening				Annual		Liquid
V1390	Tank 4	Coupler	Screening				Annual		Liquid
V1391	Tank 4	Field Connection	Screening				Annual		Liquid
V1392	Tank 4	Coupler	Screening				Annual		Liquid
V1393	Tank 4	Coupler	Screening				Annual		Liquid
V1394	Tank 4	Valve	Screening				Annual		Liquid
V1395	Tank 4	Coupler	Screening				Annual		Liquid
V1396	Tank 4	Coupler	Screening				Annual		Liquid
V1397	Tank 4	Coupler	Screening				Annual		Liquid
V1398	Tank 4	Valve	Screening				Annual		Liquid
V1399	Tank 4	Coupler	Screening				Annual		Liquid
V1400	Tank 4	Coupler	Screening				Annual		Liquid
V1401	Tank 4	Coupler	Screening				Annual		Liquid
V1402	Tank 4	Coupler	Screening				Annual		Liquid
V1403	Tank 4	Coupler	Screening				Annual		Liquid
V1404	Tank 4	Coupler	Screening				Annual		Liquid
V1405	Tank 4	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1406	Tank 4	Coupler	Screening				Annual		Liquid
V1407	Tank 4	Coupler	Screening				Annual		Liquid
V1408	Tank 4	Coupler	Screening				Annual		Liquid
V1409	Tank 4	Coupler	Screening				Annual		Liquid
V1410	Tank 4	Coupler	Screening				Annual		Liquid
V1411	Tank 4	Coupler	Screening				Annual		Liquid
V1412	Tank 4	Coupler	Screening				Annual		Liquid
V1413	Tank 4	Coupler	Screening				Annual		Liquid
V1414	Tank 4	Coupler	Screening				Annual		Liquid
V1415	Tank 4	Coupler	Screening				Annual		Liquid
V1416	Tank 4	Coupler	Screening				Annual		Liquid
V1417	Tank 4	Coupler	Screening				Annual		Liquid
V1418	Tank 4	Coupler	Screening				Annual		Liquid
V1419	Tank 4	Coupler	Screening				Annual		Liquid
V1420	Tank 3	Coupler	Screening				Annual		Liquid
V1421	Tank 3	Gauge	Screening				Annual		Liquid
V1422	Tank 3	Coupler	Screening				Annual		Liquid
V1423	Tank 3	Coupler	Screening				Annual		Liquid
V1424	Tank 3	Coupler	Screening				Annual		Liquid
V1425	Tank 3	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1426	Tank 3	Coupler	Screening				Annual		Liquid
V1427	Tank 3	Coupler	Screening				Annual		Liquid
V1428	Tank 3	Coupler	Screening				Annual		Liquid
V1429	Tank 3	Electronics	Screening				Annual		Liquid
V1430	Tank 3	Coupler	Screening				Annual		Liquid
V1431	Tank 3	Coupler	Screening				Annual		Liquid
V1432	Tank 3	Coupler	Screening				Annual		Liquid
V1433	Tank 3	Coupler	Screening				Annual		Liquid
V1434	Tank 3	Coupler	Screening				Annual		Liquid
V1435	Tank 3	Coupler	Screening				Annual		Liquid
V1436	Tank 3	Coupler	Screening				Annual		Liquid
V1437	Reserved	Reserved	Screening				Annual		Liquid
V1438	Tank 6	Coupler	Screening				Annual		Liquid
V1439	Tank 6	Cap	Screening				Annual		Liquid
V1440	Reserved	Reserved	Screening				Annual		Liquid
V1441	Reserved	Reserved	Screening				Annual		Liquid
V1442	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
V1443	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1444	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1445	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1446	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1447	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1448	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1449	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1450	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1451	Back Wall Fuel Farm	Cap	Screening				Annual		Liquid
V1452	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1453	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1454	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1455	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1456	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1456A	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1457	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1458	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1459	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1460	Back Wall Fuel Farm	Flange	Screening				Annual		Liquid
V1461	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1462	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1462A	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1462B	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid



Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1463	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1464	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1465	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1466	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1467	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1468	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1469	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1470	Back Wall Fuel Farm	Valve	Screening				Annual		Liquid
V1471	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1472	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1473	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1474	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1475	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1476	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1477	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1478	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1479	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1480	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1481	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1481A	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1482	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1483	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1484	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1485	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1486	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1487	Back Wall Fuel Farm	Coupler	Screening				Annual		Liquid
V1488	Tank 200C	Coupler	Screening				Annual		Liquid
V1489	Tank 200C	Coupler	Screening				Annual		Liquid
V1490	Tank 200C	Coupler	Screening				Annual		Liquid
V1491	Tank 200C	Flange	Screening				Annual		Liquid
V1492	Tank 200C	Coupler	Screening				Annual		Liquid
V1493	Tank 200C	Coupler	Screening				Annual		Liquid
V1494	Tank 200C	Coupler	Screening				Annual		Liquid
V1495	Tank 200C	Coupler	Screening				Annual		Liquid
V1496	Tank 200C	Coupler	Screening				Annual		Liquid
V1497	Tank 200C	Coupler	Screening				Annual		Liquid
V1498	Tank 200C	Coupler	Screening				Annual		Liquid
V1499	Tank 200C	Coupler	Screening				Annual		Liquid
V1500	Tank 200C	Coupler	Screening				Annual		Liquid
V1501	Tank 200C	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1502	Tank 200C	Coupler	Screening				Annual		Liquid
V1503	Tank 200C	Valve	Screening				Annual		Liquid
V1504	Tank 200B	Coupler	Screening				Annual		Liquid
V1505	Tank 200B	Coupler	Screening				Annual		Liquid
V1506	Tank 200B	Coupler	Screening				Annual		Liquid
V1507	Tank 200B	Coupler	Screening				Annual		Liquid
V1508	Tank 200B	Flange	Screening				Annual		Liquid
V1509	Tank 200B	Coupler	Screening				Annual		Liquid
V1510	Tank 200B	Coupler	Screening				Annual		Liquid
V1511	Tank 200B	Coupler	Screening				Annual		Liquid
V1512	Tank 200B	Coupler	Screening				Annual		Liquid
V1513	Tank 200B	Coupler	Screening				Annual		Liquid
V1514	Tank 200B	Coupler	Screening				Annual		Liquid
V1515	Tank 200B	Coupler	Screening				Annual		Liquid
V1516	Tank 200B	Coupler	Screening				Annual		Liquid
V1517	Tank 200B	Coupler	Screening				Annual		Liquid
V1518	Tank 200B	Coupler	Screening				Annual		Liquid
V1519	Tank 200B	Coupler	Screening				Annual		Liquid
V1520	Tank 200B	Valve	Screening				Annual		Liquid
V1521	Tank 200A	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1522	Tank 200A	Coupler	Screening				Annual		Liquid
V1523	Tank 200A	Coupler	Screening				Annual		Liquid
V1524	Tank 200A	Coupler	Screening				Annual		Liquid
V1525	Tank 200A	Flange	Screening				Annual		Liquid
V1526	Tank 200A	Coupler	Screening				Annual		Liquid
V1527	Tank 200A	Coupler	Screening				Annual		Liquid
V1528	Tank 200A	Coupler	Screening				Annual		Liquid
V1529	Tank 200A	Coupler	Screening				Annual		Liquid
V1530	Tank 200A	Coupler	Screening				Annual		Liquid
V1531	Tank 200A	Coupler	Screening				Annual		Liquid
V1532	Tank 200A	Cap	Screening				Annual		Liquid
V1533	Tank 200A	Flange	Screening				Annual		Liquid
V1534	Tank 200A	Valve	Screening				Annual		Liquid
V1535	Tank 200A	Flange	Screening				Annual		Liquid
V1536	Tank 200A	Cap	Screening				Annual		Liquid
V1537	Tank 200A	Valve	Screening				Annual		Liquid
V1538	Tank 200A	Coupler	Screening				Annual		Liquid
V1539	Tank 200A	Flange	Screening				Annual		Liquid
V1540	Tank 200A	Coupler	Screening				Annual		Liquid
V1541	Tank 200A	Valve	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1542	Tank 200A	Coupler	Screening				Annual		Liquid
V1543	Tank 200A	Coupler	Screening				Annual		Liquid
V1544	Tank 200A	Valve	Screening				Annual		Liquid
V1545	Tank 200A	Coupler	Screening				Annual		Liquid
V1546	Tank 200A	Cap	Screening				Annual		Liquid
V1547	Tank 200A	Cap	Screening				Annual		Liquid
V1548	Tank 200A	Cap	Screening				Annual		Liquid
V1549	Tank 200A	Flange	Screening				Annual		Liquid
V1550	Tank 200A	Valve	Screening				Annual		Liquid
V1551	Tank 200A	Flange	Screening				Annual		Liquid
V1552	Tank 100C	Coupler	Screening				Annual		Liquid
V1553	Tank 100C	Coupler	Screening				Annual		Liquid
V1554	Tank 100C	Coupler	Screening				Annual		Liquid
V1555	Tank 100C	Coupler	Screening				Annual		Liquid
V1556	Tank 100C	Flange	Screening				Annual		Liquid
V1557	Tank 100C	Coupler	Screening				Annual		Liquid
V1558	Tank 100C	Coupler	Screening				Annual		Liquid
V1559	Tank 100C	Coupler	Screening				Annual		Liquid
V1560	Tank 100C	Coupler	Screening				Annual		Liquid
V1561	Tank 100C	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1562	Tank 100C	Coupler	Screening				Annual		Liquid
V1563	Tank 100C	Coupler	Screening				Annual		Liquid
V1564	Tank 100C	Coupler	Screening				Annual		Liquid
V1565	Tank 100C	Coupler	Screening				Annual		Liquid
V1566	Tank 100C	Coupler	Screening				Annual		Liquid
V1567	Tank 100C	Coupler	Screening				Annual		Liquid
V1568	Tank 100C	Coupler	Screening				Annual		Liquid
V1569	Tank 100C	Valve	Screening				Annual		Liquid
V1570	Tank 100B	Coupler	Screening				Annual		Liquid
V1571	Tank 100B	Coupler	Screening				Annual		Liquid
V1572	Tank 100B	Coupler	Screening				Annual		Liquid
V1573	Tank 100B	Coupler	Screening				Annual		Liquid
V1574	Tank 100B	Flange	Screening				Annual		Liquid
V1575	Tank 100B	Coupler	Screening				Annual		Liquid
V1576	Tank 100B	Coupler	Screening				Annual		Liquid
V1577	Tank 100B	Coupler	Screening				Annual		Liquid
V1578	Tank 100B	Coupler	Screening				Annual		Liquid
V1579	Tank 100B	Coupler	Screening				Annual		Liquid
V1580	Tank 100B	Coupler	Screening				Annual		Liquid
V1581	Tank 100B	Coupler	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1582	Tank 100B	Coupler	Screening				Annual		Liquid
V1583	Tank 100B	Coupler	Screening				Annual		Liquid
V1584	Tank 100B	Valve	Screening				Annual		Liquid
V1585	Tank 100A	Coupler	Screening				Annual		Liquid
V1586	Tank 100A	Coupler	Screening				Annual		Liquid
V1587	Tank 100A	Coupler	Screening				Annual		Liquid
V1588	Tank 100A	Coupler	Screening				Annual		Liquid
V1589	Tank 100A	Flange	Screening				Annual		Liquid
V1590	Tank 100A	Coupler	Screening				Annual		Liquid
V1591	Tank 100A	Coupler	Screening				Annual		Liquid
V1592	Tank 100A	Coupler	Screening				Annual		Liquid
V1593	Tank 100A	Coupler	Screening				Annual		Liquid
V1594	Tank 100A	Coupler	Screening				Annual		Liquid
V1595	Tank 100A	Coupler	Screening				Annual		Liquid
V1596	Tank 100A	Coupler	Screening				Annual		Liquid
V1597	Tank 100A	Coupler	Screening				Annual		Liquid
V1598	Tank 100A	Coupler	Screening				Annual		Liquid
V1599	Tank 100A	Valve	Screening				Annual		Liquid
V1600	Reserved	Reserved	Screening				Annual		Liquid
V1601	Reserved	Reserved	Screening				Annual		Liquid

Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1602	Reserved	Reserved	Screening				Annual		Liquid
V1603	Reserved	Reserved	Screening				Annual		Liquid
V1604	Reserved	Reserved	Screening				Annual		Liquid
V1605	Reserved	Reserved	Screening				Annual		Liquid
V1606	Reserved	Reserved	Screening				Annual		Liquid
V1607	Reserved	Reserved	Screening				Annual		Liquid
V1608	Reserved	Reserved	Screening				Annual		Liquid
V1609	Reserved	Reserved	Screening				Annual		Liquid
V1610	Reserved	Reserved	Screening				Annual		Liquid
V1611	Reserved	Reserved	Screening				Annual		Liquid
V1612	Reserved	Reserved	Screening				Annual		Liquid
V1613	Reserved	Reserved	Screening				Annual		Liquid
V1614	Reserved	Reserved	Screening				Annual		Liquid
V1615	Reserved	Reserved	Screening				Annual		Liquid
V1616	Reserved	Reserved	Screening				Annual		Liquid
V1617	Reserved	Reserved	Screening				Annual		Liquid
V1618	Reserved	Reserved	Screening				Annual		Liquid
V1619	Reserved	Reserved	Screening				Annual		Liquid
V1620	Reserved	Reserved	Screening				Annual		Liquid
V1621	Reserved	Reserved	Screening				Annual		Liquid




Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1622	Reserved	Reserved	Screening				Annual		Liquid
V1623	Reserved	Reserved	Screening				Annual		Liquid
V1624	Reserved	Reserved	Screening				Annual		Liquid
V1625	Reserved	Reserved	Screening				Annual		Liquid
V1626	Reserved	Reserved	Screening				Annual		Liquid
V1627	Reserved	Reserved	Screening				Annual		Liquid
V1628	Reserved	Reserved	Screening				Annual		Liquid
V1629	Reserved	Reserved	Screening				Annual		Liquid
V1630	Reserved	Reserved	Screening				Annual		Liquid
V1631	Reserved	Reserved	Screening				Annual		Liquid
V1632	Reserved	Reserved	Screening				Annual		Liquid
V1633	Reserved	Reserved	Screening				Annual		Liquid
V1634	Reserved	Reserved	Screening				Annual		Liquid
V1635	Reserved	Reserved	Screening				Annual		Liquid
V1636	Reserved	Reserved	Screening				Annual		Liquid
V1637	Reserved	Reserved	Screening				Annual		Liquid
V1638	Reserved	Reserved	Screening				Annual		Liquid
V1639	Reserved	Reserved	Screening				Annual		Liquid
V1640	Reserved	Reserved	Screening				Annual		Liquid
V1641	Reserved	Reserved	Screening				Annual		Liquid


Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1642	Reserved	Reserved	Screening				Annual		Liquid
V1643	Reserved	Reserved	Screening				Annual		Liquid
V1644	Reserved	Reserved	Screening				Annual		Liquid
V1645	Reserved	Reserved	Screening				Annual		Liquid
V1646	Reserved	Reserved	Screening				Annual		Liquid
V1647	Reserved	Reserved	Screening				Annual		Liquid
V1648	Reserved	Reserved	Screening				Annual		Liquid
V1649	Reserved	Reserved	Screening				Annual		Liquid
V1650	Reserved	Reserved	Screening				Annual		Liquid
V1651	Reserved	Reserved	Screening				Annual		Liquid
V1652	Reserved	Reserved	Screening				Annual		Liquid
V1653	Reserved	Reserved	Screening				Annual		Liquid
V1654	Reserved	Reserved	Screening				Annual		Liquid
V1655	Reserved	Reserved	Screening				Annual		Liquid
V1656	Reserved	Reserved	Screening				Annual		Liquid
V1657	Reserved	Reserved	Screening				Annual		Liquid
V1658	Reserved	Reserved	Screening				Annual		Liquid
V1659	Reserved	Reserved	Screening				Annual		Liquid
V1660	Reserved	Reserved	Screening				Annual		Liquid
V1661	Reserved	Reserved	Screening				Annual		Liquid


Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1662	Reserved	Reserved	Screening				Annual		Liquid
V1663	Reserved	Reserved	Screening				Annual		Liquid
V1664	Reserved	Reserved	Screening				Annual		Liquid
V1665	Reserved	Reserved	Screening				Annual		Liquid
V1666	Reserved	Reserved	Screening				Annual		Liquid
V1667	Reserved	Reserved	Screening				Annual		Liquid
V1668	Reserved	Reserved	Screening				Annual		Liquid
V1669	Reserved	Reserved	Screening				Annual		Liquid
V1670	Reserved	Reserved	Screening				Annual		Liquid
V1671	Reserved	Reserved	Screening				Annual		Liquid
V1672	Reserved	Reserved	Screening				Annual		Liquid
V1673	Reserved	Reserved	Screening				Annual		Liquid
V1674	Reserved	Reserved	Screening				Annual		Liquid
V1675	Reserved	Reserved	Screening				Annual		Liquid
V1676	Reserved	Reserved	Screening				Annual		Liquid
V1677	Reserved	Reserved	Screening				Annual		Liquid
V1678	Reserved	Reserved	Screening				Annual		Liquid
V1679	Reserved	Reserved	Screening				Annual		Liquid
V1680	Reserved	Reserved	Screening				Annual		Liquid
V1681	Reserved	Reserved	Screening				Annual		Liquid


Tag #	Location	Source Type	Results (ppm)				Monitoring Frequency	Action (ppm) Item	Service: Gas/Vapor or Liquid
			Item	Date	Value	Background			
V1682	Reserved	Reserved	Screening				Annual		Liquid
V1683	Reserved	Reserved	Screening				Annual		Liquid
V1684	Reserved	Reserved	Screening				Annual		Liquid
V1685	Reserved	Reserved	Screening				Annual		Liquid
V1686	Reserved	Reserved	Screening				Annual		Liquid
V1687	Reserved	Reserved	Screening				Annual		Liquid
V1688	Reserved	Reserved	Screening				Annual		Liquid
V1689	Reserved	Reserved	Screening				Annual		Liquid
V1690	Reserved	Reserved	Screening				Annual		Liquid
V1691	Reserved	Reserved	Screening				Annual		Liquid
V1692	Reserved	Reserved	Screening				Annual		Liquid
V1693	Reserved	Reserved	Screening				Annual		Liquid
V1694	Reserved	Reserved	Screening				Annual		Liquid
V1695	Reserved	Reserved	Screening				Annual		Liquid
V1696	Reserved	Reserved	Screening				Annual		Liquid
V1697	Reserved	Reserved	Screening				Annual		Liquid
V1698	Reserved	Reserved	Screening				Annual		Liquid
V1699	Reserved	Reserved	Screening				Annual		Liquid
V1700	Reserved	Reserved	Screening				Annual		Liquid

<b>Max Reading</b>	<b>0</b>	<b>0</b>
--------------------	----------	----------









































## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/ Locations	Monitoring Procedure	Procedure When Potential Leak/ Leak Detected	Repair Procedures	Record In Inspection Log
40 CFR 264.1050 6 NYCRR 373-2.28(a) 40 CFR 61.242-1  Applicability	Each piece of equipment shall be marked in such a manner that it can be distinguished readily from other pieces of equipment.  Equipment that is in vacuum service is excluded from these requirements	The unique ID# for the leaking equipment is used to identify and label the equipment in questions with a weatherproof tag to signify repair is needed	Repair as soon as practicable.  First Attempt: Within 5 days of leak detected.  Completed: Within 15 days of leak detected.  Remove repair identification.	Norlite has established a set of drawings which indicates a unique ID # for each connector, flange, valve, pump, agitator, etc., which are regulated under the indicated regulations. Norlite will not maintain an individual tag system in the field for this equipment  Norlite uses either green and yellow paint or a red plastic tag marked "Subpart BB/V" to readily distinguish regulated equipment from non-regulated equipment
40 CFR 264.1052 6 NYCRR 373-2.28(c) 40 CFR 61.242-2  Pumps in Light Liquid Service  Double Mechanical Pumps: 100A, 100B, 200A, 200B, 3 Off-Loading Bay Pumps  Single Seal Pump: 100C, 200C	<u>Weekly:</u> Visually inspect for liquid Dripping from pump seal, results can be found on weekly RCRA Inspection forms  <u>Monthly:</u> Monitor for leaks using Method 21, result can be found in the weekly Fuel Farm VOC Readings report under Subpart CC  <u>Monthly:</u> check of audible alarm for double mechanical seal system, results can be found attached to the weekly Fuel Farm VOC Readings report under Subpart CC	Leak detected at $\geq 10,000$ ppm  Leak detected if liquids dripping from pump seal  The leak detection sensor system for the double mechanical system sounds an audible alarm, a leak has been detected  Visibly mark the pump as out of service with a weatherproof repair identification (i.e. tag, color tape), with the date leak found.	Repair as soon as practicable.  First Attempt: Within 5 days of leak detected.  Completed: Within 15 days of leak detected.  Remove repair identification.	IF Leak Occurs, following information will be recorded on a <b>Leak Detection Sheet</b>  Monitor I.D. No. Operator identification. Equipment tag No. Date of evidence potential leak. Date leak was detected. Date each repair attempt was made and Method used. VOC reading after repair "Repair Delayed" and reason. Documentation to support delay of repair Signature of operator if unit must be shut down. Date expected of successful repair. Date of successful repair.  Out of service pumps will also be documented on the Fuel Farm Pre-Shift records as well as the weekly RCRA Inspection report if witnessed during the time of the inspection
40 CFR 264.1053 6 NYCRR 373-2.28(d) 40 CFR 61.242-3  Compressors	Norlite does not have any compressors which are regulated by the listed regulations  Monthly: check of audible alarm for barrier fluid system	The leak detection sensor system for the double mechanical system sounds an audible alarm, a leak has been detected  Visibly mark the compressor as out of service with a weatherproof repair identification (i.e. tag, color tape), with the date leak found.	Repair as soon as practicable.  First Attempt: Within 5 days of leak detected.  Completed: Within 15 days of leak detected.  Remove repair identification.	Same as Pumps should a compressor be installed which meets the requirements of the stated regulations
Monitoring shall comply with Method 21, 40 CFR Part 60 – Norlite uses a Photovac 2020 Pro Plus and complies with 40 CFR 264.1034. Note that Norlite uses a detection of 500 ppm or higher to trigger a repair event. Evidence of leak - visual, audible, olfactory, or any other detection method. If delay in repair is required, delay will be managed in accordance with 40 CFR 263.1059. First attempt at repair include, but not limited to: (1) Tightening of bonnet bolts (2) Replacement of bonnet bolts (3) Tightening of packing gland nuts (4) Injection of lubricant into lubricated packing.				

Revised December 2011

## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/Location	Monitoring Procedure	Procedure When Leak/Defect Detected	Repair Procedure	Record In Inspection Log
40 CFR 264.1054 6 NYCRR 373-2.28(e) 40 CFR 61.242-4  Pressure Relief Devices in Gas/Vapor Service	Norlite maintains all storage tanks with a vent system which maintains a consistent pressure within the tank.  The tank vent system is a closed vent system and therefore exempt from the condition of the stated regulations	The tank vent system is a closed vent system and therefore exempt from the condition of the stated regulations	The tank vent system is a closed vent system and therefore exempt from the condition of the stated regulations	The tank vent system is a closed vent system and therefore exempt from the condition of the stated regulations
40 CFR 264.1055 6 NYCRR 373-2.28(f) 40 CFR 61.242-5  Sampling Connection Systems	<i>In-situ</i> sampling systems and sampling systems without purges are exempt from the requirements of the listed regulations	<i>In-situ</i> sampling systems and sampling systems without purges are exempt from the requirements of the listed regulations	<i>In-situ</i> sampling systems and sampling systems without purges are exempt from the requirements of the listed regulations	<i>In-situ</i> sampling systems and sampling systems without purges are exempt from the requirements of the listed regulations
40 CFR 264.1056 6 NYCRR 373-2.28(g) 40 CFR 61.242-6  Open-ended valves or lines	Daily visual: Inspect each valve/line to be equipped with a cap/plug and sealed	Immediate notification to the Fuel Farm Manager for replacement	Missing caps and plugs are to be replaced upon discovery of their absence	Evidence of missing caps and plugs will be recorded in either the Fuel Farm Pre-shift inspection logs in the comments section or on the weekly RCRA inspection reports if witnessed during the time of the inspection
40 CFR 264.1057 6 NYCRR 373-2.28(h) 40 CFR 61.242-7  Valves in gas/vapor service or in light liquid service	<u>Monthly</u> : Monitor for leaks which are greater than 10,000 ppm.  <u>Quarterly</u> : If have two consecutive months with no detected leaks, can start monitoring first month of each quarter  If a leak is found, must start monthly monitoring again until there are two consecutive months with a detection  <u>Annual</u> : Any valves designated as "unsafe-to-monitor" are required to be monitored at least annually  Results for the quarterly and annual testing can be found in the Quarterly Subpart BB reports	Leak detected at $\geq 10,000$ ppm  Visibly mark the valve as out of service with a weatherproof repair identification (i.e. tag, color tape), with the date leak found	Repair as soon as practicable.  First Attempt: Within 5 days of leak detected.  Completed: Within 15 days of leak detected.  Remove repair identification.	IF Leak Occurs, following information will be recorded on a <b>Leak Detection Sheet</b>  Monitor I.D. No. Operator identification. Equipment tag No. Date of evidence potential leak. Date leak was detected. Date each repair attempt was made and Method used. VOC reading after repair "Repair Delayed" and reason. Documentation to support delay of repair Signature of operator if unit must be shut down. Date expected of successful repair. Date of successful repair  Any valve found with a reading above background, will be documented in the quarterly Subpart BB Inspection reports
Monitoring shall comply with Method 21, 40 CFR Part 60 – Norlite uses a Photovac 2020 Pro Plus and complies with 40 CFR 264.1034. Note that Norlite uses a detection of 500 ppm or higher to trigger a repair event. Evidence of leak - visual, audible, olfactory, or any other detection method. If delay in repair is required, delay will be managed in accordance with 40 CFR 263.1059. First attempt at repair include, but not limited to: (1) Tightening of bonnet bolts (2) Replacement of bonnet bolts (3) Tightening of packing gland nuts (4) Injection of lubricant into lubricated packing.				

Revised December 2011

## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/Location	Monitoring Procedure	Procedure When Leak/Defect Detected	Repair Procedure	Record In Inspection Log
<p>40 CFR 264.1058 6 NYCRR 373-2.28(i) 40 CFR 61.242-8</p> <p>Pressure relief devices in light liquid service, and flanges and other connectors</p> <p>Tank Rupture Disk System</p>	<p>Monitored within 5 days if evidence of a potential leak is found by visual, audible, olfactory, or any other detection method.</p> <p>Evidence of a potential leak will be recorded on the Fuel Farm pre-shift Inspection form in the comments section or on the Weekly RCRA Inspection report if witnessed during the time of the inspection</p>	<p>If an instrument reading of 10,000 ppm or greater is measured, a leak is detected</p> <p>As per 40 CFR 61.242-8 If evidence of a potential leak is found by visual, audible, olfactory, or any other detection method at pressure relief devices in liquid service and connectors, the owner or operator shall follow either one of the following procedure:</p> <p>(1) The owner or operator shall monitor the equipment within 5 days</p> <p>(2) The owner or operator shall eliminate the visual, audible, olfactory, or other indication of a potential leak.</p>	<p>Repair as soon as practicable.</p> <p>First Attempt: Within 5 days of leak detected.</p> <p>Completed: Within 15 days of leak detected.</p> <p>Remove repair identification.</p>	<p>IF Leak Occurs, following information will be recorded on a <b>Leak Detection Sheet</b>:</p> <p>Monitor I.D. No. Operator identification. Equipment tag No. Date of evidence potential leak. Date leak was detected. Date each repair attempt was made and Method used. VOC reading after repair "Repair Delayed" and reason. Documentation to support delay of repair Signature of operator if unit must be shut down. Date expected of successful repair. Date of successful repair</p> <p>If a rupture disk is found to be leaking during a quarterly Subpart BB Inspection, it will be detailed in that quarterly report</p>
<p>40 CFR 264.1059 6 NYCRR 373-2.28(j) 40 CFR 61.242-10</p> <p>Delay of Repairs</p>	<p>Delay of repair of equipment for which leaks have been detected will be allowed if repair within 15 days is technically infeasible without a process unit shutdown.</p> <p>Delay of repair will be allowed for equipment that is isolated from the process and that does not remain in contact with hazardous waste or remain in VHAP service.</p> <p>As per 40 CFR 61.242-10 Delay of repair for pumps will be allowed if: (1) Repair requires the use of a dual mechanical seal system that includes a barrier fluid system. (2) Repair is completed as soon as practicable, but not later than 6 months after the leak was detected.</p>			<p>If a delay of repairs occurs, the reason will be detailed on the <b>Leak Detection Sheet</b> used for the detected leak.</p> <p>Delay of repairs for equipment found leaking during a quarterly Subpart BB Inspection will be detailed in the Inspection report as well as well as on the Weekly RCRA Inspection report</p>
<p>Monitoring shall comply with Method 21, 40 CFR Part 60 – Norlite uses a Photovac 2020 Pro Plus and complies with 40 CFR 264.1034. Note that Norlite uses a detection of 500 ppm or higher to trigger a repair event. Evidence of leak - visual, audible, olfactory, or any other detection method. If delay in repair is required, delay will be managed in accordance with 40 CFR 263.1059. First attempt at repair include, but not limited to: (1) Tightening of bonnet bolts (2) Replacement of bonnet bolts (3) Tightening of packing gland nuts (4) Injection of lubricant into lubricated packing.</p>				

Revised December 2011

## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/Location	Monitoring Procedure	Procedure When Leak/Defect Detected	Repair Procedure	Record In Inspection Log
<p>40 CFR 264.1060 6 NYCRR 373-2.28(k) 40 CFR 61.242-11</p> <p>Closed Vent Systems and Controls</p>	<p>Norlite utilizes two rotary kilns as control devices for the destruction of any VHAP from the Closed Vent System</p> <p>Enclosed combustion devices shall be designed and operated to reduce the VHAP emissions vented to them with an efficiency of 95 percent or greater</p> <p>If the closed vent system is constructed of hard-piping, the owner or operator shall comply with the following requirements:</p> <p><u>Annual</u>: Conduct visual inspections for visible, audible, or olfactory indications of leaks</p> <p>Results of the visual inspection can be found in the 3<sup>rd</sup> quarter Subpart BB reports.</p>	<p>Leak detected at <math>\geq 500</math> ppm or by visual inspections</p> <p>If a vapor collection system or closed vent system is operated under a vacuum, it is exempt from the inspection requirements</p>	<p>Repair as soon as practicable.</p> <p>First Attempt: Within 5 days of leak detected.</p> <p>Completed: Within 15 days of leak detected.</p> <p>Remove repair identification.</p>	<p>Norlite maintains the kilns as per the regulations of 40 CFR 63 Subpart EEE which is a minimum DRE of 99.99%. A final report of any testing is submitted to the USEPA and NYSEDEC</p> <p>If Leak Occurs, following information will be recorded on a <b>Leak Detection Sheet</b></p> <p>Monitor I.D. No. Operator identification. Equipment tag No. Date of evidence potential leak. Date leak was detected. Date each repair attempt was made and Method used. VOC reading after repair "Repair Delayed" and reason. Documentation to support delay of repair Signature of operator if unit must be shut down. Date expected of successful repair. Date of successful repair</p>
<p>40 CFR 264.1061 6 NYCRR 373-2.28(l) 40 CFR 61.243-1</p> <p>Alternative standards for valves in gas/vapor service or in light liquid service: percentage of valves allowed to leak</p>	<p>Can elect to have all valves within a process unit comply with an allowable percentage of valves leaking of equal to or less than 2.0 percent</p> <p>Must meet following requirements:</p> <p>Must notify the Administrator that the owner or operator has elected to have all valves within a process unit comply with the allowable percentage of valves leaking before implementing this alternative standard</p> <p>A performance test shall be conducted initially upon designation, annually, and at other times requested by the Administrator</p>	<p>Performance tests shall be conducted in the following manner:</p> <p>(1) All valves in VHAP service within the process unit shall be monitored within 1 week</p> <p>(2) If an instrument reading of 10,000 ppm or greater is measured, a leak is detected</p> <p>(3) The leak percentage is determined by dividing the number of leaking valves by the number of total valves in VHAP service</p>	<p>Repair as soon as practicable.</p> <p>First Attempt: Within 5 days of leak detected.</p> <p>Completed: Within 15 days of leak detected.</p>	<p>Details of the performance test as well as the annual test will be recorded in the Quarterly/Annual Subpart BB Inspection report. Any leaks will also be documented on a <b>Leak Detection Sheet</b></p> <p>Norlite may consider applying the alternative standards in the future due to the low number of leaks which are found</p>
<p>Monitoring shall comply with Method 21, 40 CFR Part 60 – Norlite uses a Photovac 2020 Pro Plus and complies with 40 CFR 264.1034. Note that Norlite uses a detection of 500 ppm or higher to trigger a repair event. Evidence of leak - visual, audible, olfactory, or any other detection method. If delay in repair is required, delay will be managed in accordance with 40 CFR 263.1059. First attempt at repair include, but not limited to: (1) Tightening of bonnet bolts (2) Replacement of bonnet bolts (3) Tightening of packing gland nuts (4) Injection of lubricant into lubricated packing.</p>				

Revised December 2011

## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/Location	Monitoring Procedure	Procedure When Leak/Defect Detected	Repair Procedure	Record In Inspection Log
<p>40 CFR 264.1062 6 NYCRR 373-2.28(m) 40 CFR 61.243-2</p> <p>Alternative standards for valves in VHAP service—skip period leak detection and repair</p>	<p>After 2 consecutive quarterly leak detection periods with the percentage of valves leaking equal to or less than 2.0, an owner or operator may begin to skip one of the quarterly leak detection periods for the valves in VHAP service</p> <p>After five consecutive quarterly leak detection periods with the percentage of valves leaking equal to or less than 2.0, an owner or operator may begin to skip three of the quarterly leak detection periods for the valves in VHAP service</p> <p>If the percentage of valves leaking is greater than 2.0, the owner or operator shall comply with the requirements as described in 40 CFR 264.1057, 6 NYCRR 373-2.28(h), 40 CFR 61.242-7, but may again elect to use this section</p>	<p>Leak detected at <math>\geq 10,000</math> ppm</p> <p>Visibly mark the pump as out of service with a weatherproof repair identification (i.e. tag, color tape), with the date leak found</p>	<p>Repair as soon as practicable.</p> <p>First Attempt: Within 5 days of leak detected.</p> <p>Completed: Within 15 days of leak detected</p>	<p>If Leak Occurs, following information will be recorded on a <b>Leak Detection Sheet</b>:</p> <p>Monitor I.D. No. Operator identification. Equipment tag No. Date of evidence potential leak. Date leak was detected. Date each repair attempt was made and Method used. VOC reading after repair "Repair Delayed" and reason. Documentation to support delay of repair Signature of operator if unit must be shut down. Date expected of successful repair. Date of successful repair</p>
<p>Monitoring shall comply with Method 21, 40 CFR Part 60 – Norlite uses a Photovac 2020 Pro Plus and complies with 40 CFR 264.1034. Note that Norlite uses a detection of 500 ppm or higher to trigger a repair event. Evidence of leak - visual, audible, olfactory, or any other detection method. If delay in repair is required, delay will be managed in accordance with 40 CFR 263.1059. First attempt at repair include, but not limited to: (1) Tightening of bonnet bolts (2) Replacement of bonnet bolts (3) Tightening of packing gland nuts (4) Injection of lubricant into lubricated packing.</p>				

Revised December 2011



## 40 CFR 264/ 6 NYCRR 373-2.28 Subpart BB & MACT 40 CFR 61 Subpart V Compliance Requirements

Equipment/Location	Reporting as per 40 CFR 264.1065 & 6 NYCRR 373-2.28(p)	Reporting as per 40 CFR 61.247	Record In Inspection Log
<p>40 CFR 264.1065 6 NYCRR 373-2.28(p) 40 CFR 61.247</p> <p>Reporting Requirements</p>	<p>A semiannual report shall be submitted to the Regional Administrator by dates specified by the Regional Administrator.</p> <p>The report shall include the following information:</p> <p>The EPA ID#, name, and address</p> <p>For each month during the semiannual reporting period:</p> <p>(i) The ID # of each leaking valve (ii) The ID # of each leaking pump (iii) The ID# of each compressor</p> <p>Dates of unit shutdowns that occurred within the semiannual reporting period.</p> <p>For each month during the semiannual reporting period, dates when the control device exceeded or operated outside of the design specifications and was not corrected within 24 hours, the duration and cause of each exceedance, and any corrective measures taken.</p> <p>If, during the semiannual reporting period, leaks from valves, pumps, and compressors are repaired as required, and the control device does not exceed or operate outside of the design specifications for more than 24 hours, a report to the Regional Administrator is not required</p>	<p>A report shall be submitted to the Administrator semiannually starting 6 months after the initial report that includes the following information:</p> <p>Process unit identification</p> <p>For each month during the semiannual reporting period:</p> <p>(i) Number of valves for which leaks were detected (ii) Number of valves for which leaks were not repaired (iii) Number of pumps for which leaks were detected (iv) Number of pumps for which leaks were not repaired (v) Number of compressors for which leaks were detected (vi) Number of compressors for which leaks were not repaired (vii) The facts that explain any delay of repairs and, where appropriate, why a process unit shutdown was technically infeasible.</p> <p>Dates of process unit shutdowns which occurred within the semiannual reporting period</p> <p>Revisions to items reported if changes have occurred since the initial report or subsequent revisions to the initial report</p> <p>The results of all performance tests and monitoring to determine compliance with no detectable emissions conducted within the semiannual reporting period</p> <p>In the first report submitted, the report shall include a reporting schedule stating the months that semiannual reports shall be submitted. Subsequent reports shall be submitted according to that schedule, unless a revised schedule has been submitted in a previous semiannual report.</p>	<p>As per 40 CFR 264.1065(4)(b) &amp; 6 NYCRR 373-2.28(p)(2), there is no requirement for a semi-annual report due to any leaking equipment being repaired as required and the control device not operating outside of design specifications.</p> <p>Should a semi-annual report ever be required, the report would be a standalone document and filed as such.</p> <p>As per 40 CFR 61.247, Norlite does not submit a semi-annual report to the Administrator. Due to the extremely low number of leaks which exist, Norlite uses the quarterly Subpart BB reports to document the information required in the referenced regulation.</p>

Revised December 2011